

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

| Study Results | | | | | | | | Demographics | | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-----|----------|--------------------|---------------------|---------------------------------|--------------|-------------|------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 126 Blythe | <15 cases. See note. | . | . | . | . | . | . | 14,649 | Rural | Pov100 Pov200 | 18.7 46.3 | White | 71.1 | 50.9 | No | . | |
| | | | | | | | | | | | | Black | 9.2 | | | | |
| | | | | | | | | | | | | Am. Ind. | 1.7 | | | | |
| | | | | | | | | | | | | Other/Multi | 21.3 | | | | |
| | | | | | | | | | | | | Asian/PI | 2.1 | | | | |
| 127 Chiriaco Summit/Desert Center/Eagle Mountain | <15 cases. See note. | . | . | . | . | . | . | 10,259 | Frontier | Pov100 Pov200 | 22.7 48.7 | White | 56.2 | 51.6 | Yes | 0 | |
| | | | | | | | | | | | | Black | 23.4 | | | | |
| | | | | | | | | | | | | Am. Ind. | 3 | | | | |
| | | | | | | | | | | | | Other/Multi | 23.6 | | | | |
| | | | | | | | | | | | | Asian/PI | 3.1 | | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).
 ** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).
 *** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Populaton:1 Physician).
 Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.
 Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|-------------|----------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 128 Arabia/Coachella/Desert Beach/Flowing Wells/Indio South/La Quinta East/Mecca/Oasis/ Thermal** | 67 | 21 | 14 | 6.8 | 7.2 | 205.9 | 142.5-297.5 | 97,097 | Urban | Pov100 26.4 Pov200 57.4 | White | 68.4 | 83.1 | Yes | 4,195 | |
| | | | | | | | | | | | Black | 1.7 | | | | |
| | | | | | | | | | | | Am. Ind. | 0.8 | | | | |
| | | | | | | | | | | | Other/Multi | 31 | | | | |
| | | | | | | | | | | | Asian/PI | 1 | | | | |
| 129.1 Bermuda Dunes South/Indian Wells/La Quinta West/Palm Desert/Rancho Mirage Central and South | 29 | 17 | 5 | 8.1 | -3.1 | 61.7 | 27.3-139.4 | 99,010 | Urban | Pov100 9.8 Pov200 24.2 | White | 84.5 | 25.6 | No | . | |
| | | | | | | | | | | | Black | 2.9 | | | | |
| | | | | | | | | | | | Am. Ind. | 1.2 | | | | |
| | | | | | | | | | | | Other/Multi | 11.9 | | | | |
| | | | | | | | | | | | Asian/PI | 3.5 | | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

| Study Results | | | | | | | | Demographics | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-----|----------|--------------------|---------------------|---------------------------------|-------------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | Race (%) | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 129.2 Bermuda Dunes North/Indio North | <15 cases. See note. | . | . | . | . | . | . | 50,387 | Urban | Pov100 14.9 Pov200 37 | White | 70.3 | 54 | No | . |
| | | | | | | | | | | | Black | 2.1 | | | |
| | | | | | | | | | | | Am. Ind. | 1.4 | | | |
| | | | | | | | | | | | Other/Multi | 29.7 | | | |
| | | | | | | | | | | | Asian/PI | 2.9 | | | |
| 129.3 Agua Caliente/Palm Springs Central | <15 cases. See note. | . | . | . | . | . | . | 30,412 | Urban | Pov100 13.5 Pov200 35.2 | White | 87.4 | 23.5 | Yes | 30,412 |
| | | | | | | | | | | | Black | 2.6 | | | |
| | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | Other/Multi | 7.8 | | | |
| | | | | | | | | | | | Asian/PI | 5.8 | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

| Study Results | | | | | | | | Demographics | | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-----------|--------------------|---------------------|---------------------------------|-------|----------|------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 129.4 Cathedral City Southeast/Palm Desert North/Palm Springs South/Rancho Mirage North** | 58 | 33 | 19 | 13.6 | 5.4 | 139.7 | 102.2-191 | 127,925 | Urban | Pov100 15.7 Pov200 41.8 | White | 76.9 | 44.3 | Yes | 1,673 | | |
| | | | | | | | | | | | | | | | | Black | 4.7 |
| | | | | | | | | | | | | | | | | Am. Ind. | 2 |
| | | | | | | | | | | | | | | | | Other/Multi | 17.6 |
| | | | | | | | | | | | | | | | | Asian/PI | 3.9 |
| 130 Idyllwild/Pine Cove | <15 cases. See note. | . | . | . | . | . | . | 12,133 | Rural | Pov100 12 Pov200 37.8 | White | 88.9 | 22.3 | Yes | 0 | | |
| | | | | | | | | | | | | | | | | Black | 1.2 |
| | | | | | | | | | | | | | | | | Am. Ind. | 2.8 |
| | | | | | | | | | | | | | | | | Other/Multi | 8.4 |
| | | | | | | | | | | | | | | | | Asian/PI | 1.9 |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).
 ** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).
 *** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Populaton:1 Physician).
 Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.
 Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 131a Lake Elsinore/Murrieta West/Sedco Hills/Wildomar** | 61 | 23 | 14 | 9.2 | 4.8 | 152.2 | 103.5-223.8 | 134,692 | Urban | Pov100 Pov200 | 10.2 26.1 | White | 71.3 | 37.2 | Yes | 2,743 |
| | | | | | | | | | | | | Black | 5.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.7 | | | |
| | | | | | | | | | | | | Other/Multi | 22.3 | | | |
| | | | | | | | | | | | | Asian/PI | 8.5 | | | |
| 131b French Valley/Murrieta East/Temecula/ Winchester | 50 | 20 | 10 | 8.2 | 1.8 | 122 | 73.8-201.5 | 134,948 | Urban | Pov100 Pov200 | 6.8 19.3 | White | 71.6 | 25.5 | No | . |
| | | | | | | | | | | | | Black | 7 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.1 | | | |
| | | | | | | | | | | | | Other/Multi | 16.2 | | | |
| | | | | | | | | | | | | Asian/PI | 13.9 | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

| Study Results | | | | | | | | Demographics | | | | | | | | |
|----------------------------------|---------------------------------|----------------|----------------------|----------------------|--------------------|-----|----------|--------------------|---------------------|---------------------------------|-------|-------------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 131c Temecula South | <15 cases. See note. | . | . | . | . | . | . | 74,746 | Urban | Pov100 7.1 Pov200 18.4 | White | 76.6 | 21.9 | No | . | |
| | | | | | | | | | | | | Black | | | | 4.3 |
| | | | | | | | | | | | | Am. Ind. | | | | 3.2 |
| | | | | | | | | | | | | Other/Multi | | | | 15.5 |
| | | | | | | | | | | | | Asian/PI | | | | 13.7 |
| 132 East Hemet/Hemet/Valle Vista | 50 | 30 | 15 | 12.6 | 2.4 | 119 | 76-186.5 | 139,924 | Urban | Pov100 17.3 Pov200 44.7 | White | 72.7 | 39.7 | Yes | 2,613 | |
| | | | | | | | | | | | | Black | | | | 5 |
| | | | | | | | | | | | | Am. Ind. | | | | 3.5 |
| | | | | | | | | | | | | Other/Multi | | | | 23.8 |
| | | | | | | | | | | | | Asian/PI | | | | 4.2 |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).
 ** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).
 *** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).
 Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.
 Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

| Study Results | | | | | | | | Demographics | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | Race (%) | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 133.1 Canyon Lake/Perris/Quail Valley/Romoland/Sun City/Winchester | 47 | 34 | 16 | 13.2 | 2.8 | 121.2 | 77.6-189.4 | 161,635 | Urban | Pov100 14.5 Pov200 37 | White | 64.8 | 47.8 | Yes | 3,656 |
| | | | | | | | | | | | Black | 8.6 | | | |
| | | | | | | | | | | | Am. Ind. | 1.4 | | | |
| | | | | | | | | | | | Other/Multi | 25.9 | | | |
| | | | | | | | | | | | Asian/PI | 5.3 | | | |
| 133.2 Homeland/Lakeview/San Jacinto | <15 cases. See note. | . | . | . | . | . | . | 24,064 | Urban | Pov100 11.9 Pov200 34.3 | White | 70.8 | 40.7 | Yes | 23,855 |
| | | | | | | | | | | | Black | 4.9 | | | |
| | | | | | | | | | | | Am. Ind. | 2.8 | | | |
| | | | | | | | | | | | Other/Multi | 24.3 | | | |
| | | | | | | | | | | | Asian/PI | 4 | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 133.3 Glen Valley/Mead Valley | <15 cases. See note. | . | . | . | . | . | . | 23,011 | Rural | Pov100 Pov200 | 26.1 51.5 | White | 52.5 | 61.5 | Yes | 0 | |
| | | | | | | | | | | | | Black | 8.3 | | | | |
| | | | | | | | | | | | | Am. Ind. | 1.4 | | | | |
| | | | | | | | | | | | | Other/Multi | 40.1 | | | | |
| | | | | | | | | | | | | Asian/PI | 2.9 | | | | |
| 134 Banning/Beaumont/ Cabizon/Calimesa/ Cherry Valley** | 64 | 28 | 18 | 11.2 | 6.8 | 160.7 | 124.2-207.9 | 133,587 | Urban | Pov100 Pov200 | 12.5 33.1 | White | 65.4 | 38.3 | Yes | 3,984 | |
| | | | | | | | | | | | | Black | 11.8 | | | | |
| | | | | | | | | | | | | Am. Ind. | 2.3 | | | | |
| | | | | | | | | | | | | Other/Multi | 20.1 | | | | |
| | | | | | | | | | | | | Asian/PI | 8.5 | | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 135a Eastside/Fairmont Park/Riverside Downtown/Rubidoux/ University** | 69 | 26 | 18 | 8.4 | 9.6 | 214.3 | 155.3-295.8 | 104,011 | Urban | Pov100 Pov200 | 21.7 50.5 | White | 57.2 | 62.1 | Yes | 2,942 | |
| | | | | | | | | | | | | Black | 8.6 | | | | |
| | | | | | | | | | | | | Am. Ind. | 2.3 | | | | |
| | | | | | | | | | | | | Other/Multi | 31.9 | | | | |
| | | | | | | | | | | | | Asian/PI | 7.8 | | | | |
| 135b Edgemont/Orange Crest/Woodcrest** | 65 | 26 | 17 | 11.1 | 5.9 | 153.2 | 114.3-205.2 | 159,547 | Urban | Pov100 Pov200 | 14.3 34.1 | White | 64.1 | 42.6 | Yes | 2,527 | |
| | | | | | | | | | | | | Black | 11.1 | | | | |
| | | | | | | | | | | | | Am. Ind. | 1 | | | | |
| | | | | | | | | | | | | Other/Multi | 22.9 | | | | |
| | | | | | | | | | | | | Asian/PI | 8.5 | | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|----------|--------------------|---------------------|---------------------------------|--------------|-------------|------|-------------|------------------------------|---|---|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** |
| 135c Casablanca/Riverside Central | <15 cases. See note. | . | . | . | . | . | . | 86,106 | Urban | Pov100 Pov200 | 16.3 45.2 | White | 69.6 | 52.1 | No | . | |
| | | | | | | | | | | | | Black | 6.1 | | | | |
| | | | | | | | | | | | | Am. Ind. | 1.7 | | | | |
| | | | | | | | | | | | | Other/Multi | 28.7 | | | | |
| | | | | | | | | | | | | Asian/PI | 5.5 | | | | |
| 135d Arlington/Corona East/Home Gardens/La Sierra/Riverside Southwest | 48 | 25 | 12 | 10.1 | 1.9 | 118.8 | 79.3-178 | 116,948 | Urban | Pov100 Pov200 | 13.9 40.6 | White | 58.7 | 63 | Yes | 3,823 | |
| | | | | | | | | | | | | Black | 5.7 | | | | |
| | | | | | | | | | | | | Am. Ind. | 1.8 | | | | |
| | | | | | | | | | | | | Other/Multi | 36.1 | | | | |
| | | | | | | | | | | | | Asian/PI | 7 | | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|-------------|-------------|------------------------------|---|---|--|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | Race (%) | Race (%) | Hispanic Ethnicity (%) | Primary Care Shortage Area (Yes/No) | Patient to Primary Care Physician Ratio*** | |
| 135e Corona North/Glen Avon/Jurupa/Norco** | 55 | 42 | 23 | 14.3 | 8.7 | 160.8 | 112.6-229.8 | 166,586 | Urban | Pov100 8.3 Pov200 22.8 | White | 61 | 45.3 | Yes | 10,802 | |
| | | | | | | | | | | | Black | 8.3 | | | | |
| | | | | | | | | | | | Am. Ind. | 2.2 | | | | |
| | | | | | | | | | | | Other/Multi | 24.8 | | | | |
| | | | | | | | | | | | Asian/PI | 12.2 | | | | |
| 135f Corona South/El Cerrito/Temescal | <15 cases. See note. | . | . | . | . | . | . | 119,529 | Urban | Pov100 5.4 Pov200 18.1 | White | 71.3 | 36.2 | No | . | |
| | | | | | | | | | | | Black | 6.3 | | | | |
| | | | | | | | | | | | Am. Ind. | 1.6 | | | | |
| | | | | | | | | | | | Other/Multi | 18.3 | | | | |
| | | | | | | | | | | | Asian/PI | 11.3 | | | | |
| 135g Moreno Valley** | 57 | 21 | 12 | 7.6 | 4.4 | 157.9 | 107.1-232.7 | 88,258 | Urban | Pov100 14.5 Pov200 37.9 | White | 50.5 | 48 | No | . | |
| | | | | | | | | | | | Black | 18.6 | | | | |
| | | | | | | | | | | | Am. Ind. | 1.2 | | | | |
| | | | | | | | | | | | Other/Multi | 28.4 | | | | |
| | | | | | | | | | | | Asian/PI | 8.6 | | | | |

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).