

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 76.1a Canyon Country/Santa Clarita West/Saugus | 62 | 65 | 40 | 39.9 | 0.1 | 100.3 | 78.3-128.4 | 123,354 | Urban | Pov100 Pov200 | 4.7 12.2 | White | 74.7 | 21 | No | . |
| | | | | | | | | | | | | Black | 6 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.2 | | | |
| | | | | | | | | | | | | Other/Multi | 14.9 | | | |
| | | | | | | | | | | | | Asian/PI | 14.6 | | | |
| 76.1b Newhall/Santa Clarita East/Valencia | 65 | 55 | 36 | 34.1 | 1.9 | 105.6 | 83.1-134.2 | 113,879 | Urban | Pov100 Pov200 | 9.9 25.5 | White | 72.3 | 35.6 | No | . |
| | | | | | | | | | | | | Black | 4.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.4 | | | |
| | | | | | | | | | | | | Other/Multi | 22.1 | | | |
| | | | | | | | | | | | | Asian/PI | 10.2 | | | |
| 76.2 Castaic/Val Verde | 67 | 15 | 10 | 9.1 | 0.9 | 109.9 | 74.1-162.9 | 24,834 | Rural | Pov100 Pov200 | 7.7 18.6 | White | 74.6 | 26 | No | . |
| | | | | | | | | | | | | Black | 7.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.8 | | | |
| | | | | | | | | | | | | Other/Multi | 18.6 | | | |
| | | | | | | | | | | | | Asian/PI | 10.7 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 77.1a Palmdale Central | 76 | 33 | 25 | 20 | 5 | 125 | 98.1-159.2 | 93,721 | Urban | Pov100 Pov200 | 17.3 45 | White | 42 | 59.1 | No | . |
| | | | | | | | | | | | | Black | 15.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.9 | | | |
| | | | | | | | | | | | | Other/Multi | 44.6 | | | |
| | | | | | | | | | | | | Asian/PI | 6 | | | |
| 77.1b Desert View Highlands/Lancaster West/Palmdale Northwest/Quartz Hill | 67 | 46 | 31 | 27.2 | 3.8 | 114 | 87.7-148.1 | 103,254 | Urban | Pov100 Pov200 | 13.5 28.7 | White | 65.8 | 29 | No | . |
| | | | | | | | | | | | | Black | 16 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.3 | | | |
| | | | | | | | | | | | | Other/Multi | 16.5 | | | |
| | | | | | | | | | | | | Asian/PI | 7.2 | | | |
| 77.1c Lancaster Central/Palmdale North Central | 65 | 40 | 26 | 24.2 | 1.8 | 107.4 | 80.3-143.7 | 103,032 | Urban | Pov100 Pov200 | 26.7 53.4 | White | 52.8 | 45.7 | No | . |
| | | | | | | | | | | | | Black | 21.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 24.3 | | | |
| | | | | | | | | | | | | Asian/PI | 6 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-----|----------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 77.2 Lake Los Angeles | <15 cases. See note. | . | . | . | . | . | . | 17,877 | Rural | Pov100 Pov200 | 23.8 50.1 | White | 67.9 | 45.8 | No | . |
| | | | | | | | | | | | | Black | 12.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 20.2 | | | |
| | | | | | | | | | | | | Asian/PI | 1.9 | | | |
| 77.3 Juniper Hills/Littlerock/Longview/ Pearblossom/Valyermo | <15 cases. See note. | . | . | . | . | . | . | 15,757 | Rural | Pov100 Pov200 | 12.6 38.8 | White | 58.4 | 52.1 | No | . |
| | | | | | | | | | | | | Black | 6.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.6 | | | |
| | | | | | | | | | | | | Other/Multi | 38.7 | | | |
| | | | | | | | | | | | | Asian/PI | 1.6 | | | |
| 77.4 Acton/Ravenna | <15 cases. See note. | . | . | . | . | . | . | 10,901 | Rural | Pov100 Pov200 | 6.1 16.2 | White | 91.2 | 15.6 | No | . |
| | | | | | | | | | | | | Black | 1.5 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.1 | | | |
| | | | | | | | | | | | | Other/Multi | 8.6 | | | |
| | | | | | | | | | | | | Asian/PI | 2.4 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|------|----------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|----------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist** |
| 77.5 Elizabeth Lake/Gorman/Green Valley/Lake Hughes/Leona Valley/Neenach | <15 cases. See note. | . | . | . | . | . | . | 23,445 | Rural | Pov100 Pov200 | 5.8 16.9 | White | 80.6 | 22.4 | No | . |
| | | | | | | | | | | | | Black | 7.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 13.5 | | | |
| | | | | | | | | | | | | Asian/PI | 6.6 | | | |
| 78.1 Avalon | <15 cases. See note. | . | . | . | . | . | . | 4,123 | Frontier | Pov100 Pov200 | 11.6 39.5 | White | 89.5 | 55 | No | . |
| | | | | | | | | | | | | Black | 1.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.3 | | | |
| | | | | | | | | | | | | Other/Multi | 10.2 | | | |
| | | | | | | | | | | | | Asian/PI | 0 | | | |
| 78.2a Echo Park/Hollywood North Central/Silverlake South | 58 | 33 | 19 | 20.2 | -1.2 | 94.1 | 66-134 | 82,242 | Urban | Pov100 Pov200 | 18.6 40.8 | White | 64.4 | 34.4 | No | . |
| | | | | | | | | | | | | Black | 4.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 21.6 | | | |
| | | | | | | | | | | | | Asian/PI | 14.5 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|----------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist** |
| 78.2aa Bel Air/Beverly Glen/Beverly Hills/Brentwood/Malibu/ Pacific Palisades/Santa Monica Northwest/Topanga | 55 | 51 | 28 | 30 | -2 | 93.3 | 68.8-126.6 | 99,841 | Urban | Pov100 Pov200 | 4.8 9.3 | White | 91.8 | 4.8 | No | . |
| | | | | | | | | | | | | Black | 1.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 4.5 | | | |
| | | | | | | | | | | | | Asian/PI | 7 | | | |
| 78.2aaaa Harbor Gateway South/Lomita/Torrance East Central | 71 | 58 | 41 | 35 | 6 | 117.1 | 94.7-144.9 | 113,530 | Urban | Pov100 Pov200 | 10.5 27.9 | White | 49.5 | 37.8 | No | . |
| | | | | | | | | | | | | Black | 6.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 24.6 | | | |
| | | | | | | | | | | | | Asian/PI | 28.7 | | | |
| 78.2b Pico-Union* | 80 | 25 | 20 | 14.7 | 5.3 | 136.1 | 109.5-169 | 150,959 | Urban | Pov100 Pov200 | 33.8 69.2 | White | 35.6 | 71.7 | No | . |
| | | | | | | | | | | | | Black | 6.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 44.3 | | | |
| | | | | | | | | | | | | Asian/PI | 15.5 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2bb North Hollywood Central and North | 59 | 32 | 19 | 18.6 | 0.4 | 102.2 | 73.1-142.8 | 98,982 | Urban | Pov100 Pov200 | 19.2 49 | White | 55.1 | 63 | No | . |
| | | | | | | | | | | | | Black | 4.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 36.2 | | | |
| | | | | | | | | | | | | Asian/PI | 7.3 | | | |
| 78.2bbb Compton East* | 89 | 18 | 16 | 11.7 | 4.3 | 136.8 | 110.9-168.6 | 88,767 | Urban | Pov100 Pov200 | 24.2 58.5 | White | 40.6 | 70.4 | No | . |
| | | | | | | | | | | | | Black | 28.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 33.5 | | | |
| | | | | | | | | | | | | Asian/PI | 1.6 | | | |
| 78.2bbbb Gardena West/Hawthorne | 76 | 25 | 19 | 15.4 | 3.6 | 123.4 | 96.7-157.4 | 77,527 | Urban | Pov100 Pov200 | 15.8 40.4 | White | 37.7 | 44.1 | No | . |
| | | | | | | | | | | | | Black | 36.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 18.8 | | | |
| | | | | | | | | | | | | Asian/PI | 10.8 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2c Bell Northeast/Bell Gardens/Commerce/Maywood/Montebello South | 67 | 33 | 22 | 19.4 | 2.6 | 113.4 | 85.6-150.3 | 118,396 | Urban | Pov100 Pov200 | 20.8 54.7 | White | 57.5 | 93.6 | No | . |
| | | | | | | | | | | | | Black | 1.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 41.4 | | | |
| | | | | | | | | | | | | Asian/PI | 1.9 | | | |
| 78.2cc Van Nuys Central | 66 | 38 | 25 | 22.7 | 2.3 | 110.1 | 83.7-145 | 104,660 | Urban | Pov100 Pov200 | 22.5 51.3 | White | 49.5 | 57.1 | No | . |
| | | | | | | | | | | | | Black | 5.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 1 | | | |
| | | | | | | | | | | | | Other/Multi | 40.8 | | | |
| | | | | | | | | | | | | Asian/PI | 7.9 | | | |
| 78.2ccc Huntington Park/South Gate West/Walnut Park | 59 | 17 | 10 | 10.5 | -0.5 | 95.2 | 58.7-154.6 | 106,154 | Urban | Pov100 Pov200 | 22.8 56.6 | White | 50.5 | 97.6 | No | . |
| | | | | | | | | | | | | Black | 0.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 49.4 | | | |
| | | | | | | | | | | | | Asian/PI | 0.5 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ccc Chatsworth | 69 | 68 | 47 | 40.7 | 6.3 | 115.5 | 94.3-141.4 | 105,270 | Urban | Pov100 Pov200 | 7.5 21 | White | 61.7 | 24.5 | No | . |
| | | | | | | | | | | | | Black | 5.2 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 18.5 | | | |
| | | | | | | | | | | | | Asian/PI | 21.8 | | | |
| 78.2d City Terrace East/East Los Angeles | <15 cases. See note. | . | . | . | . | . | . | 91,774 | Urban | Pov100 Pov200 | 24.2 58.5 | White | 55.7 | 97.6 | No | . |
| | | | | | | | | | | | | Black | 0.5 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 43.5 | | | |
| | | | | | | | | | | | | Asian/PI | 1.7 | | | |
| 78.2dd Burbank South/Eagle Rock/Glendale Northwest | 63 | 65 | 41 | 38.2 | 2.8 | 107.3 | 84.9-135.6 | 108,794 | Urban | Pov100 Pov200 | 9.6 26.4 | White | 67.1 | 28.9 | No | . |
| | | | | | | | | | | | | Black | 2.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 16.5 | | | |
| | | | | | | | | | | | | Asian/PI | 19.1 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ddd Bell Southwest/Cudahy/Vernon* | 74 | 19 | 14 | 10.5 | 3.5 | 133.3 | 101.7-174.8 | 81,922 | Urban | Pov100 Pov200 | 22 55.8 | White | 59.5 | 95.4 | No | . |
| | | | | | | | | | | | | Black | 0.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.4 | | | |
| | | | | | | | | | | | | Other/Multi | 41.7 | | | |
| | | | | | | | | | | | | Asian/PI | 1 | | | |
| 78.2dddd Arcadia Southeast/San Gabriel North | 70 | 66 | 46 | 39.3 | 6.7 | 117 | 96.6-141.9 | 103,312 | Urban | Pov100 Pov200 | 7.1 22 | White | 35.7 | 23.8 | No | . |
| | | | | | | | | | | | | Black | 0.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 14.7 | | | |
| | | | | | | | | | | | | Asian/PI | 53 | | | |
| 78.2e Country Club Park/Koreatown/Mid-City East* | 84 | 32 | 27 | 19.1 | 7.9 | 141.4 | 118.8-168.1 | 134,038 | Urban | Pov100 Pov200 | 20.2 48.3 | White | 30.8 | 41.4 | No | . |
| | | | | | | | | | | | | Black | 8.4 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 23.3 | | | |
| | | | | | | | | | | | | Asian/PI | 40.1 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ee Atwater Village/Glendale Central/Glendale Southwest/Griffith Park | 63 | 41 | 26 | 24.9 | 1.1 | 104.4 | 78.2-139.5 | 96,115 | Urban | Pov100 13.9 Pov200 34 | White | 71.3 | 20.1 | No | . |
| | | | | | | | | | | | Black | 3.1 | | | |
| | | | | | | | | | | | Am. Ind. | 0.5 | | | |
| | | | | | | | | | | | Other/Multi | 10.6 | | | |
| | | | | | | | | | | | Asian/PI | 19.4 | | | |
| 78.2eee Downey Northeast | 50 | 28 | 14 | 16.5 | -2.5 | 84.8 | 60.4-119.2 | 79,931 | Urban | Pov100 9.6 Pov200 29.3 | White | 57.5 | 68.6 | No | . |
| | | | | | | | | | | | Black | 3.8 | | | |
| | | | | | | | | | | | Am. Ind. | 0.4 | | | |
| | | | | | | | | | | | Other/Multi | 34.3 | | | |
| | | | | | | | | | | | Asian/PI | 9.2 | | | |
| 78.2eeee Alhambra/EI Sereno South/San Gabriel Central | 73 | 41 | 30 | 24.5 | 5.5 | 122.4 | 96.3-155.7 | 110,409 | Urban | Pov100 13.7 Pov200 35.2 | White | 29.7 | 35.9 | No | . |
| | | | | | | | | | | | Black | 1.8 | | | |
| | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | Other/Multi | 18.3 | | | |
| | | | | | | | | | | | Asian/PI | 53 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2f Hollywood Hills/Hollywood West/Mount Olympus/West Hollywood | 62 | 39 | 24 | 23.4 | 0.6 | 102.6 | 76.5-137.6 | 90,726 | Urban | Pov100 Pov200 | 13.8 29.4 | White | 84.7 | 12.1 | No | . |
| | | | | | | | | | | | | Black | 5.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 10.8 | | | |
| | | | | | | | | | | | | Asian/PI | 6.3 | | | |
| 78.2ff Glassell Park/Glendale Southeast/Silverlake North | 75 | 36 | 27 | 21.8 | 5.2 | 123.9 | 98.9-155.1 | 97,560 | Urban | Pov100 Pov200 | 19 44.4 | White | 59.3 | 42.4 | No | . |
| | | | | | | | | | | | | Black | 1.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 23.4 | | | |
| | | | | | | | | | | | | Asian/PI | 19.5 | | | |
| 78.2ff Firestone/Florence South/Watts* | 86 | 22 | 19 | 13.3 | 5.7 | 142.9 | 118.4-172.4 | 129,456 | Urban | Pov100 Pov200 | 32.1 65.5 | White | 56.9 | 80.4 | No | . |
| | | | | | | | | | | | | Black | 18.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 25.9 | | | |
| | | | | | | | | | | | | Asian/PI | 0.4 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------------|----------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2fff Boyle Heights Northwest/Chinatown/ Downtown Northwest/Little Tokyo/Westlake | 69 | 36 | 25 | 21.9 | 3.1 | 114.2 | 87.2-149.5 | 100,372 | Urban | Pov100 36.5 Pov200 68.3 | White | 37 | 61.2 | No | . | |
| | | | | | | | | | | | Black | 8.9 | | | | |
| | | | | | | | | | | | Am. Ind. | 1.5 | | | | |
| | | | | | | | | | | | Other/Multi | 34.9 | | | | |
| | | | | | | | | | | | Asian/PI | 21.3 | | | | |
| 78.2g Hollywood South Central/Inner Sunset | 73 | 44 | 32 | 26.3 | 5.7 | 121.7 | 96.4-153.6 | 116,326 | Urban | Pov100 23 Pov200 54.8 | White | 42.8 | 55.8 | No | . | |
| | | | | | | | | | | | Black | 4.7 | | | | |
| | | | | | | | | | | | Am. Ind. | 1 | | | | |
| | | | | | | | | | | | Other/Multi | 40.9 | | | | |
| | | | | | | | | | | | Asian/PI | 16.5 | | | | |
| 78.2gg Angeles National Forest West/Kagel Canyon/Lake View Terrace/San Fernando East/Sylmar | 72 | 43 | 31 | 25.5 | 5.5 | 121.6 | 98.8-149.6 | 97,177 | Urban | Pov100 12.8 Pov200 36.7 | White | 56.6 | 71.7 | No | . | |
| | | | | | | | | | | | Black | 4.8 | | | | |
| | | | | | | | | | | | Am. Ind. | 1.5 | | | | |
| | | | | | | | | | | | Other/Multi | 40.5 | | | | |
| | | | | | | | | | | | Asian/PI | 6.6 | | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ggg South Central Northeast* | 78 | 40 | 31 | 24.1 | 6.9 | 128.6 | 104.4-158.5 | 129,373 | Urban | Pov100 Pov200 | 31.5 66.5 | White | 27.3 | 70.3 | No | . |
| | | | | | | | | | | | | Black | 28.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.6 | | | |
| | | | | | | | | | | | | Other/Multi | 45.7 | | | |
| | | | | | | | | | | | | Asian/PI | 0.7 | | | |
| 78.2gggg Altadena East/Angeles National Forest East/Azusa North/Duarte North/Glendora/Pasadena East | 70 | 43 | 30 | 26.2 | 3.8 | 114.5 | 92.2-142.1 | 89,778 | Rural | Pov100 Pov200 | 6.2 18.8 | White | 73.6 | 23.9 | No | . |
| | | | | | | | | | | | | Black | 8.5 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 12.2 | | | |
| | | | | | | | | | | | | Asian/PI | 11.2 | | | |
| 78.2h Boyle Heights Central/City Terrace West | 65 | 31 | 20 | 18.4 | 1.6 | 108.7 | 81.7-144.7 | 95,338 | Urban | Pov100 Pov200 | 28.6 65 | White | 56.1 | 96.4 | No | . |
| | | | | | | | | | | | | Black | 0.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 43 | | | |
| | | | | | | | | | | | | Asian/PI | 1.6 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2hh Granada Hills/Mission Hills/Porter Ranch | 65 | 43 | 28 | 25.7 | 2.3 | 108.9 | 82.9-143.1 | 83,731 | Urban | Pov100 6.2 Pov200 19 | White | 67.1 | 22.7 | No | . |
| | | | | | | | | | | | Black | 5.4 | | | |
| | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | Other/Multi | 11.6 | | | |
| | | | | | | | | | | | Asian/PI | 21.8 | | | |
| 78.2hhh Altadena West/Pasadena Northwest | 68 | 38 | 26 | 23 | 3 | 113 | 87.1-146.6 | 95,431 | Urban | Pov100 17.5 Pov200 43.1 | White | 56.9 | 46.3 | No | . |
| | | | | | | | | | | | Black | 21.8 | | | |
| | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | Other/Multi | 18.9 | | | |
| | | | | | | | | | | | Asian/PI | 8.4 | | | |
| 78.2hhhh Canoga Park Northeast/Winnetka | 74 | 31 | 23 | 18.5 | 4.5 | 124.3 | 96.6-160 | 94,651 | Urban | Pov100 20 Pov200 47.9 | White | 42.6 | 60.2 | No | . |
| | | | | | | | | | | | Black | 3.6 | | | |
| | | | | | | | | | | | Am. Ind. | 0.6 | | | |
| | | | | | | | | | | | Other/Multi | 44.5 | | | |
| | | | | | | | | | | | Asian/PI | 14.7 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2i El Sereno North/Highland Park/Montecito Heights/Monterey Hills | 66 | 35 | 23 | 21.8 | 1.2 | 105.5 | 80.6-138.2 | 125,197 | Urban | Pov100 Pov200 | 20.5 50.5 | White | 49.7 | 74.7 | No | . |
| | | | | | | | | | | | | Black | 2.5 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 36.2 | | | |
| | | | | | | | | | | | | Asian/PI | 14.7 | | | |
| 78.2ii Reseda South/Van Nuys Southwest | 57 | 58 | 33 | 34.4 | -1.4 | 95.9 | 72.5-127 | 87,660 | Urban | Pov100 Pov200 | 11.1 29.9 | White | 67.1 | 28.1 | No | . |
| | | | | | | | | | | | | Black | 5.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 20.1 | | | |
| | | | | | | | | | | | | Asian/PI | 13.7 | | | |
| 78.2iii North Long Beach* | 78 | 36 | 28 | 22 | 6 | 127.3 | 104.7-154.7 | 92,375 | Urban | Pov100 Pov200 | 19 47.1 | White | 30.8 | 53.5 | No | . |
| | | | | | | | | | | | | Black | 24.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 37.8 | | | |
| | | | | | | | | | | | | Asian/PI | 14.4 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2iiii Gardena Southeast/Harbor Gateway Central/Lawndale South/Moneta/Redondo Beach North/Torrance North | 70 | 77 | 54 | 46.4 | 7.6 | 116.4 | 97.3-139.2 | 110,359 | Urban | Pov100 Pov200 | 11.2 30.1 | White | 45.7 | 33.3 | No | . |
| | | | | | | | | | | | | Black | 8.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.6 | | | |
| | | | | | | | | | | | | Other/Multi | 22.3 | | | |
| | | | | | | | | | | | | Asian/PI | 32.6 | | | |
| 78.2j Baldwin Hills/Culver City South/Fox Hills/Ladera Heights/Marina del Rey/View Park/Windsor Hills | 65 | 89 | 58 | 53.9 | 4.1 | 107.6 | 89.4-129.5 | 124,396 | Urban | Pov100 Pov200 | 7.4 15.6 | White | 55.5 | 12 | No | . |
| | | | | | | | | | | | | Black | 30.2 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 9.9 | | | |
| | | | | | | | | | | | | Asian/PI | 12.8 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2jj Sherman Oaks/Studio City/Valley Village | 65 | 89 | 58 | 54.1 | 3.9 | 107.2 | 88.6-129.7 | 124,216 | Urban | Pov100 Pov200 | 7.5 19.7 | White | 83.3 | 12.8 | No | . |
| | | | | | | | | | | | | Black | 5.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 7.7 | | | |
| | | | | | | | | | | | | Asian/PI | 9.8 | | | |
| 78.2jjj Long Beach West Central | 73 | 48 | 35 | 29.9 | 5.1 | 117.1 | 93.9-146 | 112,571 | Urban | Pov100 Pov200 | 32.2 63.9 | White | 42.5 | 58.2 | No | . |
| | | | | | | | | | | | | Black | 16.4 | | | |
| | | | | | | | | | | | | Am. Ind. | 3.3 | | | |
| | | | | | | | | | | | | Other/Multi | 31.9 | | | |
| | | | | | | | | | | | | Asian/PI | 16.8 | | | |
| 78.2jjjj Norwalk/Studebaker | 76 | 25 | 19 | 14.6 | 4.4 | 130.1 | 98.6-171.8 | 105,866 | Urban | Pov100 Pov200 | 11.1 32 | White | 53.8 | 67.5 | No | . |
| | | | | | | | | | | | | Black | 5.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 29.5 | | | |
| | | | | | | | | | | | | Asian/PI | 15.3 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2k South Central Northwest | 57 | 35 | 20 | 21.3 | -1.3 | 93.9 | 67.4-130.8 | 78,820 | Urban | Pov100 Pov200 | 21.3 48.9 | White | 18.4 | 38.4 | No | . |
| | | | | | | | | | | | | Black | 58.4 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 25.6 | | | |
| | | | | | | | | | | | | Asian/PI | 2.1 | | | |
| 78.2kk North Hills/Northridge North | 74 | 38 | 28 | 22.9 | 5.1 | 122.3 | 97-154.1 | 108,039 | Urban | Pov100 Pov200 | 15.4 38.1 | White | 54.1 | 49.7 | No | . |
| | | | | | | | | | | | | Black | 5.2 | | | |
| | | | | | | | | | | | | Am. Ind. | 1 | | | |
| | | | | | | | | | | | | Other/Multi | 34.6 | | | |
| | | | | | | | | | | | | Asian/PI | 16.9 | | | |
| 78.2kkk Belmont Shore/Long Beach East/Long Beach Shoreline/Los Altos/Naples | 64 | 96 | 61 | 55.7 | 5.3 | 109.5 | 90.2-132.9 | 127,171 | Urban | Pov100 Pov200 | 9.8 20.3 | White | 76.1 | 20 | No | . |
| | | | | | | | | | | | | Black | 6.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.4 | | | |
| | | | | | | | | | | | | Other/Multi | 14 | | | |
| | | | | | | | | | | | | Asian/PI | 11.4 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2kkkk Santa Monica Central/Sawtelle/West Los Angeles* | 76 | 38 | 29 | 22.6 | 6.4 | 128.3 | 103.3-159.4 | 82,546 | Urban | Pov100 Pov200 | 12.8 26.4 | White | 71.1 | 17.3 | No | . |
| | | | | | | | | | | | | Black | 4 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 12.2 | | | |
| | | | | | | | | | | | | Asian/PI | 17.8 | | | |
| 78.2l Exposition Park/Leimert Park* | 76 | 29 | 22 | 17.9 | 4.1 | 122.9 | 102.3-147.7 | 96,191 | Urban | Pov100 Pov200 | 35 64.2 | White | 22.5 | 59.3 | Yes | 18,419:1 |
| | | | | | | | | | | | | Black | 30.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.5 | | | |
| | | | | | | | | | | | | Other/Multi | 45.4 | | | |
| | | | | | | | | | | | | Asian/PI | 5 | | | |
| 78.2ll Arleta/Pacoima West/Panorama City/San Fernando West* | 76 | 37 | 28 | 22.3 | 5.7 | 125.6 | 100.5-156.8 | 122,997 | Urban | Pov100 Pov200 | 19.9 50.2 | White | 50.1 | 84.4 | No | . |
| | | | | | | | | | | | | Black | 2 | | | |
| | | | | | | | | | | | | Am. Ind. | 1 | | | |
| | | | | | | | | | | | | Other/Multi | 46.7 | | | |
| | | | | | | | | | | | | Asian/PI | 7.8 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2III Bixby Knolls/Long Beach Central* | 78 | 55 | 43 | 34 | 9 | 126.5 | 106.9-149.6 | 108,243 | Urban | Pov100 Pov200 | 14.9 30.7 | White | 50.9 | 30.8 | No | . |
| | | | | | | | | | | | | Black | 15.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.3 | | | |
| | | | | | | | | | | | | Other/Multi | 22.6 | | | |
| | | | | | | | | | | | | Asian/PI | 19.9 | | | |
| 78.2m Bellflower/Paramount South* | 81 | 54 | 44 | 32.4 | 11.6 | 135.8 | 116.7-158.1 | 99,215 | Urban | Pov100 Pov200 | 14.8 42.1 | White | 34.5 | 56.6 | No | . |
| | | | | | | | | | | | | Black | 12.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.6 | | | |
| | | | | | | | | | | | | Other/Multi | 45.4 | | | |
| | | | | | | | | | | | | Asian/PI | 12 | | | |
| 78.2mm Pasadena South/San Marino/South Pasadena | 57 | 54 | 31 | 32 | -1 | 96.9 | 72.3-129.8 | 101,027 | Urban | Pov100 Pov200 | 7.6 17.5 | White | 63.6 | 19.5 | No | . |
| | | | | | | | | | | | | Black | 3.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 9 | | | |
| | | | | | | | | | | | | Asian/PI | 29.1 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2mmm Downtown Southeast/Florence North* | 81 | 31 | 25 | 18.7 | 6.3 | 133.7 | 107.5-166.2 | 93,776 | Urban | Pov100 Pov200 | 40.6 73.3 | White | 41.1 | 79.4 | Yes | 7,582:1 |
| | | | | | | | | | | | | Black | 11.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 45.4 | | | |
| | | | | | | | | | | | | Asian/PI | 3.8 | | | |
| 78.2n Cerritos/Hawaiian Gardens | 68 | 60 | 41 | 36.4 | 4.6 | 112.6 | 91-139.5 | 107,874 | Urban | Pov100 Pov200 | 6.9 21.5 | White | 53.4 | 34 | No | . |
| | | | | | | | | | | | | Black | 8.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 24.9 | | | |
| | | | | | | | | | | | | Asian/PI | 21.7 | | | |
| 78.2nn Montebello North/Monterey Park/South San Gabriel | 69 | 59 | 41 | 35 | 6 | 117.1 | 95.2-144.1 | 80,362 | Urban | Pov100 Pov200 | 10.3 28.6 | White | 29.8 | 35.8 | No | . |
| | | | | | | | | | | | | Black | 0.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1 | | | |
| | | | | | | | | | | | | Other/Multi | 18.8 | | | |
| | | | | | | | | | | | | Asian/PI | 55.6 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|----------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2nnn Crenshaw/Culver City East/Mid-City South/West Adams | 73 | 51 | 37 | 30.2 | 6.8 | 122.5 | 99-151.7 | 109,813 | Urban | Pov100 Pov200 | 26.2 57.3 | White | 20.1 | 55.6 | No | . |
| | | | | | | | | | | | | Black | 37.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 42 | | | |
| | | | | | | | | | | | | Asian/PI | 3.6 | | | |
| 78.2o Miraleste/Palo Verdes Estates/Portuguese Bend/Rancho Palos Verdes/Rolling Hills/San Pedro West | 68 | 81 | 55 | 48.8 | 6.2 | 112.7 | 93-136.6 | 121,129 | Urban | Pov100 Pov200 | 5 12.6 | White | 73.1 | 16.5 | No | . |
| | | | | | | | | | | | | Black | 3.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 9.6 | | | |
| | | | | | | | | | | | | Asian/PI | 21.9 | | | |
| 78.2oo El Monte/Five Points | 67 | 36 | 24 | 21.8 | 2.2 | 110.1 | 83-146 | 99,545 | Urban | Pov100 Pov200 | 22.1 55.6 | White | 36 | 73.3 | No | . |
| | | | | | | | | | | | | Black | 1 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 42.9 | | | |
| | | | | | | | | | | | | Asian/PI | 21.9 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ooo Paramount North/Willowbrook | 65 | 26 | 17 | 15.9 | 1.1 | 106.9 | 76.4-149.7 | 132,185 | Urban | Pov100 Pov200 | 23 56.5 | White | 35.2 | 72.4 | No | . |
| | | | | | | | | | | | | Black | 24 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 42.9 | | | |
| | | | | | | | | | | | | Asian/PI | 1.2 | | | |
| 78.2p Long Beach Port/San Pedro East/Wilmington* | 76 | 38 | 29 | 23.4 | 5.6 | 123.9 | 101.8-150.8 | 114,226 | Urban | Pov100 Pov200 | 23.6 53.5 | White | 65.7 | 72.6 | No | . |
| | | | | | | | | | | | | Black | 7.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 3.2 | | | |
| | | | | | | | | | | | | Other/Multi | 24.7 | | | |
| | | | | | | | | | | | | Asian/PI | 8.9 | | | |
| 78.2pp Hacienda Heights/Industry Central | 61 | 44 | 27 | 26.6 | 0.4 | 101.5 | 75.1-137.3 | 101,651 | Urban | Pov100 Pov200 | 8.9 24.9 | White | 36.3 | 36.6 | No | . |
| | | | | | | | | | | | | Black | 1.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 19.8 | | | |
| | | | | | | | | | | | | Asian/PI | 46 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ppp Pacoima East/Sun Valley West* | 88 | 32 | 28 | 18.8 | 9.2 | 148.9 | 126-176 | 101,609 | Urban | Pov100 18.8 Pov200 49.5 | White | 53.3 | 77.7 | No | . | |
| | | | | | | | | | | | | Black | | | | 5.6 |
| | | | | | | | | | | | | Am. Ind. | | | | 0.9 |
| | | | | | | | | | | | | Other/Multi | | | | 39.6 |
| | | | | | | | | | | | | Asian/PI | | | | 6.7 |
| 78.2qq Del Aire/Inglewood West/Los Angeles International Airport | 70 | 43 | 30 | 25.5 | 4.5 | 117.6 | 92.4-149.8 | 100,446 | Urban | Pov100 13.3 Pov200 32.3 | White | 52.6 | 43.2 | No | . | |
| | | | | | | | | | | | | Black | | | | 20.7 |
| | | | | | | | | | | | | Am. Ind. | | | | 1 |
| | | | | | | | | | | | | Other/Multi | | | | 25.4 |
| | | | | | | | | | | | | Asian/PI | | | | 7.9 |
| 78.2qq Asuza/Charter Oak/Covina | 62 | 61 | 38 | 36.5 | 1.5 | 104.1 | 81.2-133.5 | 118,100 | Urban | Pov100 11.9 Pov200 30.1 | White | 55.9 | 54.8 | No | . | |
| | | | | | | | | | | | | Black | | | | 3.9 |
| | | | | | | | | | | | | Am. Ind. | | | | 1.3 |
| | | | | | | | | | | | | Other/Multi | | | | 36.6 |
| | | | | | | | | | | | | Asian/PI | | | | 9.9 |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|-------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2qqq Rosemead/San Gabriel South/South El Monte West/Temple City West | 66 | 44 | 29 | 25.6 | 3.4 | 113.3 | 87.6-146.5 | 90,694 | Urban | Pov100 17 Pov200 48.1 | White | 27.1 | 38.7 | No | . | |
| | | | | | | | | | | | | Black | | | | 0.6 |
| | | | | | | | | | | | | Am. Ind. | | | | 0.5 |
| | | | | | | | | | | | | Other/Multi | | | | 18.8 |
| | | | | | | | | | | | | Asian/PI | | | | 56.3 |
| 78.2r Inglewood East/Lennox | 71 | 21 | 15 | 13 | 2 | 115.4 | 87.2-152.7 | 77,286 | Urban | Pov100 23.5 Pov200 49.3 | White | 24.7 | 59.2 | No | . | |
| | | | | | | | | | | | | Black | | | | 36.7 |
| | | | | | | | | | | | | Am. Ind. | | | | 0.9 |
| | | | | | | | | | | | | Other/Multi | | | | 39.4 |
| | | | | | | | | | | | | Asian/PI | | | | 2.7 |
| 78.2rr Glendale Northeast/La Canada-Flintridge/La Crescenta/Montrose/Sunland/Tujunga/Verdugo City | 63 | 43 | 27 | 26.3 | 0.7 | 102.7 | 77.6-135.8 | 111,583 | Urban | Pov100 8.6 Pov200 22.1 | White | 72.4 | 16 | No | . | |
| | | | | | | | | | | | | Black | | | | 1.2 |
| | | | | | | | | | | | | Am. Ind. | | | | 0.8 |
| | | | | | | | | | | | | Other/Multi | | | | 10.3 |
| | | | | | | | | | | | | Asian/PI | | | | 20.9 |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2rrr La Mirada/Santa Fe Springs South | 54 | 54 | 29 | 32.6 | -3.6 | 89 | 67.1-118 | 103,394 | Urban | Pov100 Pov200 | 6.2 20 | White | 41.9 | 27.1 | No | . |
| | | | | | | | | | | | | Black | 4.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.4 | | | |
| | | | | | | | | | | | | Other/Multi | 19.2 | | | |
| | | | | | | | | | | | | Asian/PI | 41 | | | |
| 78.2s South Central Southwest* | 89 | 18 | 16 | 11.1 | 4.9 | 144.1 | 118-176 | 86,158 | Urban | Pov100 Pov200 | 32.5 62.6 | White | 29.6 | 56.6 | No | . |
| | | | | | | | | | | | | Black | 42.5 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 30.1 | | | |
| | | | | | | | | | | | | Asian/PI | 0.4 | | | |
| 78.2ss Pomona East and South* | 82 | 28 | 23 | 17 | 6 | 135.3 | 110.1-166.2 | 115,509 | Urban | Pov100 Pov200 | 18.9 52.2 | White | 51.6 | 77.8 | No | . |
| | | | | | | | | | | | | Black | 7.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 39.4 | | | |
| | | | | | | | | | | | | Asian/PI | 6.8 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2sss Downey Southwest/Lynwood North Central/South Gate East | 54 | 26 | 14 | 15.9 | -1.9 | 88.1 | 58.8-132 | 95,791 | Urban | Pov100 Pov200 | 15.8 42.1 | White | 48.9 | 84.9 | No | . |
| | | | | | | | | | | | | Black | 3.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 47.4 | | | |
| | | | | | | | | | | | | Asian/PI | 3.7 | | | |
| 78.2t Hermosa Beach/Lawndale North/Manhattan Beach/Redondo Beach North | 69 | 36 | 25 | 22.5 | 2.5 | 111.1 | 85.5-144.4 | 93,379 | Urban | Pov100 Pov200 | 5.4 15.8 | White | 82.3 | 19.1 | No | . |
| | | | | | | | | | | | | Black | 3.4 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 12.1 | | | |
| | | | | | | | | | | | | Asian/PI | 12.3 | | | |
| 78.2tt Claremont/La Verne/Pomona Northwest/San Dimas | 59 | 76 | 45 | 45.9 | -0.9 | 98 | 77.5-124 | 117,199 | Urban | Pov100 Pov200 | 7.1 20.3 | White | 73.7 | 27.7 | No | . |
| | | | | | | | | | | | | Black | 6.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 16.3 | | | |
| | | | | | | | | | | | | Asian/PI | 11.8 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-------------|--------------------|---------------------|---------------------------------|-------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2ttt Burbank North/North Hollywood South | 66 | 89 | 59 | 53.8 | 5.2 | 109.7 | 90.5-132.9 | 126,469 | Urban | Pov100 Pov200 | 9.1 23.7 | White | 75.3 | 23 | No | . |
| | | | | | | | | | | | | Black | 3.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 14.3 | | | |
| | | | | | | | | | | | | Asian/PI | 12.4 | | | |
| 78.2uu Redondo Beach Central and South/Torrance West Central | 71 | 65 | 46 | 39.6 | 6.4 | 116.2 | 94.7-142.4 | 91,436 | Urban | Pov100 Pov200 | 6 15.9 | White | 66.8 | 13 | No | . |
| | | | | | | | | | | | | Black | 2.5 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 11 | | | |
| | | | | | | | | | | | | Asian/PI | 29.2 | | | |
| 78.2uu La Habra Heights/Whittier* | 76 | 41 | 31 | 24.8 | 6.2 | 125 | 101.9-153.4 | 85,083 | Urban | Pov100 Pov200 | 8.9 25.9 | White | 62.2 | 62.8 | No | . |
| | | | | | | | | | | | | Black | 1.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 36.8 | | | |
| | | | | | | | | | | | | Asian/PI | 5 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2uuu Athens/Gardena Northeast/Harbor Gateway North | 65 | 31 | 20 | 18.6 | 1.4 | 107.5 | 79.4-145.5 | 85,390 | Urban | Pov100 Pov200 | 21.1 49.3 | White | 25.6 | 48.7 | No | . |
| | | | | | | | | | | | | Black | 45 | | | |
| | | | | | | | | | | | | Am. Ind. | 1 | | | |
| | | | | | | | | | | | | Other/Multi | 27.6 | | | |
| | | | | | | | | | | | | Asian/PI | 4.8 | | | |
| 78.2vv Carson/Compton West/Rancho Dominguez* | 78 | 46 | 36 | 28.1 | 7.9 | 128.1 | 106-154.9 | 107,364 | Urban | Pov100 Pov200 | 9.8 29.4 | White | 36.8 | 39.4 | No | . |
| | | | | | | | | | | | | Black | 23.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 2.9 | | | |
| | | | | | | | | | | | | Other/Multi | 17.8 | | | |
| | | | | | | | | | | | | Asian/PI | 31.6 | | | |
| 78.2vv Los Nietos/Santa Fe Springs Northeast | 73 | 37 | 27 | 22.2 | 4.8 | 121.6 | 94.1-157.2 | 87,358 | Urban | Pov100 Pov200 | 10.6 30.8 | White | 56.8 | 74.3 | No | . |
| | | | | | | | | | | | | Black | 1.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.5 | | | |
| | | | | | | | | | | | | Other/Multi | 41.5 | | | |
| | | | | | | | | | | | | Asian/PI | 4.2 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2vvv Diamond Bar/Industry East/Phillips Ranch/Pomona West/Walnut | 63 | 51 | 32 | 30.6 | 1.4 | 104.6 | 79.9-136.9 | 115,630 | Urban | Pov100 Pov200 | 5.7 16.3 | White | 36 | 24.9 | No | . |
| | | | | | | | | | | | | Black | 5.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 15.1 | | | |
| | | | | | | | | | | | | Asian/PI | 49.6 | | | |
| 78.2w Century City/Cheviot Hills/Rancho Park/West Los Angeles/Westwood | 58 | 60 | 35 | 35.1 | -0.1 | 99.7 | 76.6-129.9 | 124,245 | Urban | Pov100 Pov200 | 15.3 25.4 | White | 77.4 | 7.7 | No | . |
| | | | | | | | | | | | | Black | 3.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 6.8 | | | |
| | | | | | | | | | | | | Asian/PI | 18.2 | | | |
| 78.2ww Pico Rivera/Santa Fe Springs Northwest | 60 | 43 | 26 | 25.8 | 0.2 | 100.8 | 74-137.2 | 99,882 | Urban | Pov100 Pov200 | 10.9 33.5 | White | 54.8 | 88.8 | No | . |
| | | | | | | | | | | | | Black | 0.8 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.6 | | | |
| | | | | | | | | | | | | Other/Multi | 44 | | | |
| | | | | | | | | | | | | Asian/PI | 3 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|--|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2www Valinda/West Covina | 62 | 53 | 33 | 32.3 | 0.7 | 102.2 | 77.8-134.2 | 126,460 | Urban | Pov100 Pov200 | 9.4 30.8 | White | 45.2 | 60.1 | No | . |
| | | | | | | | | | | | | Black | 4.1 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 34.4 | | | |
| | | | | | | | | | | | | Asian/PI | 22.8 | | | |
| 78.2x Hancock Park/Mid-City West/Park La Brea | 67 | 52 | 35 | 30.2 | 4.8 | 115.9 | 91.1-147.5 | 124,716 | Urban | Pov100 Pov200 | 11.8 27.9 | White | 65 | 18.4 | No | . |
| | | | | | | | | | | | | Black | 16.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 12.9 | | | |
| | | | | | | | | | | | | Asian/PI | 12.5 | | | |
| 78.2xx Agoura Hills/Calabasas/Hidden Hills/West Hills/Westlake | 58 | 80 | 46 | 47.3 | -1.3 | 97.3 | 76.6-123.5 | 114,442 | Urban | Pov100 Pov200 | 5.1 11.9 | White | 84.5 | 11 | No | . |
| | | | | | | | | | | | | Black | 3.2 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.8 | | | |
| | | | | | | | | | | | | Other/Multi | 7.5 | | | |
| | | | | | | | | | | | | Asian/PI | 10.9 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2xxx Arcadia Central and Northeast/Bradbury/ Monrovia/Sierra Madre | 70 | 56 | 39 | 34.1 | 4.9 | 114.4 | 92.1-142 | 100,360 | Urban | Pov100 Pov200 | 9.4 23.8 | White | 52.2 | 27.2 | No | . |
| | | | | | | | | | | | | Black | 4.7 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.9 | | | |
| | | | | | | | | | | | | Other/Multi | 18.2 | | | |
| | | | | | | | | | | | | Asian/PI | 31.2 | | | |
| 78.2y Culver City North/Palms | 64 | 53 | 34 | 31.7 | 2.3 | 107.3 | 83.1-138.4 | 94,970 | Urban | Pov100 Pov200 | 10.4 24.7 | White | 62.6 | 22.5 | No | . |
| | | | | | | | | | | | | Black | 9.2 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.3 | | | |
| | | | | | | | | | | | | Other/Multi | 14.9 | | | |
| | | | | | | | | | | | | Asian/PI | 21.7 | | | |
| 78.2yy Encino/Tarzana/Warner Center/Woodland Hills | 61 | 51 | 31 | 29.7 | 1.3 | 104.4 | 80.9-134.7 | 79,559 | Urban | Pov100 Pov200 | 6.1 15.7 | White | 86.3 | 8.4 | No | . |
| | | | | | | | | | | | | Black | 3.4 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.4 | | | |
| | | | | | | | | | | | | Other/Multi | 6.7 | | | |
| | | | | | | | | | | | | Asian/PI | 8.4 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

| Study Results | | | | | | | | Demographics | | | | | | | | |
|---|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|------------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2yyy Bassett/Industry West/La Puente | 53 | 40 | 21 | 22.9 | -1.9 | 91.7 | 63.9-131.7 | 120,321 | Urban | Pov100 Pov200 | 12.6 38.2 | White | 52.1 | 82.4 | No | . |
| | | | | | | | | | | | | Black | 0.9 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.1 | | | |
| | | | | | | | | | | | | Other/Multi | 39 | | | |
| | | | | | | | | | | | | Asian/PI | 11.5 | | | |
| 78.2zz Mar Vista/Ocean Park/Santa Monica South/Venice | 63 | 30 | 19 | 17.8 | 1.2 | 106.7 | 78.1-145.8 | 76,414 | Urban | Pov100 Pov200 | 14.8 33.3 | White | 67.7 | 28.3 | No | . |
| | | | | | | | | | | | | Black | 7.3 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 20.5 | | | |
| | | | | | | | | | | | | Asian/PI | 10.9 | | | |
| 78.2zz Northridge South/Reseda North | 51 | 35 | 18 | 21 | -3 | 85.7 | 58.5-125.5 | 108,475 | Urban | Pov100 Pov200 | 16.2 41.6 | White | 47.6 | 56 | No | . |
| | | | | | | | | | | | | Black | 4.6 | | | |
| | | | | | | | | | | | | Am. Ind. | 0.7 | | | |
| | | | | | | | | | | | | Other/Multi | 40.2 | | | |
| | | | | | | | | | | | | Asian/PI | 14.3 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).

Oral and Oropharyngeal Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs*** within Los Angeles County, 2008-2012

| Study Results | | | | | | | | Demographics | | | | | | | | |
|------------------------------------|---------------------------------|----------------|----------------------|----------------------|--------------------|-------|-----------|--------------------|---------------------|---------------------------------|--------------|-------------|-------------|------------------------------|--|-------------------------------------|
| MSSA ID MSSA Description | Proportion Advanced Stage | Total Cases | Advanced Observed | Advanced Expected | Excess Advanced | PIR | 95% C.I. | 2010 Population | MSSA Designation | Federal Poverty Level (%) | | Race (%) | Race (%) | Hispanic Ethnicity (%) | Dental Health Professional Shortage Area (Yes/No) | Patient to Dentist Ratio** |
| 78.2zzz Baldwin Park/Irwindale* | 78 | 40 | 31 | 23.9 | 7.1 | 129.7 | 106-158.7 | 104,365 | Urban | Pov100 Pov200 | 12.7 38.5 | White | 38.6 | 73.1 | No | . |
| | | | | | | | | | | | | Black | 3.4 | | | |
| | | | | | | | | | | | | Am. Ind. | 1.2 | | | |
| | | | | | | | | | | | | Other/Multi | 49 | | | |
| | | | | | | | | | | | | Asian/PI | 12.6 | | | |

* The proportion of advanced stage oral cancers is significantly higher than in the comparison group (PIR p<0.01).

** Patient to dentist ratio only provided for Dental Health Primary Care Shortage Areas.

*** Medical Study Service Areas; defined by Office of Statewide Health Planning and Development (OSHPD).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total oral and oropharyngeal cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (January 2016).