	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
Year of Diagnosis				
or Death	Male	Male	Male	Male
		ALL RACES		
1988	753	4.6	52	0.4
1989 1990	813 858	4.8 5.1	52 52	0.3 0.4
1991	836	4.9	48	0.4
1992	864	4.9	43	0.3
1993	865	5.1	43	0.3
1994	779	4.5	69	0.4
1995	852	5.0	47	0.3
1996	864	5.1	44	0.3
1997	827	4.8	52	0.3
1998	948	5.5	45	0.3
1999	943	5.4	55	0.3
2000	945	5.3	49	0.3
2001	938	5.2	57	0.3
2002	903	5.0	55	0.3
2003	970	5.3	34	0.2
2004	977	5.3	55	0.3
2005	1,009	5.5	71	0.4
2006	1,012	5.5	67	0.4
2007	1,037	5.5	50	0.3
2008	1,071	5.7	55	0.3
2009	1,075	5.6	60	0.3
2010	1,113	5.8	59	0.3
2011	1,064	5.5	62	0.3
2012	1,101	5.6	69	0.4
2013	1,162	5.9	54	0.3
2014	1,205	6.1 SIAN/PACIFIC ISL	74 ANDER	0.4
1988	20	1.4	1	
1989	25	1.4	1	
1990	22	1.5	4	_
1991	27	1.7	4	_
1992	29	1.7	1	-
1993	35	1.9	0	_
1994	35	2.0	2	-
1995	31	1.6	1	-
1996	27	1.5	3	-
1997	32	1.7	1	-
1998	46	2.4	1	-
1999	39	2.0	1	-
2000	41	2.0	2	-
2001	36	1.6	3	-
2002	29	1.2	1	-
2003	31	1.4	1	-
2004	35	1.5	2	-
2005	45	1.9	4	-
2006	41	1.7	4	-
2007	50	2.0	4	-
2008	39	1.5	4	-
2009	59 53	2.2	2	-
2010	53 54	2.1 2.0	4	-
2011 2012	54 57	2.0	4	-
2012	57 67	2.1	6	-
2013	68	2.4	6	- -
2017	00	2.4		- Table Continues)
			,	. 2.3.0 00.1011000)

	Incidence		Mort	Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate	
Year of Diagnosis or Death	Male	Male	Male	Male	
		NON-HISPANIC E	BLACK		
1988	16	1.3	2	-	
1989	14	-	1	-	
1990	12	-	2	-	
1991	14	-	1	-	
1992	18	1.4	0	-	
1993	18	1.4	0	-	
1994	11	-	3	-	
1995	17	1.4	1	-	
1996	15	1.5	1	-	
1997	18	1.5	3		
1998	20	1.8	2	-	
1999	17	1.7	1	-	
2000	20	1.7	2		
2001	24	2.1	3		
2002	16	1.5	4	-	
2003	14	-	1	-	
2004	17	1.4	3		
2005	14	-	3		
2006	17 23	1.5	3		
2007	26	1.9 2.3	0		
2008 2009	20	2.3 1.9	3 1	-	
2009	21	1.9	1	-	
2010	16	1.3	0	_	
2011	23	1.8	3		
2013	23	1.8	2		
2014	16	1.3	7		
		HISPANIC			
1988	119	2.7	13	-	
1989	148	3.0	17	0.4	
1990	147	3.2	11	-	
1991	179	3.4	8	-	
1992	156	3.0	14	-	
1993	197	4.0	8	-	
1994	146	2.9	30	0.9	
1995	195	3.6	15		
1996	207	3.6	12		
1997	196	3.3	17	0.3	
1998	210	3.5	13		
1999	221	3.5	16		
2000	256	4.1	15		
2001	252	3.8	19		
2002	255	3.8	17		
2003	281 302	4.0 4.1	14		
2004 2005	318	4.1	20 34		
2006	352	4.8	26		
2006	358	4.6	26 27		
2007	378	4.9	25		
2008	410	5.0	24		
2010	417	5.1	26		
2011	415	5.2	30		
2012	452	5.5	31	0.4	
2013	428	5.1	24	0.3	
2014	476	5.7	27	0.4	
				(Table Continues)	

## Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2014, Testicular Cancer (continued)

	Incidence		Mortality	
	New Cases Annual Rate		Deaths	Annual Rate
Year of Diagnosis or Death	Male	Male	Male	Male
		NON-HISPANIC W	/HITE	
1988	587	6.1	36	0.4
1989	615	6.3	32	0.4
1990	665	6.9	35	0.4
1991	605	6.4	35	0.4
1992	655	6.9	27	0.3
1993	605	6.6	35	0.4
1994	580	6.4	34	0.4
1995	594	6.8	30	0.3
1996	595	7.0	28	0.3
1997	568	6.7	31	0.4
1998	657	7.8	28	0.3
1999	649	7.7	36	0.4
2000	614	7.3	30	0.4
2001	613	7.4	31	0.4
2002	583	7.1	33	0.4
2003	622	7.7	18	0.2
2004	599	7.5	29	0.3
2005	614	7.8	30	0.4
2006	568	7.4	34	0.4
2007	579	7.5	19	0.2
2008	603	7.9	22	0.3
2009	553	7.3	33	0.4
2010	585	7.7	28	0.3
2011	547	7.4	31	0.4
2012	539	7.2	31	0.4
2013	611	8.2	22	0.3
2014	594	7.9	31	0.3

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2010-2014, Testicular Cancer

	Incidend	ce	Mortal	ity
	New Cases 2010-2014	Annual Rate	Deaths 2010-2014	Annual Rate
Age at				
Diagnosis or Death	Male	Male	Male	Male
		ALL RACES		
00 - 04	32	0.5	0	0.0
05 - 09	4	0.1	0	0.0
10 - 14	15	0.2	0	0.0
15 - 19	321	4.6	5	0.1
20 - 24	888	11.9	48	0.6
25 - 29	1,150	15.8	66	0.9
30 - 34	940	13.7	34	0.5
35 - 39	714	11.2	38	0.6
40 - 44	513	7.8	24	0.4
45 - 49	416	6.3	23	0.4
50 - 54	230	3.6	18	0.3
55 - 59	199	3.5	18	0.3
60 - 64	102	2.2	17	0.4
65 - 69	53	1.5	9	0.3
70 - 74	29	1.2	2	0.1
75 - 79	13	0.7	3	0.2
80 - 84	14	1.1	6	0.5
85 +	12	1.0	7	0.6
Total/Crude	5,645	6.0	318	0.3
		ASIAN/PACIFIC ISLA	ANDER	
00 - 04	5	0.7	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	2	0.3	0	0.0
15 - 19	15	1.8	0	0.0
20 - 24	45	4.5	7	0.7
25 - 29	62	6.0	2	0.2
30 - 34	57	5.7	2	0.2
35 - 39	37	3.7	5	0.5
40 - 44	36	3.6	0	0.0
45 - 49	16	1.7	2	0.2
50 - 54	9	1.0	0	0.0
55 - 59	7	0.9	0	0.0
60 - 64	3	0.4	3	0.4
65 - 69	2	0.4	0	0.0
70 - 74	1	0.3	0	0.0
75 - 79	0	0.0	0	0.0
80 - 84	0	0.0	0	0.0
85 +	2	1.3	0	0.0
Total/Crude	299	2.3	21	0.2
				(Table Continues)

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2010-2014, Testicular Cancer (continued)

	Now Cooos 2010 2014			
_	New Cases 2010-2014	Annual Rate	Deaths 2010-2014	Annual Rate
Age at Diagnosis				
or Death	Male	Male	Male	Male
		NON-HISPANIC BL	ACK	
00 - 04	0	0.0	0	0.0
05 - 09	1	0.3	0	0.0
10 - 14	1	0.2	0	0.0
15 - 19	1	0.2	0	0.0
20 - 24	18	3.4	6	1.
25 - 29	16	3.5	0	0.0
30 - 34	17	4.2	0	0.0
35 - 39	11	3.0	1	0.3
40 - 44	12	3.0	2	0.0
45 - 49	12	2.8	1	0.2
50 - 54	2	0.5	1	0.2
55 - 59	6	1.6	0	0.0
60 - 64	1	0.4	1	0.4
65 - 69	1	0.5	0	0.0
70 - 74	0	0.0	0	0.0
75 - 79	0	0.0	0	0.0
80 - 84	0	0.0	1	1.8
85 +	0	0.0	0	0.0
otal/Crude	99	1.7	13	0.2
		HISPANIC		
00 - 04	20	0.6	0	0.0
05 - 09	3	0.1	0	0.0
10 - 14	7	0.2	0	0.0
15 - 19	214	6.3	4	0.
20 - 24	486	14.4	28	0.8
25 - 29	516	16.6	44	1.4
30 - 34	361	12.3	21	0.
35 - 39	252	9.3	20	0.
40 - 44	132	5.1	7	0.0
45 - 49	92	4.0	2	0.
50 - 54	41	2.2	5	0.3
55 - 59	23	1.6	3	0.2
60 - 64	19	1.9	1	0.
65 - 69	7	1.1	1	0.2
70 - 74	9	2.0	0	0.0
75 - 79	5	1.6	0	0.0
80 - 84	0	0.0	1	0.9
85 +	1	0.6	1	0.0
otal/Crude	2,188	6.0	138	0.4

## Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2010-2014, Testicular Cancer (continued)

	Incidence		Mortality		
	New Cases 2010-2014	Annual Rate	Deaths 2010-2014	Annual Rate	
Age at Diagnosis or Death	Male	Male	Male	Male	
		NON-HISPANIC WI	HITE		
00 - 04	5	0.3	0	0.0	
05 - 09	0	0.0	0	0.0	
10 - 14	5	0.3	0	0.0	
15 - 19	84	3.9	1	0.1	
20 - 24	308	12.1	7	0.3	
25 - 29	529	20.2	19	0.7	
30 - 34	473	19.1	10	0.4	
35 - 39	384	16.9	11	0.5	
40 - 44	315	12.3	15	0.6	
45 - 49	281	9.8	18	0.6	
50 - 54	172	5.3	12	0.4	
55 - 59	153	5.0	15	0.5	
60 - 64	78	2.9	12	0.4	
65 - 69	39	1.8	8	0.4	
70 - 74	19	1.3	2	0.1	
75 - 79	8	0.7	3	0.3	
80 - 84	14	1.7	4	0.5	
85 +	9	1.2	6	0.8	
Total/Crude	2,876	7.5	143	0.4	

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity and Sex, Testicular Cancer

	Males				
Current Age	10+ yrs	20+ yrs	30+ yrs	eventually	
	A	LL RACES			
0	0.00	0.03	0.16	0.41	
25	0.14	0.23	0.28	0.32	
35	0.09	0.14	0.17	0.19	
45	0.05	0.07	0.08	0.09	
55	0.03	0.04	0.04	0.05	
65	0.01	0.02	-	0.02	
		isk of Being isk of Dying			
		ACIFIC ISL			
0	0.00	0.01	0.06	0.16	
25	0.06	0.09	0.11	0.12	
35	0.04	0.05	0.06	0.07	
45	0.01	0.02	0.02	0.03	
55	0.01	0.01	0.01	0.02	
65	0.00	0.00	-	0.01	
		isk of Being isk of Dying			
	NON-H	ISPANIC B	LACK		
0	0.00	0.01	0.04	0.11	
25	0.04	0.07	0.08	0.09	
35	0.03	0.05	0.05	0.06	
45	0.02	0.02	0.03	0.03	
55	0.01	0.01	0.01	0.01	
65	0.00	0.00	-	0.00	
	Lifetime Risk of Being Diagnosed = 0.11% Lifetime Risk of Dying of Cancer = 0.02%				
		HISPANIC			
0	0.00	0.04	0.18	0.38	
25	0.14	0.21	0.24	0.28	
35	0.07	0.10	0.12	0.14	
45	0.03	0.05	0.06	0.07	
55	0.02	0.03	0.03	0.04	
65	0.01	0.02	-	0.02	
		isk of Being isk of Dying			
	NON-H	IISPANIC W	/HITE		
0	0.00	0.03	0.18	0.53	
25	0.19	0.33	0.40	0.45	
35	0.14	0.22	0.25	0.27	
45	0.07	0.11	0.12	0.13	
55	0.04	0.05	0.06	0.06	
65	0.01	0.02	-	0.02	
	Lifetime Risk of Being Diagnosed = 0.53% Lifetime Risk of Dying of Cancer = 0.03%				