California Cancer Registry

Production Automation and Quality Control Unit Data Alert - Registrar 2015-063

REVISED - Clarification

Casefinding List for FY2016 - Updated

Please see additional codes inadvertently excluded from the previous list sent on 9/21/15. The additions are noted below in red text.

The clarified list is included below or can be obtained at the following SEER link in either web or PDF form:

http://seer.cancer.gov/tools/casefinding/case2016-icd10cm.html

Volume will be updated with these lists in the next version release, expected in the fall of 2015.

Screening List of ICD-10-CM Codes for Casefinding

Certain ICD-10-CM* codes used by medical records departments for discharge diagnoses identify cases of malignant neoplasms that are reportable to the California Cancer Registry. Case finding procedures must include the review of medical records coded with the following numbers. Newly reportable diseases are followed by the ICD-O-3 morphology and behavior code in parentheses.

Note: Casefinding codes for borderline ovarian tumors (235.0-236.6) are included in the Supplementary List #2.

ICD-10-CM Casefinding List (Fiscal Year 2016: October 1, 2015 – September 30, 2016)

FY2016 Comprehensive ICD-10-CM Casefinding Code List for Reportable Tumors (Effective Date: 10/01/2015-09/30/2016)

Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List

ICD-10-CM Code*	Explanation of ICD-10-CM Code
C00 C43, C4A, C45 C96	Malignant neoplasms (excluding category C44), stated or presumed to be primary (of specified site) and certain specified histologies
C44.00, C44.09	Unspecified/other malignant neoplasm of skin of lip
C44.10_, C44.19_	Unspecified/other malignant neoplasm of skin of eyelid
C44.20_, C44.29_	Unspecified/other malignant neoplasm skin of ear and external auricular canal
C44.30_, C44.39_	Unspecified/other malignant neoplasm of skin of other/unspecified parts of face
C44.40, C44.49	Unspecified/other malignant neoplasm of skin of scalp & neck
C44.50_, C44.59_	Unspecified/other malignant neoplasm of skin of trunk
C44.60_, C44.69_	Unspecified/other malignant neoplasm of skin of upper limb, incl. shoulder
C44.70_, C44.79_	Unspecified/other malignant neoplasm of skin of lower limb, including hip
C44.80, C44.89	Unspecified/other malignant neoplasm of skin of overlapping sites of skin
C44.90, C44.99	Unspecified/other malignant neoplasm of skin of unspecified sites of skin
D00 D09	In-situ neoplasms (Note: Carcinoma in situ of the cervix (CIN III-8077/2) and Prostatic Intraepithelial Carcinoma (PIN III-8148/2) are not reportable).
D18.02	Hemangioma of intracranial structures and any site
D18.1	Lymphangioma, any site (Note: Includes Lymphangiomas of Brain, Other parts of nervous system and endocrine glands, which are reportable)
D32	Benign neoplasm of meninges (cerebral, spinal and unspecified)
D33	Benign neoplasm of brain and other parts of central nervous system

D35.2 - D35.4	Benign neoplasm of pituitary gland, craniopharyngeal duct and pineal gland
D42, D43	Neoplasm of uncertain or unknown behavior of meninges, brain, CNS
D44.3 - D44.5	Neoplasm of uncertain or unknown behavior of pituitary gland, craniopharyngeal duct and pineal gland
D45	Polycythemia vera (9950/3)
D46	Myelodysplastic syndromes (9980, 9982, 9983, 9985, 9986, 9989, 9991, 9992)
D47.1	Chronic myeloproliferative disease (9963/3) ICD-10-CM Coding instruction note: Excludes the following: Atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_), Chronic myeloid leukemia BCR/ABL-positive (C92.1_), Myelofibrosis & Secondary myelofibrosis (D75.81), Myelophthisic anemia & Myelophthisis (D61.82)
D47.3	Essential (hemorrhagic) thrombocythemia (9962/3) Includes: Essential thrombocytosis, idiopathic hemorrhagic thrombocythemia
D47.4	Osteomyelofibrosis (9961/3) Includes: Chronic idiopathic myelofibrosis, Myelofibrosis (idiopathic) (with myeloid metaplasia), Myelosclerosis (megakaryocytic) with myeloid metaplasia), Secondary myelofibrosis in myeloproliferative disease
D47.Z_	Other neoplasms of uncertain behavior of lymphoid, hematopoietic related tissue
D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9970/1, 9931/3
D49.6, D49.7	Neoplasm of unspecified behavior of brain, endocrine glands and other CNS
R85.614	Cytologic evidence of malignancy on smear of anus
R87.614	Cytologic evidence of malignancy on smear of

	cervix
R87.624	Cytologic evidence of malignancy on smear of vagina

^{*}Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant)

SUPPLEMENTAL LIST ICD-10-CM* (EFFECTIVE DATES 10/1/2015-09/30/2016)

Note: Cases with these codes should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.

ICD-10-CM Code*	Explanation of ICD-10-CM Code
B20	Human immunodeficiency virus [HIV] disease with other diseases
B97.33, B97.34, B97.35	Human T-cell lymphotrophic virus,(type I [HTLV-1], type II [HTLV-II], type 2 [HIV 2]) as the cause of diseases classified elsewhere
B97.7	Papillomarvirus as the cause of diseases classified elsewhere
C44.01, C44.02	Basal/squamous cell carcinoma of skin of lip
C44.11_, C44.12_	Basal/squamous cell carcinoma of skin of eyelid
C44.21_, C44.22_	Basal/squamous cell carcinoma of skin of ear and external auricular canal
C44.31_, C44.32_	Basal/squamous cell carcinoma of skin of other and unspecified parts of face
C44.41, C44.42	Basal/squamous cell carcinoma of skin of scalp and neck
C44.51_, C44.52_	Basal/squamous cell carcinoma of skin of trunk
C44.61_, C44.62_	Basal/squamous cell carcinoma of skin of upper limb, including shoulder
C44.71_, C44.72_	Basal/squamous cell carcinoma of skin of lower limb, including hip
C44.81, C44.82	Basal/squamous cell carcinoma of skin of overlapping sites of skin
C44.91, C44.92	Basal/squamous cell carcinoma of skin of unspecified sites of skin

D10 D31, D34, D35.0, D35.1, D35.5_ D35.9, D36	Benign neoplasms (see "must collect" list for reportable benign neoplasms) Note: Screen for incorrectly coded malignancies or reportable by agreement tumors Note: Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. SEER registries are not required to collect these cases for diagnoses made 1/1/2001 and after. However, cases diagnosed prior to 1/1/2001 should still be abstracted and reported to SEER.
D3A	Benign carcinoid tumors
D37 D41	Neoplasms of uncertain or unknown behavior (see "must collect" list for reportable neoplasms of uncertain or unknown behavior) Note: Screen for incorrectly coded malignancies or reportable by agreement tumors
D44.0 - D44.2, D44.6-D44.9	Neoplasm of uncertain or unknown behavior of other endocrine glands (see "must collect" list for D44.3-D44.5) Note: Screen for incorrectly coded malignancies or reportable by agreement tumors
D47.0	Histiocytic and mast cell tumors of uncertain behavior
D47.2	Monoclonal gammopathy Note: Screen for incorrectly coded Waldenstrom's macroglobulinemia
D48	Neoplasm of uncertain behavior of other and unspecified sites
D49.0 - D49.9	Neoplasm of unspecified behavior (except for D49.6 and D49.7)
D61.1	Drug-induced aplastic anemia (also known as "aplastic anemia due to antineoplastic chemotherapy") ICD-10-CM Coding instruction note: Use additional code for adverse effect, if applicable, to identify drug
D61.810	Antineoplastic chemotherapy induced pancytopenia
D61.82	Myelophthisis ICD-10-CM Coding instruction: Code first the underlying disorder, such as: malignant neoplasm of breast (C50)
D63.0	Anemia in neoplastic disease
D64.81	Anemia due to antineoplastic chemotherapy
D69.49, D69.59, D69.6	Other thrombocytopenia Note: Screen for incorrectly coded thrombocythemia
D70.1	Agranulocytosis secondary to cancer chemotherapy
D72.1	Eosinophilia (Note: Code for eosinophilia (9964/3). Not every

	case of eosinophilia is a malignancy. Reportable Diagnosis is "Hypereosonophilic syndrome.")
D75.81	Myelofibrosis (note: this is not primary myelofibrosis [9961/3] <i>ICD-10-CM Coding instruction note: Code first the underlying disorder, such as: malignant neoplasm of breast (C50)</i>
D76	Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue
D89.0, D89.1	Other disorders involving the immune mechanism, not elsewhere classified <i>Note: Review for miscodes</i>
E08	Diabetes mellitus due to underlying condition ICD-10-CM Coding instruction note: Code first the underlying condition, such as: malignant neoplasm (C00-C96)
E31.2_	Multiple endocrine neoplasia [MEN] syndromes ICD-10-CM Coding instruction: Code also any associated malignancies and other conditions associated with the syndromes
E34.0	Carcinoid syndrome ICD-10-CM Coding instruction: May be used as an additional code to identify functional activity associated with a carcinoid tumor
E83.52	Hypercalcemia
E88.09	Other disorders of plasma-protein metabolism, not elsewhere classified
E88.3	Tumor lysis syndrome (following antineoplastic chemotherapy)
G13.0	Paraneoplastic neuromyopathy and neuropathy ICD-10-CM Coding instruction note: Code first underlying neoplasm (C00-D49)
G13.1	Other systemic atrophy primarily affecting central nervous system in neoplastic disease <i>ICD-10-CM Coding instruction note:: Code first underlying neoplasm (C00-D49)</i>
G32.8_	Other specified degenerative disorders of nervous system in diseases classified elsewhere ICD-10-CM Coding instruction note: Code first underlying disease, such as: cerebral degeneration (due to) neoplasm (C00-D49)
G53	Cranial nerve disorders in diseases classified elsewhere Note: Code first underlying neoplasm (C00-D49)
G55	Nerve root and plexus compressions in diseases classified

	elsewhere ICD-10-CM Coding instruction note: code also underlying disease, such as neoplasm (C00-D49)
G63	Polyneuropathy in diseases classified elsewhere ICD-10-CM Coding instruction note: Code first underlying disease, such as: neoplasm (C00-D49)
G73.1	Lambert-Eaton syndrome in neoplastic disease <i>ICD-10-CM Coding instruction: Code first underlying neoplasm</i> (C00-D49)
G89.3	Neoplasm related pain (acute)(chronic)
G99.2	Myelopathy in diseases classified elsewhere ICD-10-CM Coding instruction: Code first underlying disease, such as: neoplasm (C00-D49)
H47.42	Disorders of optic chiasm in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
H47.52-	Disorders of visual pathways in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
H47.63-	Disorders of visual cortex in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
J34.81	Nasal mucositis (ulcerative)
J91.0	Malignant pleural effusion ICD-10-CM Coding instruction: Code first underlying neoplasm
J93.12	Secondary spontaneous pneumothorax ICD-10-CM Coding instruction: Code first underlying condition, such as: Malignant neoplasm of bronchus and lung (C34) Secondary malignant neoplasm of lung (C78.0_)
K12.31	Oral mucositis (ulcerative) due to antineoplastic therapy
K12.33	Oral mucositis (ulcerative) due to radiation
K22.711	Barrett's esophagus with high grade dysplasia
K62.7	Radiation proctitis
K62.82	Dysplasia of anus (AIN I and AIN II)
K92.81	Gastrointestinal mucositis (ulcerated) (due to antineoplastic therapy)
M36.0	Dermato(poly)myositis in neoplastic disease ICD-10-CM Coding instruction: Code first underlying neoplasm (C00-D49)

M36.1	Arthropathy in neoplastic disease <i>ICD-10-CM Coding instruction: Code first underlying neoplasm, such as:</i> Leukemia (C91-C95), malignant histiocytosis (C96.A), multiple myeloma (C90.0)
M84.5-	Pathologic fracture in neoplastic disease ICD-10-CM Coding instruction: Code also underlying neoplasm (C00-D49)
M90.6-	Osteitis deformans in neoplastic disease ICD-10-CM Coding instruction: Code first the neoplasm (C40, C41)
N42.3	Dysplasia of prostate (PIN I and PIN II)
N76.81	Mucositis (ulcerative) of vagina and vulva
N87	Dysplasia of cervix uteri (CIN I and CIN II)
N89.0, N89.1, N89.3	Vaginal dysplasia (VIN I and VIN II)
N90.0, N90.1, N90.3	Vulvar dysplasia (VAIN I and VAIN II)
O01	Hydatidiform mole Note: Benign tumor that can become malignant. If malignant, report as Choriocarcinoma (9100/3,) malignancy code in the C00- C97 range
O9A.1-	Malignant neoplasm complicating pregnancy, childbirth and the puerperium (conditions in C00-C96) ICD-10-CM Coding instruction: Use additional code to identify neoplasm
Q85.0_	Neurofibromatosis (nonmalignant) (9540/1) Note: Neurofibromatosis is not cancer. These tumors can be precursors to acoustic neuromas, which are reportable
R18.0	Malignant ascites
R53.0	Neoplastic (malignant) related fatigue
R59	Enlarged lymph nodes
R85.6	Abnormal findings on cytological and histological examination of digestive organs
R87.61_, R87.62_	Abnormal findings on cytological/histological examination of female genital organs
R92	Abnormal findings on diagnostic imaging of breast
R97	Abnormal tumor markers

T38.6-	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified
T38.8_, T38.9_	Poisoning by hormones and their synthetic substitutes
T45.1_	Poisoning by, adverse effect of and under dosing of antineoplastic and immunosuppressive drugs
T45.8_, T45.9_	Poisoning by primary systemic and hematological agent, unspecified
T66	Unspecified effects of radiation
T80.1	Vascular complications following infusion, transfusion and therapeutic injection
T80.2_	Infections following infusion, transfusion and therapeutic injection
T80.810	Extravasation of vesicant antineoplastic chemotherapy
T80.818	Extravasation of other vesicant agent
T86.0	Complications of bone marrow transplant ICD-10-CM Coding instruction: Use additional code to identify other transplant complications, such as: malignancy associated with organ transplant (C80.2) or post-transplant lymphoproliferative disorders (PTLD) (D47.Z1)
Y63.2	Overdose of radiation given during therapy
Y84.2	Radiological procedure and radiotherapy as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
Z08	Encounter for follow-up examination after completed treatment for malignant neoplasm
Z12	Encounter for screening for malignant neoplasms
Z13.0	Encounter for screening for diseases of the blood and blood- forming organs and certain disorders involving the immune mechanism
Z15.0	Genetic susceptibility to malignant neoplasm ICD-10-CM Coding instruction: Code first, if applicable, any current malignant neoplasm (C00-C75, C81-C96); Use additional code, if applicable, for any personal history of malignant neoplasm (Z85)
Z17.0, Z17.1	Estrogen receptor positive and negative status

Encounter for prophylactic surgery for risk factors related to malignant neoplasms
Encounter for breast reconstruction following mastectomy
Aftercare following surgery for neoplasm ICD-10-CM Coding instruction: Use additional code to identify the neoplasm
Encounter for aftercare following bone marrow transplant
Encounter for antineoplastic radiation therapy
Encounter for antineoplastic chemotherapy and immunotherapy
Encounter for palliative care and other specified aftercare
Long term (current) use of agents affecting estrogen receptors and estrogen levels ICD-10-CM Coding instruction: Code first, if applicable, malignant neoplasm of breast (C50), malignant neoplasm of prostate (C61)
Family history of primary malignant neoplasm
Personal history of malignant neoplasm
Personal history of in situ and benign neoplasms and neoplasms of uncertain behavior
Personal history of antineoplastic chemotherapy, estrogen therapy, immunosuppression therapy or irradiation (radiation)
Bone marrow and stem cell transplant status

^{*}International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2016.

September 22, 2015