Imperial County: Status Update of Cancer Incidence, Mortality, and Health Behaviors

December 2015

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the intersection of cancer and poor health behaviors on California residents. CCR is California's population-based cancer surveillance system, and it collects information on nearly all cancers diagnosed in the state. This information helps to further our understanding of cancer and it is used to develop strategies and policies for its prevention, treatment, and control.


Most Common Cancers and Cancer Related Deaths by Sex, Imperial County, 2008-2012

INCIDENCE								
MEN	County Rate	State Rate	WOMEN	County Rate	State Rate			
1. Prostate	124.2	126.9	1. Breast	104.2	122.1			
2. Lung and Bronchus	62.3	55.8	2. Lung and Bronchus	33.4	42.1			
3. Colon and Rectum	45.8	46.0	3. Colon and Rectum	26.8	35.1			
4. Kidney and Renal Pelvis	26.9	32.6	4. Uterus	16.9	23.3			
5. Non-Hodgkin Lymphoma	22.2	22.8	5. Thyroid	16.7	17.9			
All Sites	469.7	476.7	All Sites	323.0	388.8			

MORTALITY									
MEN	County Rate	State Rate	WOMEN	County Rate	State Rate				
1. Lung and Bronchus	38.0	43.5	1. Lung and Bronchus	20.9	30.4				
2. Prostate	24.0	21.1	2. Breast	19.2	21.2				
3. Colon and Rectum	15.3	16.7	3. Colon and Rectum	8.2	12.1				
4. Liver and Intrahepatic Bile Duct	13.3	10.5	4. Pancreas	6.7	9.3				
5. Pancreas	9.4	11.7	5. Ovary	6.8	7.6				
All Malianant Cancers	172.5	182 7	All Malianant Cancers	1043	1348				


Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Confidence intervals can be obtained from the CCR Data and Mapping tool (http://www.cancer-rates.info/ca/) and may help to assess statistical significance of age-adjusted rates.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Imperial County, All Cancer Sites Combined, 2008-2012



Source: California Cancer Registry, California Department of Public Health.

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Imperial County, All Cancer Sites Combined, 2008-2012




Source: California Cancer Registry, California Department of Public Health.

^ Rates based on counts less than 15 have been suppressed

Poor lifestyle choices such as overuse of alcohol, smoking, poor diet, and lack of physical exercise are significant contributors in the development and progression of preventable chronic diseases, including several types of cancer. Modification of negative risk behaviors and an increased awareness towards maintaining healthy lifestyle behaviors are vital to the prevention and/or early treatment for improvement of chronic disease outcomes. The California Behavioral Risk Factor Surveillance System (BRFSS) is an annual statewide telephone survey developed to collect data on the health-risk behaviors and use of preventative services among adults in California. BRFSS data are used to help target and build health promotion activities around the state.

Prevalence of Health Risk Behaviors* by Sex, California, 2012



Source: 2012 California Behavioral Risk Factor Surveillance System, California Department of Public Health.

^{*} Data are weighted to the 2010 California population. Obesity is based on Body Mass Index (BMI) \geq 30. Colorectal cancer (CRC) screened is defined as having been screened by use of either a sigmoidoscopy in the last five years, a colonoscopy in the last ten years, or by a fecal occult blood test (FOBT) home kit in the last year.