


Selected Cancer Facts-Alameda County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Alameda County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Alameda County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	1,035	175
Prostate	800	130
Lung & Bronchus	660	495
Colon & Rectum	650	225
Bladder	245	40
All Sites	5,910	2,145

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Alameda County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	150.1*	143.3	Breast	124.1	121.6
Lung & Bronchus	60.0	62.0	Lung & Bronchus	44.8	45.0
Colon & Rectum	49.8	50.3	Colon & Rectum	40.8*	38.1
Bladder	30.1*	33.6	Uterus	23.1	22.1
Melanoma	16.7*	26.2	Melanoma	12.0	15.4
All Sites	476.9*	494.5	All Sites	380.1	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Alameda County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Alameda County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	47.2	49.7	Lung & Bronchus	33.5	33.6
Prostate	23.2	22.9	Breast	22.1	22.3
Colon & Rectum	20.2*	18.1	Colon & Rectum	13.6	13.1
Pancreas	11.5	11.7	Pancreas	9.9	9.2
Liver & Intrahepatic Bile Duct	9.6	9.4	Ovary	8.3	8.4
All Sites	189.8	194.2	All Sites	141.4	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Alameda County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Alpine County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Alpine County Population by Race/Ethnicity, (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Alpine County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	<5	<5
Prostate	<5	<5
Lung & Bronchus	<5	<5
Colon & Rectum	<5	<5
Bladder	<5	<5
All Sites	5	<5

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive. Only the total number of estimated cases and deaths is shown for counties with five or fewer estimated cases and deaths.

Incidence Rates for California's Most Common Cancers: Alpine, Amador, & Calaveras Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	163.8*	143.3	Breast	138.3*	121.6
Lung & Bronchus	64.8	62	Lung & Bronchus	57.1*	45
Colon & Rectum	49.1	50.3	Colon & Rectum	42.8	38.1
Bladder	44.7*	33.6	Uterus	18.7	22.1
Melanoma	29.5	26.2	Melanoma	16.1	15.4
All Sites	539.3*	494.5	All Sites	416.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Alpine, Amador and Calaveras Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Alpine, Amador & Calaveras Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.5	49.7	Lung & Bronchus	43.6*	33.6
Prostate	20.4	22.9	Breast	22.2	22.3
Colon & Rectum	16	18.1	Colon & Rectum	14.3	13.1
Pancreas	10.9	11.7	Pancreas	7.2	9.2
Liver & Intrahepatic Bile Duct	6.9	9.4	Ovary	9.3	8.4
All Sites	190.1	194.2	All Sites	150.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Alpine, Amador & Calaveras Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Amador County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Amador County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Amador County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	40	5
Prostate	50	5
Lung & Bronchus	30	25
Colon & Rectum	25	10
Bladder	30	0
All Sites	290	95

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Alpine, Amador, & Calaveras Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	163.8*	143.3	Breast	138.3*	121.6
Lung & Bronchus	64.8	62	Lung & Bronchus	57.1*	45
Colon & Rectum	49.1	50.3	Colon & Rectum	42.8	38.1
Bladder	44.7*	33.6	Uterus	18.7	22.1
Melanoma	29.5	26.2	Melanoma	16.1	15.4
All Sites	539.3*	494.5	All Sites	416.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Alpine, Amador and Calaveras Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Alpine, Amador & Calaveras Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.5	49.7	Lung & Bronchus	43.6*	33.6
Prostate	20.4	22.9	Breast	22.2	22.3
Colon & Rectum	16	18.1	Colon & Rectum	14.3	13.1
Pancreas	10.9	11.7	Pancreas	7.2	9.2
Liver & Intrahepatic Bile Duct	6.9	9.4	Ovary	9.3	8.4
All Sites	190.1	194.2	All Sites	150.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Alpine, Amador & Calaveras Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Butte County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Butte County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Butte County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	175	35
Prostate	195	35
Lung & Bronchus	175	140
Colon & Rectum	110	35
Bladder	65	10
All Sites	1,215	515

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.


Incidence Rates for California's Most Common Cancers: Butte County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	161.9*	143.3	Breast	135.3*	121.6
Lung & Bronchus	83.5*	62.0	Lung & Bronchus	65.6*	45.0
Colon & Rectum	46.5	50.3	Colon & Rectum	39.7	38.1
Bladder	45.7*	33.6	Uterus	22.9	22.1
Melanoma	31.0	26.2	Melanoma	17.9	15.4
All Sites	574.1*	494.5	All Sites	434.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Butte County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	68.3*	49.7	Lung & Bronchus	47.6*	33.6
Prostate	25.1	22.9	Breast	20.4	22.3
Colon & Rectum	17.3	18.1	Colon & Rectum	13.8	13.1
Pancreas	15.1*	11.7	Pancreas	9.9	9.2
Liver & Intrahepatic Bile Duct	9.0	9.4	Ovary	12.8*	8.4
All Sites	236*	194.2	All Sites	158.1*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Calaveras County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Calaveras County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Calaveras County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	40	5
Prostate	60	10
Lung & Bronchus	35	35
Colon & Rectum	25	10
Bladder	10	0
All Sites	275	110

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Alpine, Amador, & Calaveras Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	163.8*	143.3	Breast	138.3*	121.6
Lung & Bronchus	64.8	62	Lung & Bronchus	57.1*	45
Colon & Rectum	49.1	50.3	Colon & Rectum	42.8	38.1
Bladder	44.7*	33.6	Uterus	18.7	22.1
Melanoma	29.5	26.2	Melanoma	16.1	15.4
All Sites	539.3*	494.5	All Sites	416.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Alpine, Amador and Calaveras Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Alpine, Amador & Calaveras Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.5	49.7	Lung & Bronchus	43.6*	33.6
Prostate	20.4	22.9	Breast	22.2	22.3
Colon & Rectum	16	18.1	Colon & Rectum	14.3	13.1
Pancreas	10.9	11.7	Pancreas	7.2	9.2
Liver & Intrahepatic Bile Duct	6.9	9.4	Ovary	9.3	8.4
All Sites	190.1	194.2	All Sites	150.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Alpine, Amador & Calaveras Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Colusa County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Colusa County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Colusa County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	10	0
Prostate	10	0
Lung & Bronchus	15	10
Colon & Rectum	5	0
Bladder	5	0
All Sites	75	30

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Colusa, Glenn & Tehama Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	161*	143.3	Breast	118.7*	121.6
Lung & Bronchus	102.5*	62.0	Lung & Bronchus	75.3*	45.0
Colon & Rectum	^	50.3	Colon & Rectum	^	38.1
Bladder	40.5	33.6	Uterus	18.3	22.1
Melanoma	24.0	26.2	Melanoma	24.0	15.4
All Sites	575.9*	494.5	All Sites	411.7*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05). ^Statistic not displayed due to fewer than 15 cases.



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Colusa, Glenn Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Colusa, Glenn & Tehama Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	69.7*	49.7	Lung & Bronchus	48.8*	33.6
Prostate	24.3	22.9	Breast	19.5	22.3
Colon & Rectum	20.7	18.1	Colon & Rectum	11.5	13.1
Pancreas	11.0	11.7	Pancreas	11.0	9.2
Liver & Intrahepatic Bile Duct	9.0	9.4	Ovary	11.2	8.4
All Sites	222.7*	194.2	All Sites	161.6*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Colusa, Glenn & Tehama Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Contra Costa County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Contra Costa County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Contra Costa County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	795	145
Prostate	690	90
Lung & Bronchus	540	390
Colon & Rectum	505	175
Bladder	220	40
All Sites	4,605	1,720

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Contra Costa County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	160.3*	143.3	Breast	136.1*	121.6
Lung & Bronchus	58.5	62.0	Lung & Bronchus	50.4*	45.0
Colon & Rectum	52.9	50.3	Colon & Rectum	41.2*	38.1
Bladder	37.4*	33.6	Uterus	23.0	22.1
Melanoma	27.6	26.2	Melanoma	16.5	15.4
All Sites	513.2*	494.5	All Sites	407.6*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Contra Costa County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Contra Costa County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	45.7*	49.7	Lung & Bronchus	37.9*	33.6
Prostate	22.4	22.9	Breast	23.8	22.3
Colon & Rectum	19.5	18.1	Colon & Rectum	15.0*	13.1
Pancreas	11.9	11.7	Pancreas	10.8*	9.2
Liver & Intrahepatic Bile Duct	7.8*	9.4	Ovary	8.5	8.4
All Sites	191.5	194.2	All Sites	154.2*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Contra Costa County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts- Del Norte County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Del Norte County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Del Norte County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	25	5
Prostate	20	5
Lung & Bronchus	25	20
Colon & Rectum	10	5
Bladder	10	5
All Sites	150	65

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Del Norte & Humboldt Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	163.5*	143.3	Breast	126.8	121.6
Lung & Bronchus	78.3*	62.0	Lung & Bronchus	61.6*	45.0
Colon & Rectum	53.8	50.3	Colon & Rectum	47.8*	38.1
Bladder	40.2	33.6	Uterus	31.0*	22.1
Melanoma	33.6*	26.2	Melanoma	18.9	15.4
All Sites	584.1*	494.5	All Sites	442.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Del Norte & Humboldt Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Del Norte & Humboldt Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	63.0*	49.7	Lung & Bronchus	49.5*	33.6
Prostate	25.9	22.9	Breast	26.3	22.3
Colon & Rectum	22.7	18.1	Colon & Rectum	14.6	13.1
Pancreas	12.9	11.7	Pancreas	9.2	9.2
Liver & Intrahepatic Bile Duct	10.7	9.4	Ovary	7.6	8.4
All Sites	239.5*	194.2	All Sites	14.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Del Norte & Humboldt Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts- El Dorado County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

El Dorado County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

El Dorado County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	135	25
Prostate	155	15
Lung & Bronchus	105	85
Colon & Rectum	95	25
Bladder	55	10
All Sites	935	330

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: El Dorado County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	176.6*	143.3	Breast	136.4*	121.6
Lung & Bronchus	66.5	62	Lung & Bronchus	59.1*	45
Colon & Rectum	55.1	50.3	Colon & Rectum	40.1	38.1
Bladder	45.4*	33.6	Uterus	21.9	22.1
Melanoma	40.2*	26.2	Melanoma	26.1*	15.4
All Sites	573.8*	494.5	All Sites	447.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, El Dorado County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: El Dorado County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	54.5	49.7	Lung & Bronchus	44.5*	33.6
Prostate	26.6	22.9	Breast	22.8	22.3
Colon & Rectum	18.5	18.1	Colon & Rectum	13.9	13.1
Pancreas	12.4	11.7	Pancreas	10.9	9.2
Liver & Intrahepatic Bile Duct	6.7	9.4	Ovary	9.1	8.4
All Sites	215.1*	194.2	All Sites	159.9*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, El Dorado County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Fresno County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Fresno County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Fresno County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	460	90
Prostate	395	60
Lung & Bronchus	400	295
Colon & Rectum	285	100
Bladder	95	25
All Sites	3,075	1,190

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Fresno County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	140.9	143.3	Breast	109.4*	121.6
Lung & Bronchus	65.2	62.0	Lung & Bronchus	48.0	45.0
Colon & Rectum	49.8	50.3	Colon & Rectum	34.2*	38.1
Bladder	26.4*	33.6	Uterus	16.5*	22.1
Melanoma	17.8*	26.2	Melanoma	11.2*	15.4
All Sites	482.2	494.5	All Sites	377.1*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Fresno County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Fresno County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	52.8	49.7	Lung & Bronchus	34.4	33.6
Prostate	22.7	22.9	Breast	21.2	22.3
Colon & Rectum	18.3	18.1	Colon & Rectum	11.3	13.1
Pancreas	9.3*	11.7	Pancreas	8.3	9.2
Liver & Intrahepatic Bile Duct	10.2	9.4	Ovary	9.2	8.4
All Sites	196	194.2	All Sites	140.8	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Fresno County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Glenn County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Glenn County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Glenn County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	20	5
Prostate	25	0
Lung & Bronchus	30	15
Colon & Rectum	10	5
Bladder	10	0
All Sites	140	50

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Colusa, Glenn & Tehama Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	161*	143.3	Breast	118.7*	121.6
Lung & Bronchus	102.5*	62.0	Lung & Bronchus	75.3*	45.0
Colon & Rectum	^	50.3	Colon & Rectum	^	38.1
Bladder	40.5	33.6	Uterus	18.3	22.1
Melanoma	24.0	26.2	Melanoma	24.0	15.4
All Sites	575.9*	494.5	All Sites	411.7*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05). ^Statistic not displayed due to fewer than 15 cases.



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Colusa, Glenn & Tehama Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Colusa, Glenn & Tehama Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	69.7*	49.7	Lung & Bronchus	48.8*	33.6
Prostate	24.3	22.9	Breast	19.5	22.3
Colon & Rectum	20.7	18.1	Colon & Rectum	11.5	13.1
Pancreas	11.0	11.7	Pancreas	11.0	9.2
Liver & Intrahepatic Bile Duct	9.0	9.4	Ovary	11.2	8.4
All Sites	222.7*	194.2	All Sites	161.6*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Colusa, Glenn & Tehama Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Humboldt County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Humboldt County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Humboldt County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	95	20
Prostate	110	15
Lung & Bronchus	75	60
Colon & Rectum	80	25
Bladder	30	10
All Sites	695	270

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Del Norte & Humboldt Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	163.5*	143.3	Breast	126.8	121.6
Lung & Bronchus	78.3*	62.0	Lung & Bronchus	61.6*	45.0
Colon & Rectum	53.8	50.3	Colon & Rectum	47.8*	38.1
Bladder	40.2	33.6	Uterus	31.0*	22.1
Melanoma	33.6*	26.2	Melanoma	18.9	15.4
All Sites	584.1*	494.5	All Sites	442.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Del Norte & Humboldt Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Del Norte & Humboldt Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	63.0*	49.7	Lung & Bronchus	49.5*	33.6
Prostate	25.9	22.9	Breast	26.3	22.3
Colon & Rectum	22.7	18.1	Colon & Rectum	14.6	13.1
Pancreas	12.9	11.7	Pancreas	9.2	9.2
Liver & Intrahepatic Bile Duct	10.7	9.4	Ovary	7.6	8.4
All Sites	239.5*	194.2	All Sites	14.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Del Norte & Humboldt Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Imperial County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Imperial County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Imperial County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	80	15
Prostate	50	15
Lung & Bronchus	55	45
Colon & Rectum	60	15
Bladder	20	5
All Sites	500	200

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Imperial County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	115*	143.3	Breast	96.2*	121.6
Lung & Bronchus	66.8	62.0	Lung & Bronchus	31*	45.0
Colon & Rectum	58.2	50.3	Colon & Rectum	24.1*	38.1
Bladder	23.3*	33.6	Uterus	21.5	22.1
Melanoma	12.3*	26.2	Melanoma	5.9*	15.4
All Sites	457.9*	494.5	All Sites	313.1*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Imperial County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Imperial County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	50.0	49.7	Lung & Bronchus	24*	33.6
Prostate	20.6	22.9	Breast	19.8	22.3
Colon & Rectum	17.7	18.1	Colon & Rectum	10.1	13.1
Pancreas	6.1*	11.7	Pancreas	7.9	9.2
Liver & Intrahepatic Bile Duct	13.8*	9.4	Ovary	6.4	8.4
All Sites	188.4	194.2	All Sites	127.7*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Imperial County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Inyo County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Inyo County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Inyo County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	15	5
Prostate	15	0
Lung & Bronchus	15	10
Colon & Rectum	15	5
Bladder	5	5
All Sites	100	40

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.


Incidence Rates for California's Most Common Cancers: Inyo & Mono County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	138.6	143.3	Breast	110.2	121.6
Lung & Bronchus	63.7	62.0	Lung & Bronchus	59.5	45
Colon & Rectum	48.8	50.3	Colon & Rectum	39.3	38.1
Bladder	40.0	33.6	Uterus	18.5	22.1
Melanoma	27.1	26.2	Melanoma	25.6	15.4
All Sites	450.4	494.5	All Sites	375.9	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Inyo & Mono County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.7	49.7	Lung & Bronchus	43.1	33.6
Prostate	19.9	22.9	Breast	15.7	22.3
Colon & Rectum	19.5	18.1	Colon & Rectum	^	13.1
Pancreas	9.7	11.7	Pancreas	3.9	9.2
Liver & Intrahepatic Bile Duct	7.2	9.4	Ovary	3.1	8.4
All Sites	194.3	194.2	All Sites	130.1	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05). ^Statistic not displayed due to fewer than 15 cases.



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Kern County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Kern County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Kern County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	400	75
Prostate	265	60
Lung & Bronchus	350	305
Colon & Rectum	270	90
Bladder	115	20
All Sites	2,655	1,075

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Kern County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	123.3*	143.3	Breast	116.1	121.6
Lung & Bronchus	77.4*	62.0	Lung & Bronchus	48.8	45.0
Colon & Rectum	54.7	50.3	Colon & Rectum	36.8	38.1
Bladder	33.4	33.6	Uterus	21.3	22.1
Melanoma	22.1*	26.2	Melanoma	12.9*	15.4
All Sites	495.0	494.5	All Sites	388.8	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Kern County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Mortality Rates for California's Most Common Cancers: Kern, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	64.5*	49.7	Lung & Bronchus	41*	33.6
Prostate	27.9*	22.9	Breast	23.3	22.3
Colon & Rectum	19.9	18.1	Colon & Rectum	13.4	13.1
Pancreas	12.6	11.7	Pancreas	10.0	9.2
Liver & Intrahepatic Bile Duct	9.1	9.4	Ovary	6.8	8.4
All Sites	224*	194.2	All Sites	153.8*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.

*County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Kern County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Kings County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Kings County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Kings County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	60	15
Prostate	60	10
Lung & Bronchus	50	40
Colon & Rectum	45	15
Bladder	15	0
All Sites	420	165

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Kings, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	132.6	143.3	Breast	115.0	121.6
Lung & Bronchus	76.9*	62.0	Lung & Bronchus	43.9	45.0
Colon & Rectum	52.9	50.3	Colon & Rectum	41.2	38.1
Bladder	25.4	33.6	Uterus	19.6	22.1
Melanoma	12.4*	26.2	Melanoma	8.6*	15.4
All Sites	484.4	494.5	All Sites	374.6	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Kings County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Kings County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	65.7*	49.7	Lung & Bronchus	32.8	33.6
Prostate	22.1	22.9	Breast	23.2	22.3
Colon & Rectum	20.8	18.1	Colon & Rectum	15.0	13.1
Pancreas	9.0	11.7	Pancreas	7.0	9.2
Liver & Intrahepatic Bile Duct	9.8	9.4	Ovary	4.8	8.4
All Sites	221.7*	194.2	All Sites	145.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Kings County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Lake County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Lake County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Lake County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	50	5
Prostate	50	5
Lung & Bronchus	65	60
Colon & Rectum	45	15
Bladder	25	5
All Sites	420	180

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Lake County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	135.8	143.3	Breast	103.7*	121.6
Lung & Bronchus	109.7*	62.0	Lung & Bronchus	78.8*	45.0
Colon & Rectum	61.6*	50.3	Colon & Rectum	40.1	38.1
Bladder	57.8*	33.6	Uterus	24.2	22.1
Melanoma	26.2	26.2	Melanoma	13.5	15.4
All Sites	597.3*	494.5	All Sites	421.2*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Lake County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Lake County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	82*	49.7	Lung & Bronchus	65.7*	33.6
Prostate	24.8	22.9	Breast	21.6	22.3
Colon & Rectum	23.2	18.1	Colon & Rectum	15.1	13.1
Pancreas	14.6	11.7	Pancreas	8.0	9.2
Liver & Intrahepatic Bile Duct	7.6	9.4	Ovary	9.0	8.4
All Sites	263.7*	194.2	All Sites	193.5*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Lake County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Lassen County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Lassen County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Lassen County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	10	0
Prostate	15	0
Lung & Bronchus	10	10
Colon & Rectum	5	0
Bladder	5	0
All Sites	85	30

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Lassen, Modoc & Plumas Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	140.3	143.3	Breast	99.1*	121.6
Lung & Bronchus	55.2	62.0	Lung & Bronchus	56.3*	45.0
Colon & Rectum	52.2	50.3	Colon & Rectum	30.6	38.1
Bladder	18.2*	33.6	Uterus	20.4	22.1
Melanoma	27.1	26.2	Melanoma	13.4	15.4
All Sites	431.9*	494.5	All Sites	340.6*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Lassen, Modoc & Plumas Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Lassen, Modoc & Plumas Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.3	49.7	Lung & Bronchus	45.6*	33.6
Prostate	23.2	22.9	Breast	26.1	22.3
Colon & Rectum	16.1	18.1	Colon & Rectum	15.7	13.1
Pancreas	8.6	11.7	Pancreas	9.7	9.2
Liver & Intrahepatic Bile Duct	8.1	9.4	Ovary	8.6	8.4
All Sites	188.9	194.2	All Sites	153.5	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Lassen, Modoc & Plumas Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Los Angeles County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Los Angeles County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Los Angeles County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	5,865	1,090
Prostate	4,440	775
Lung & Bronchus	3,695	2,925
Colon & Rectum	3,880	1,335
Bladder	1,415	330
All Sites	35,780	13,535

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Los Angeles County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	137.2*	143.3	Breast	114.7*	121.6
Lung & Bronchus	55.9*	62.0	Lung & Bronchus	37.3*	45
Colon & Rectum	51.4	50.3	Colon & Rectum	38.8	38.1
Bladder	30.7	33.6	Uterus	22.5	22.1
Melanoma	19.1*	26.2	Melanoma	10.1*	15.4
All Sites	469.1*	494.5	All Sites	370.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Los Angeles County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Los Angeles County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	45.8*	49.7	Lung & Bronchus	27.9*	33.6
Prostate	22.8	22.9	Breast	22.5	22.3
Colon & Rectum	18.9	18.1	Colon & Rectum	13.5*	13.1
Pancreas	11.5	11.7	Pancreas	9.0	9.2
Liver & Intrahepatic Bile Duct	10.2*	9.4	Ovary	8.6	8.4
All Sites	186.8*	194.2	All Sites	137.4*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Los Angeles County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Madera County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Madera County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Madera County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	80	15
Prostate	80	15
Lung & Bronchus	65	45
Colon & Rectum	60	25
Bladder	20	5
All Sites	575	195

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Madera County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	153.8	143.3	Breast	107.2*	121.6
Lung & Bronchus	70.9	62	Lung & Bronchus	47.4	45
Colon & Rectum	54.6	50.3	Colon & Rectum	44.2	38.1
Bladder	25.9*	33.6	Uterus	15.9*	22.1
Melanoma	23.2	26.2	Melanoma	19.7	15.4
All Sites	500.3	494.5	All Sites	377.5	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Madera County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Madera County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	50.9	49.7	Lung & Bronchus	25.4	33.6
Prostate	27.1	22.9	Breast	20.6	22.3
Colon & Rectum	18.2	18.1	Colon & Rectum	15.6	13.1
Pancreas	11.4	11.7	Pancreas	6.3	9.2
Liver & Intrahepatic Bile Duct	9.8	9.4	Ovary	6.5	8.4
All Sites	204.7	194.2	All Sites	124.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Madera County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Marin County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Marin County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Marin County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	265	35
Prostate	290	25
Lung & Bronchus	140	95
Colon & Rectum	130	45
Bladder	80	10
All Sites	1,590	460

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Marin County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	183.7*	143.3	Breast	147.7*	121.6
Lung & Bronchus	46.8*	62.0	Lung & Bronchus	43.6	45.0
Colon & Rectum	46.3	50.3	Colon & Rectum	37.7	38.1
Bladder	45.8*	33.6	Uterus	21.1	22.1
Melanoma	49.8*	26.2	Melanoma	29.3*	15.4
All Sites	565.9*	494.5	All Sites	424.7*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Marin County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Marin County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	36.0*	49.7	Lung & Bronchus	31.0	33.6
Prostate	21.3	22.9	Breast	23.5*	22.3
Colon & Rectum	13.3*	18.1	Colon & Rectum	10.6	13.1
Pancreas	12.1	11.7	Pancreas	12.1	9.2
Liver & Intrahepatic Bile Duct	6.0*	9.4	Ovary	8.1	8.4
All Sites	173.8*	194.2	All Sites	134.8	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Marin County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Mariposa County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Mariposa County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mariposa County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	15	5
Prostate	15	5
Lung & Bronchus	15	20
Colon & Rectum	10	0
Bladder	5	0
All Sites	105	50

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Mariposa & Tuolumne Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	159.4*	143.3	Breast	162.6*	121.6
Lung & Bronchus	82.1*	62.0	Lung & Bronchus	70.4*	45
Colon & Rectum	50.9	50.3	Colon & Rectum	42.3	38.1
Bladder	39.3	33.6	Uterus	24.1	22.1
Melanoma	36.4*	26.2	Melanoma	19.8	15.4
All Sites	575.2*	494.5	All Sites	479.9*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Mariposa & Tuolumne Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Mariposa & Tuolumne Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.6	49.7	Lung & Bronchus	47.6*	33.6
Prostate	23.3	22.9	Breast	23.3	22.3
Colon & Rectum	12.9	18.1	Colon & Rectum	12.3	13.1
Pancreas	8.3	11.7	Pancreas	10.5	9.2
Liver & Intrahepatic Bile Duct	6.8	9.4	Ovary	7.0	8.4
All Sites	194.7	194.2	All Sites	162.7*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Mariposa & Tuolumne Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Mendocino County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Mendocino County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mendocino County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	70	15
Prostate	75	10
Lung & Bronchus	70	45
Colon & Rectum	45	15
Bladder	35	5
All Sites	515	175

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Mendocino County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	142.6	143.3	Breast	127.6	121.6
Lung & Bronchus	69.7	62.0	Lung & Bronchus	59.6*	45.0
Colon & Rectum	52.7	50.3	Colon & Rectum	38.1	38.1
Bladder	54.0*	33.6	Uterus	26.3	22.1
Melanoma	39.8*	26.2	Melanoma	22.0*	15.4
All Sites	555.3*	494.5	All Sites	416.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Mendocino County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Mendocino County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	49.2	49.7	Lung & Bronchus	42.4*	33.6
Prostate	22.5	22.9	Breast	26.2	22.3
Colon & Rectum	20.8	18.1	Colon & Rectum	12.1	13.1
Pancreas	11.4	11.7	Pancreas	9.8	9.2
Liver & Intrahepatic Bile Duct	10.6	9.4	Ovary	10.6	8.4
All Sites	203.8	194.2	All Sites	156.1*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Mendocino County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Merced County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Merced County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Merced County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	110	25
Prostate	90	15
Lung & Bronchus	115	85
Colon & Rectum	80	30
Bladder	40	5
All Sites	770	300

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Merced County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	115.6*	143.3	Breast	106.3*	121.6
Lung & Bronchus	73.1*	62.0	Lung & Bronchus	48.1	45.0
Colon & Rectum	50.1	50.3	Colon & Rectum	41.8	38.1
Bladder	36.9	33.6	Uterus	20.3	22.1
Melanoma	13.5*	26.2	Melanoma	7.8*	15.4
All Sites	458.3*	494.5	All Sites	370.8	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Merced County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Merced County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	57.6*	49.7	Lung & Bronchus	35.6	33.6
Prostate	21.1	22.9	Breast	23.1	22.3
Colon & Rectum	15.3	18.1	Colon & Rectum	12	13.1
Pancreas	10.5	11.7	Pancreas	9.9	9.2
Liver & Intrahepatic Bile Duct	8.0	9.4	Ovary	5.2*	8.4
All Sites	189.4	194.2	All Sites	139.4	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Merced County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Modoc County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Modoc County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Modoc County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	10	0
Prostate	10	0
Lung & Bronchus	10	10
Colon & Rectum	5	0
Bladder	0	0
All Sites	50	20

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Lassen, Modoc & Plumas Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	140.3	143.3	Breast	99.1*	121.6
Lung & Bronchus	55.2	62.0	Lung & Bronchus	56.3*	45.0
Colon & Rectum	52.2	50.3	Colon & Rectum	30.6	38.1
Bladder	18.2*	33.6	Uterus	20.4	22.1
Melanoma	27.1	26.2	Melanoma	13.4	15.4
All Sites	431.9*	494.5	All Sites	340.6*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Lassen, Modoc & Plumas Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Lassen, Modoc & Plumas Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.3	49.7	Lung & Bronchus	45.6*	33.6
Prostate	23.2	22.9	Breast	26.1	22.3
Colon & Rectum	16.1	18.1	Colon & Rectum	15.7	13.1
Pancreas	8.6	11.7	Pancreas	9.7	9.2
Liver & Intrahepatic Bile Duct	8.1	9.4	Ovary	8.6	8.4
All Sites	188.9	194.2	All Sites	153.5	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Lassen, Modoc & Plumas Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Mono County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Mono County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mono County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	5	<5
Prostate	15	<5
Lung & Bronchus	5	<5
Colon & Rectum	5	<5
Bladder	0	<5
All Sites	40	10

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive. Only the total number of estimated cases and deaths is shown for counties with five or fewer estimated cases and deaths.

Incidence Rates for California's Most Common Cancers: Inyo & Mono Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	138.6	143.3	Breast	110.2	121.6
Lung & Bronchus	63.7	62.0	Lung & Bronchus	59.5	45
Colon & Rectum	48.8	50.3	Colon & Rectum	39.3	38.1
Bladder	40.0	33.6	Uterus	18.5	22.1
Melanoma	27.1	26.2	Melanoma	25.6	15.4
All Sites	450.4	494.5	All Sites	375.9	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Inyo & Mono Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Inyo & Mono Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.7	49.7	Lung & Bronchus	43.1	33.6
Prostate	19.9	22.9	Breast	15.7	22.3
Colon & Rectum	19.5	18.1	Colon & Rectum	.	13.1
Pancreas	9.7	11.7	Pancreas	3.9	9.2
Liver & Intrahepatic Bile Duct	7.2	9.4	Ovary	3.1	8.4
All Sites	194.3	194.2	All Sites	130.1	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Inyo & Mono Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Monterey County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Monterey County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Monterey County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	220	40
Prostate	280	30
Lung & Bronchus	155	110
Colon & Rectum	120	40
Bladder	65	15
All Sites	1,470	485

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Monterey County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	167.6*	143.3	Breast	108.9*	121.6
Lung & Bronchus	58.3	62.0	Lung & Bronchus	42.7	45
Colon & Rectum	43.3*	50.3	Colon & Rectum	32.8*	38.1
Bladder	35.9	33.6	Uterus	18.6*	22.1
Melanoma	21.6*	26.2	Melanoma	14.5	15.4
All Sites	495.3	494.5	All Sites	370.5*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Monterey County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Monterey County, 2004-2008					
Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	44.4	49.7	Lung & Bronchus	31.2	33.6
Prostate	21.1	22.9	Breast	19.7	22.3
Colon & Rectum	14.9	18.1	Colon & Rectum	9.3*	13.1
Pancreas	12.7	11.7	Pancreas	9.8	9.2
Liver & Intrahepatic Bile Duct	8.4	9.4	Ovary	6.8	8.4
All Sites	178.5*	194.2	All Sites	124.7*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Monterey County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Napa County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Napa County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Napa County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	95	20
Prostate	160	15
Lung & Bronchus	105	70
Colon & Rectum	75	25
Bladder	35	10
All Sites	780	270

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Napa County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	167.9*	143.3	Breast	129.5	121.6
Lung & Bronchus	82.4*	62.0	Lung & Bronchus	59.1*	45.0
Colon & Rectum	59.7*	50.3	Colon & Rectum	43.3	38.1
Bladder	38.1	33.6	Uterus	25.5	22.1
Melanoma	31.2	26.2	Melanoma	23.8*	15.4
All Sites	583.2*	494.5	All Sites	431.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Napa County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Napa County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	62.7*	49.7	Lung & Bronchus	39.2	33.6
Prostate	27.2	22.9	Breast	21.9	22.3
Colon & Rectum	18.8	18.1	Colon & Rectum	13.8	13.1
Pancreas	12	11.7	Pancreas	8.5	9.2
Liver & Intrahepatic Bile Duct	7.7	9.4	Ovary	10.6	8.4
All Sites	228.1*	194.2	All Sites		142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Napa County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Nevada County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Nevada County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Nevada County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	115	20
Prostate	95	10
Lung & Bronchus	80	55
Colon & Rectum	45	20
Bladder	35	10
All Sites	620	230

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Nevada County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	147.6	143.3	Breast	139.8*	121.6
Lung & Bronchus	57.1	62.0	Lung & Bronchus	54.3*	45.0
Colon & Rectum	38.6*	50.3	Colon & Rectum	44.6	38.1
Bladder	38.4	33.6	Uterus	24.9	22.1
Melanoma	34.8*	26.2	Melanoma	24.7*	15.4
All Sites	511.3	494.5	All Sites	428.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Nevada County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Nevada County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	42.0	49.7	Lung & Bronchus	36.6	33.6
Prostate	20.4	22.9	Breast	26.5	22.3
Colon & Rectum	15.8	18.1	Colon & Rectum	13.6	13.1
Pancreas	12.9	11.7	Pancreas	10.3	9.2
Liver & Intrahepatic Bile Duct	8.7	9.4	Ovary	8.3	8.4
All Sites	180.4	194.2	All Sites	145.1	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Nevada County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Orange County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Orange County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Orange County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	2,025	330
Prostate	1,410	215
Lung & Bronchus	1,280	990
Colon & Rectum	1,185	385
Bladder	475	110
All Sites	11,630	4,210

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Orange County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	131.1*	143.3	Breast	123.4	121.6
Lung & Bronchus	54.7*	62.0	Lung	43.2	45.0
Colon & Rectum	47.2*	50.3	Colon & Rectum	38.0	38.1
Bladder	33.4	33.6	Uterus	20.7	22.1
Melanoma	36.9*	26.2	Melanoma	21.4*	15.4
All Sites	473.7*	494.5	All Sites	389.7	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age Adjusted Incidence Rates by Race/Ethnicity and Sex, Orange County, 2004-2008




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Orange County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	43.7*	49.7	Lung & Bronchus	30.7*	33.6
Prostate	21.7	22.9	Breast	19.7*	22.3
Colon & Rectum	16.4*	18.1	Colon & Rectum	12.3	13.1
Pancreas	10.8	11.7	Pancreas	8.9	9.2
Liver & Intrahepatic Bile Duct	8.3*	9.4	Ovary	8.0	8.4
All Sites	180.7*	194.2	All Sites	130.9*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age Adjusted Mortality Rates by Race/Ethnicity and Sex, Orange County, 2004-2008



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Placer County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Placer County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Placer County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	310	45
Prostate	265	35
Lung & Bronchus	205	155
Colon & Rectum	155	55
Bladder	85	20
All Sites	1,800	675

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Placer County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	154*	143.3	Breast	148.7*	121.6
Lung & Bronchus	62.4	62.0	Lung & Bronchus	48.7	45.0
Colon & Rectum	44.4*	50.3	Colon & Rectum	34.2	38.1
Bladder	37.6	33.6	Uterus	21.4	22.1
Melanoma	44.7*	26.2	Melanoma	27*	15.4
All Sites	522.5*	494.5	All Sites	426.9*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Placer County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Placer County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	49.7	49.7	Lung & Bronchus	34.7	33.6
Prostate	21.7	22.9	Breast	23.8	22.3
Colon & Rectum	15.3	18.1	Colon & Rectum	12.5	13.1
Pancreas	13.6	11.7	Pancreas	9.1	9.2
Liver & Intrahepatic Bile Duct	7.2	9.4	Ovary	10.1	8.4
All Sites	193.1	194.2	All Sites	145	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Placer County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Plumas County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Plumas County Population by Race/Ethnicity (2009)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Plumas County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	20	5
Prostate	30	5
Lung & Bronchus	15	15
Colon & Rectum	10	5
Bladder	5	0
All Sites	120	45

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Lassen, Modoc & Plumas Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	140.3	143.3	Breast	99.1*	121.6
Lung & Bronchus	55.2	62.0	Lung & Bronchus	56.3*	45.0
Colon & Rectum	52.2	50.3	Colon & Rectum	30.6	38.1
Bladder	18.2*	33.6	Uterus	20.4	22.1
Melanoma	27.1	26.2	Melanoma	13.4	15.4
All Sites	431.9*	494.5	All Sites	340.6*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Lassen, Modoc & Plumas Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Lassen, Modoc & Plumas Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.3	49.7	Lung & Bronchus	45.6*	33.6
Prostate	23.2	22.9	Breast	26.1	22.3
Colon & Rectum	16.1	18.1	Colon & Rectum	15.7	13.1
Pancreas	8.6	11.7	Pancreas	9.7	9.2
Liver & Intrahepatic Bile Duct	8.1	9.4	Ovary	8.6	8.4
All Sites	188.9	194.2	All Sites	153.5	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Lassen, Modoc & Plumas Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Riverside County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Riverside County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Riverside County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	1,275	265
Prostate	1,105	180
Lung & Bronchus	955	845
Colon & Rectum	810	305
Bladder	380	75
All Sites	7,955	3,535

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Riverside County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	155.2*	143.3	Breast	123.4	121.6
Lung & Bronchus	67.1*	62.0	Lung & Bronchus	48.9*	45.0
Colon & Rectum	50.9	50.3	Colon & Rectum	38.4	38.1
Bladder	36.3*	33.6	Uterus	20.5	22.1
Melanoma	30.1*	26.2	Melanoma	16.6	15.4
All Sites	517.4*	494.5	All Sites	386.8	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Riverside County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Riverside County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	55.3*	49.7	Lung & Bronchus	37.8*	33.6
Prostate	23.5	22.9	Breast	24.5*	22.3
Colon & Rectum	18.8	18.1	Colon & Rectum	13.8	13.1
Pancreas	13.2*	11.7	Pancreas	8.9	9.2
Liver & Intrahepatic Bile Duct	9.7	9.4	Ovary	8.8	8.4
All Sites	202.9*	194.2	All Sites	149.5*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Riverside County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Sacramento County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Sacramento County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Sacramento County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	910	160
Prostate	765	115
Lung & Bronchus	780	610
Colon & Rectum	590	215
Bladder	255	60
All Sites	5,810	2,305

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Sacramento County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	144.4	143.3	Breast	126.5*	121.6
Lung & Bronchus	73.6*	62	Lung & Bronchus	55.8*	45
Colon & Rectum	51.5	50.3	Colon & Rectum	37.6	38.1
Bladder	34.1	33.6	Uterus	24*	22.1
Melanoma	26.3	26.2	Melanoma	14.5	15.4
All Sites	511.7*	494.5	All Sites	400.5*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Sacramento County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Sacramento County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	56.7*	49.7	Lung & Bronchus	42.1*	33.6
Prostate	22.2	22.9	Breast	23	22.3
Colon & Rectum	17.8	18.1	Colon & Rectum	13.6	13.1
Pancreas	12.1	11.7	Pancreas	9.6	9.2
Liver & Intrahepatic Bile Duct	10.2	9.4	Ovary	7.1*	8.4
All Sites	207.8*	194.2	All Sites	154.1*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Sacramento County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Benito County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Benito County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Benito County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	30	5
Prostate	35	0
Lung & Bronchus	15	15
Colon & Rectum	20	5
Bladder	10	0
All Sites	190	75

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Benito County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	170.6*	143.3	Breast	96.9*	121.6
Lung & Bronchus	53.8	62.0	Lung & Bronchus	31.9*	45.0
Colon & Rectum	57.6	50.3	Colon & Rectum	27.7	38.1
Bladder	39.5	33.6	Uterus	19.7	22.1
Melanoma	22.9	26.2	Melanoma	15.6	15.4
All Sites	526.8	494.5	All Sites	344.9*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Benito County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Benito County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	42.1	49.7	Lung & Bronchus	22.8	33.6
Prostate	^	22.9	Breast	23.1	22.3
Colon & Rectum	14.1	18.1	Colon & Rectum	.	13.1
Pancreas	14.8	11.7	Pancreas	6.2	9.2
Liver & Intrahepatic Bile Duct	9.5	9.4	Ovary	7.3	8.4
All Sites	174.1	194.2	All Sites	132.6	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05). ^Statistic not displayed due to fewer than 15 cases.

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Benito County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Bernardino County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Bernardino County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Bernardino County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	985	205
Prostate	935	155
Lung & Bronchus	745	625
Colon & Rectum	700	235
Bladder	265	65
All Sites	6,485	2,560

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Bernardino County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	144.9	143.3	Breast	113.6*	121.6
Lung & Bronchus	70.1*	62	Lung & Bronchus	47.0	45.0
Colon & Rectum	55.5*	50.3	Colon & Rectum	38.6	38.1
Bladder	34.0	33.6	Uterus	21.6	22.1
Melanoma	21.9*	26.2	Melanoma	13.2*	15.4
All Sites	503.0	494.5	All Sites	376.1*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Bernardino County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Bernardino County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	59.4*	49.7	Lung & Bronchus	36.4*	33.6
Prostate	30.0*	22.9	Breast	25.5	22.3
Colon & Rectum	20.9*	18.1	Colon & Rectum	14.7*	13.1
Pancreas	12.0	11.7	Pancreas	9.9	9.2
Liver & Intrahepatic Bile Duct	10.0	9.4	Ovary	8.4	8.4
All Sites	222.3*	194.2	All Sites	155.2*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Bernardino County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Diego County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Diego County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Diego County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	1,995	350
Prostate	1,760	270
Lung & Bronchus	1,395	1,135
Colon & Rectum	1,135	400
Bladder	490	125
All Sites	12,295	4,720

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Diego County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	147.3	143.3	Breast	130.6*	121.6
Lung & Bronchus	65.0*	62.0	Lung & Bronchus	47.0	45.0
Colon & Rectum	50.2	50.3	Colon & Rectum	35.6*	38.1
Bladder	34.8	33.6	Uterus	23.3	22.1
Melanoma	37.4*	26.2	Melanoma	22.3*	15.4
All Sites	529.4*	494.5	All Sites	407.2*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Diego County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Diego County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	50.8	49.7	Lung & Bronchus	34.6	33.6
Prostate	24.4	22.9	Breast	22.9	22.3
Colon & Rectum	18.3	18.1	Colon & Rectum	12.6	13.1
Pancreas	12.3	11.7	Pancreas	9.1	9.2
Liver & Intrahepatic Bile Duct	9.6	9.4	Ovary	8.7	8.4
All Sites	205.1*	194.2	All Sites	144.1	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Diego County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Francisco County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Francisco County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Francisco County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	520	90
Prostate	470	60
Lung & Bronchus	420	335
Colon & Rectum	415	140
Bladder	150	35
All Sites	3,705	1,405

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Francisco County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	117.9*	143.3	Breast	111.0*	121.6
Lung & Bronchus	64.4	62.0	Lung & Bronchus	38.3*	45.0
Colon & Rectum	49.6	50.3	Colon & Rectum	39.0	38.1
Bladder	24.5*	33.6	Uterus	22.9	22.1
Melanoma	16.4*	26.2	Melanoma	11.1*	15.4
All Sites	470.6*	494.5	All Sites	361.7*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Francisco County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Francisco County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	48.8	49.7	Lung & Bronchus	27.6*	33.6
Prostate	15*	22.9	Breast	18.4*	22.3
Colon & Rectum	17.3	18.1	Colon & Rectum	12.1	13.1
Pancreas	10.4	11.7	Pancreas	9.3	9.2
Liver & Intrahepatic Bile Duct	14.5*	9.4	Ovary	7*	8.4
All Sites	180.5*	194.2	All Sites	128.2*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Francisco County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Joaquin County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Joaquin County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Joaquin County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	360	75
Prostate	360	50
Lung & Bronchus	330	275
Colon & Rectum	255	85
Bladder	110	25
All Sites	2,505	1,020

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Joaquin County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	144.7	143.3	Breast	113.7*	121.6
Lung & Bronchus	75.9*	62	Lung & Bronchus	52.1*	45.0
Colon & Rectum	51.5	50.3	Colon & Rectum	36.8	38.1
Bladder	35.3	33.6	Uterus	19.9	22.1
Melanoma	19.2*	26.2	Melanoma	10.4*	15.4
All Sites	504.6	494.5	All Sites	374.5*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Joaquin County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Joaquin, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	62.1*	49.7	Lung & Bronchus	42.0*	33.6
Prostate	24.3	22.9	Breast	24.3	22.3
Colon & Rectum	17.5	18.1	Colon & Rectum	13.7	13.1
Pancreas	11.5	11.7	Pancreas	10.1	9.2
Liver & Intrahepatic Bile Duct	10.0	9.4	Ovary	7.5	8.4
All Sites	215.6*	194.2	All Sites	156.3*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Joaquin County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Luis Obispo County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Luis Obispo County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Luis Obispo County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	215	40
Prostate	235	35
Lung & Bronchus	160	125
Colon & Rectum	115	35
Bladder	50	15
All Sites	1,425	515

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Luis Obispo, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	180.8*	143.3	Breast	127.7	121.6
Lung & Bronchus	64.1	62.0	Lung & Bronchus	54.6*	45.0
Colon & Rectum	43.1*	50.3	Colon & Rectum	35.8	38.1
Bladder	31.7	33.6	Uterus	24.4	22.1
Melanoma	51.1*	26.2	Melanoma	38.2*	15.4
All Sites	555.5*	494.5	All Sites	424.2*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Luis Obispo County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Luis Obispo, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	49.4	49.7	Lung & Bronchus	41.2*	33.6
Prostate	22.0	22.9	Breast	21.7	22.3
Colon & Rectum	13.9*	18.1	Colon & Rectum	11.2	13.1
Pancreas	12.1	11.7	Pancreas	9.4	9.2
Liver & Intrahepatic Bile Duct	7.8	9.4	Ovary	10.5	8.4
All Sites	189.1	194.2	All Sites	145.4	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Luis Obispo County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-San Mateo Obispo County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

San Mateo County Population by Race/Ethnicity (2008)



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

San Mateo County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	600	90
Prostate	520	60
Lung & Bronchus	370	250
Colon & Rectum	365	120
Bladder	155	30
All Sites	3,490	1,155

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: San Mateo, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	151.6*	143.3	Breast	133*	121.6
Lung & Bronchus	55.4*	62.0	Lung & Bronchus	44.7	45.0
Colon & Rectum	49.5	50.3	Colon & Rectum	38.6	38.1
Bladder	35.2	33.6	Uterus	23.7	22.1
Melanoma	25.7	26.2	Melanoma	16.3	15.4
All Sites	500.9	494.5	All Sites	399.7*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, San Mateo County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: San Mateo, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	42.6*	49.7	Lung & Bronchus	31.6	33.6
Prostate	20.9	22.9	Breast	21.7	22.3
Colon & Rectum	18.3	18.1	Colon & Rectum	12.4	13.1
Pancreas	12.6	11.7	Pancreas	7.8	9.2
Liver & Intrahepatic Bile Duct	9.5	9.4	Ovary	8.6	8.4
All Sites	182.7*	194.2	All Sites	134.2*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, San Mateo County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Santa Barbara County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Santa Barbara County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Santa Barbara County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	310	45
Prostate	250	45
Lung & Bronchus	190	150
Colon & Rectum	155	60
Bladder	95	20
All Sites	1,890	695

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Santa Barbara County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	140.2	143.3	Breast	131.6*	121.6
Lung & Bronchus	54.8*	62.0	Lung & Bronchus	44.7	45.0
Colon & Rectum	39.0*	50.3	Colon & Rectum	33.9*	38.1
Bladder	37.0	33.6	Uterus	23.1	22.1
Melanoma	44.2*	26.2	Melanoma	27.7*	15.4
All Sites	501.8	494.5	All Sites	409*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Santa Barbara County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Santa Barbara County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	40.2*	49.7	Lung & Bronchus	30.8	33.6
Prostate	23.7	22.9	Breast	21.0	22.3
Colon & Rectum	15.1	18.1	Colon & Rectum	10.4*	13.1
Pancreas	12.7	11.7	Pancreas	10.3	9.2
Liver & Intrahepatic Bile Duct	8.1	9.4	Ovary	8.6	8.4
All Sites	181.8*	194.2	All Sites	132*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Santa Barbara County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Santa Clara County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Santa Clara County Population by Race/Ethnicity 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Santa Clara County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	1,175	175
Prostate	1,015	100
Lung & Bronchus	635	515
Colon & Rectum	675	210
Bladder	265	45
All Sites	6,785	2,270

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Santa Clara County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	143.2	143.3	Breast	122.6	121.6
Lung & Bronchus	50.0*	62.0	Lung & Bronchus	39.3*	45.0
Colon & Rectum	46.7*	50.3	Colon & Rectum	38.1	38.1
Bladder	31.3	33.6	Uterus	20.7	22.1
Melanoma	22.5*	26.2	Melanoma	14.2	15.4
All Sites	470.7*	494.5	All Sites	380.6	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Santa Clara County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Santa Clara County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	39.9*	49.7	Lung & Bronchus	29.5*	33.6
Prostate	19.3*	22.9	Breast	19.6*	22.3
Colon & Rectum	14.9*	18.1	Colon & Rectum	11.9	13.1
Pancreas	11.0	11.7	Pancreas	9.3	9.2
Liver & Intrahepatic Bile Duct	9.8	9.4	Ovary	7.2*	8.4
All Sites	170.8*	194.2	All Sites	131.1*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Santa Clara County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Santa Cruz County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Santa Cruz County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Santa Cruz County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	165	40
Prostate	260	15
Lung & Bronchus	105	90
Colon & Rectum	100	30
Bladder	50	5
All Sites	1,185	390

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Santa Cruz County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	177.4*	143.3	Breast	118.8	121.6
Lung & Bronchus	56.4	62.0	Lung & Bronchus	42.9	45.0
Colon & Rectum	41.0*	50.3	Colon & Rectum	34.4	38.1
Bladder	41.8*	33.6	Uterus	20.9	22.1
Melanoma	29.3	26.2	Melanoma	20.2*	15.4
All Sites	537.2*	494.5	All Sites	386.6	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Santa Cruz County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Santa Cruz County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	47.6	49.7	Lung & Bronchus	33.0	33.6
Prostate	22.2	22.9	Breast	27.4*	22.3
Colon & Rectum	12.7*	18.1	Colon & Rectum	13.6	13.1
Pancreas	13.7	11.7	Pancreas	9.0	9.2
Liver & Intrahepatic Bile Duct	8.5	9.4	Ovary	6.7	8.4
All Sites	187	194.2	All Sites	147.5	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Santa Cruz County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Shasta County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Shasta County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Shasta County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	140	25
Prostate	140	20
Lung & Bronchus	165	140
Colon & Rectum	80	35
Bladder	55	10
All Sites	1,035	435

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Shasta County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	169.3*	143.3	Breast	122.2	121.6
Lung & Bronchus	100.2*	62.0	Lung & Bronchus	66.7*	45.0
Colon & Rectum	46.9	50.3	Colon & Rectum	33.9	38.1
Bladder	48.9*	33.6	Uterus	22.0	22.1
Melanoma	38.5*	26.2	Melanoma	24.2*	15.4
All Sites	589.2*	494.5	All Sites	416.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate ($p < 0.05$).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Shasta County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Shasta County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	81.1*	49.7	Lung & Bronchus	51.6*	33.6
Prostate	21.9	22.9	Breast	23.8	22.3
Colon & Rectum	20.9	18.1	Colon & Rectum	13.5	13.1
Pancreas	13.4	11.7	Pancreas	9.7	9.2
Liver & Intrahepatic Bile Duct	8.6	9.4	Ovary	11.5*	8.4
All Sites	247.5*	194.2	All Sites	172.8*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Shasta County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Sierra County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Sierra County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Sierra County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	<5	<5
Prostate	<5	<5
Lung & Bronchus	<5	<5
Colon & Rectum	<5	<5
Bladder	<5	<5
All Sites	15	5

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive. Only the total number of estimated cases and deaths is shown for counties with five or fewer estimated cases and deaths.

Incidence Rates for California's Most Common Cancers: Sierra and Yuba Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	126.4	143.3	Breast	107.0	121.6
Lung & Bronchus	123.3*	62.0	Lung & Bronchus	76.8*	45.0
Colon & Rectum	61.0	50.3	Colon & Rectum	43.0	38.1
Bladder	33.1	33.6	Uterus	20.5	22.1
Melanoma	23.7	26.2	Melanoma	12.9	15.4
All Sites	550.6*	494.5	All Sites	411.0	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Sierra and Yuba Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Sierra and Yuba Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	95.9*	49.7	Lung & Bronchus	60.9*	33.6
Prostate	21.9	22.9	Breast	25.0	22.3
Colon & Rectum	16.2	18.1	Colon & Rectum	19.6*	13.1
Pancreas	17.4	11.7	Pancreas	11.6	9.2
Liver & Intrahepatic Bile Duct	13.6	9.4	Ovary	9.3	8.4
All Sites	264.4*	194.2	All Sites	184.1*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Sierra and Yuba Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Siskiyou County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Siskiyou County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Siskiyou County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	50	10
Prostate	45	10
Lung & Bronchus	50	40
Colon & Rectum	20	10
Bladder	20	0
All Sites	295	115

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Siskiyou & Trinity Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	153.2	143.3	Breast	113.0	121.6
Lung & Bronchus	81.3*	62.0	Lung & Bronchus	67.6*	45.0
Colon & Rectum	37.6*	50.3	Colon & Rectum	35.7	38.1
Bladder	47.7*	33.6	Uterus	25.0	22.1
Melanoma	33.4	26.2	Melanoma	24.5*	15.4
All Sites	531.2*	494.5	All Sites	404.1	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Siskiyou and Trinity Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Siskiyou and Trinity Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	67.3*	49.7	Lung & Bronchus	52.9*	33.6
Prostate	25.8	22.9	Breast	17.9	22.3
Colon & Rectum	13.8	18.1	Colon & Rectum	17.8	13.1
Pancreas	8.4	11.7	Pancreas	6.7	9.2
Liver & Intrahepatic Bile Duct	6.8	9.4	Ovary	5.1	8.4
All Sites	213.1	194.2	All Sites	159.3	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Siskiyou and Trinity Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Solano County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Solano County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Solano County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	270	55
Prostate	295	30
Lung & Bronchus	230	180
Colon & Rectum	195	60
Bladder	65	20
All Sites	1,865	685

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Solano County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	158.5*	143.3	Breast	125.0	121.6
Lung & Bronchus	73.7*	62.0	Lung & Bronchus	58.8*	45.0
Colon & Rectum	58.8*	50.3	Colon & Rectum	40.3	38.1
Bladder	31.5	33.6	Uterus	26.2*	22.1
Melanoma	22.8	26.2	Melanoma	12.7	15.4
All Sites	537*	494.5	All Sites	414.8*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Solano County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Solano County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	61.1*	49.7	Lung & Bronchus	38.8*	33.6
Prostate	23.4	22.9	Breast	22.4	22.3
Colon & Rectum	20.2	18.1	Colon & Rectum	14.0	13.1
Pancreas	10.8	11.7	Pancreas	9.9	9.2
Liver & Intrahepatic Bile Duct	9.2	9.4	Ovary	8.1	8.4
All Sites	216.6*	194.2	All Sites	152.9*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Solano County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Sonoma County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Sonoma County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Sonoma County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	425	75
Prostate	365	55
Lung & Bronchus	260	225
Colon & Rectum	235	80
Bladder	125	30
All Sites	2,470	945

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Sonoma County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	147.3	143.3	Breast	142.5*	121.6
Lung & Bronchus	59.2	62.0	Lung & Bronchus	51.2*	45.0
Colon & Rectum	51.9	50.3	Colon & Rectum	43.1*	38.1
Bladder	43.3*	33.6	Uterus	25.2*	22.1
Melanoma	35.0*	26.2	Melanoma	23.6*	15.4
All Sites	531.2*	494.5	All Sites	431.8*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Sonoma County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Sonoma County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	49.8	49.7	Lung & Bronchus	41.7*	33.6
Prostate	26.8	22.9	Breast	22.7	22.3
Colon & Rectum	20.8	18.1	Colon & Rectum	14.4	13.1
Pancreas	13.9	11.7	Pancreas	10.4	9.2
Liver & Intrahepatic Bile Duct	9.3	9.4	Ovary	10.9*	8.4
All Sites	214.1*	194.2	All Sites	153.8*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Sonoma County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Stanislaus County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Stanislaus County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Stanislaus County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	270	60
Prostate	240	45
Lung & Bronchus	255	210
Colon & Rectum	205	90
Bladder	85	20
All Sites	1,905	795

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Stanislaus County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	128.7*	143.3	Breast	112.8*	121.6
Lung & Bronchus	77.6*	62.0	Lung & Bronchus	52.0*	45.0
Colon & Rectum	55.8*	50.3	Colon & Rectum	38.1	38.1
Bladder	34.5	33.6	Uterus	19.4	22.1
Melanoma	21.9*	26.2	Melanoma	12.9	15.4
All Sites	492.6	494.5	All Sites	383.9	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Stanislaus County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Stanislaus County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	62.5*	49.7	Lung & Bronchus	42.7*	33.6
Prostate	24.8	22.9	Breast	24.6	22.3
Colon & Rectum	19.9	18.1	Colon & Rectum	15.7*	13.1
Pancreas	10.8	11.7	Pancreas	9.3	9.2
Liver & Intrahepatic Bile Duct	6.9*	9.4	Ovary	7.7	8.4
All Sites	211.6*	194.2	All Sites	157.4*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Stanislaus County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Sutter County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Sutter County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Sutter County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	55	10
Prostate	50	10
Lung & Bronchus	55	40
Colon & Rectum	35	10
Bladder	15	5
All Sites	375	145

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Sutter County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	109.7*	143.3	Breast	108.2	121.6
Lung & Bronchus	82.1*	62.0	Lung & Bronchus	52.6	45.0
Colon & Rectum	50.3	50.3	Colon & Rectum	32.3	38.1
Bladder	29.4	33.6	Uterus	17.0	22.1
Melanoma	24.3	26.2	Melanoma	16.4	15.4
All Sites	470.6	494.5	All Sites	358.4*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Sutter County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Sutter County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	61.8*	49.7	Lung & Bronchus	37.9	33.6
Prostate	29.6	22.9	Breast	21.9	22.3
Colon & Rectum	16.2	18.1	Colon & Rectum	10.5	13.1
Pancreas	14.1	11.7	Pancreas	5.6	9.2
Liver & Intrahepatic Bile Duct	6.2	9.4	Ovary	9.4	8.4
All Sites	211.1	194.2	All Sites	129.4	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Sutter County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Tehama County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Tehama County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Tehama County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	50	10
Prostate	60	10
Lung & Bronchus	55	45
Colon & Rectum	40	10
Bladder	15	5
All Sites	375	165

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Colusa, Glenn & Tehama Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	161*	143.3	Breast	118.7*	121.6
Lung & Bronchus	102.5*	62.0	Lung & Bronchus	75.3*	45.0
Colon & Rectum	^	50.3	Colon & Rectum	^	38.1
Bladder	40.5	33.6	Uterus	18.3	22.1
Melanoma	24.0	26.2	Melanoma	24.0	15.4
All Sites	575.9*	494.5	All Sites	411.7*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05). ^Statistic not displayed due to fewer than 15 cases.



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Colusa, Glenn and Tehama Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Colusa, Glenn & Tehama Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	69.7*	49.7	Lung & Bronchus	48.8*	33.6
Prostate	24.3	22.9	Breast	19.5	22.3
Colon & Rectum	20.7	18.1	Colon & Rectum	11.5	13.1
Pancreas	11.0	11.7	Pancreas	11.0	9.2
Liver & Intrahepatic Bile Duct	9.0	9.4	Ovary	11.2	8.4
All Sites	222.7*	194.2	All Sites	161.6*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Colusa, Glenn and Tehama Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Trinity County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Trinity County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Trinity County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	5	0
Prostate	15	5
Lung & Bronchus	15	15
Colon & Rectum	5	0
Bladder	5	0
All Sites	90	40

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Siskiyou & Trinity Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	153.2	143.3	Breast	113.0	121.6
Lung & Bronchus	81.3*	62.0	Lung & Bronchus	67.6*	45.0
Colon & Rectum	37.6*	50.3	Colon & Rectum	35.7	38.1
Bladder	47.7*	33.6	Uterus	25.0	22.1
Melanoma	33.4	26.2	Melanoma	24.5*	15.4
All Sites	531.2*	494.5	All Sites	404.1	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Siskiyou and Trinity Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Siskiyou and Trinity Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	67.3*	49.7	Lung & Bronchus	52.9*	33.6
Prostate	25.8	22.9	Breast	17.9	22.3
Colon & Rectum	13.8	18.1	Colon & Rectum	17.8	13.1
Pancreas	8.4	11.7	Pancreas	6.7	9.2
Liver & Intrahepatic Bile Duct	6.8	9.4	Ovary	5.1	8.4
All Sites	213.1	194.2	All Sites	159.3	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Siskiyou and Trinity Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Tulare County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Tulare County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Tulare County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	175	40
Prostate	130	30
Lung & Bronchus	165	135
Colon & Rectum	125	40
Bladder	60	15
All Sites	1,245	540

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Tulare County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	123.2*	143.3	Breast	102.9*	121.6
Lung & Bronchus	66.5	62.0	Lung & Bronchus	44.8	45.0
Colon & Rectum	48.4	50.3	Colon & Rectum	33.2*	38.1
Bladder	31.3	33.6	Uterus	21.3	22.1
Melanoma	17.9*	26.2	Melanoma	13.3	15.4
All Sites	453.3*	494.5	All Sites	364.3*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Tulare County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Tulare County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	54.7	49.7	Lung & Bronchus	36.0	33.6
Prostate	21.4	22.9	Breast	22.3	22.3
Colon & Rectum	16.3	18.1	Colon & Rectum	36.0	13.1
Pancreas	9.3	11.7	Pancreas	8.9	9.2
Liver & Intrahepatic Bile Duct	6.9*	9.4	Ovary	9.7	8.4
All Sites	187.9	194.2	All Sites	148.3	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Tulare County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Tuolumne County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Tuolumne County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Tuolumne County Estimated Number of New Cancer Cases and Deaths - 2011 (Major Sites)

	Cases	Deaths
Breast	75	5
Prostate	60	10
Lung & Bronchus	65	40
Colon & Rectum	40	10
Bladder	20	5
All Sites	435	140

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Mariposa & Tuolumne Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	159.4*	143.3	Breast	162.6*	121.6
Lung & Bronchus	82.1*	62.0	Lung & Bronchus	70.4*	45
Colon & Rectum	50.9	50.3	Colon & Rectum	42.3	38.1
Bladder	39.3	33.6	Uterus	24.1	22.1
Melanoma	36.4*	26.2	Melanoma	19.8	15.4
All Sites	575.2*	494.5	All Sites	479.9*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age Adjusted Incidence Rates by Race/Ethnicity and Sex, Mariposa & Tuolumne Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Mariposa & Tuolumne Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	51.6	49.7	Lung & Bronchus	47.6*	33.6
Prostate	23.3	22.9	Breast	23.3	22.3
Colon & Rectum	12.9	18.1	Colon & Rectum	12.3	13.1
Pancreas	8.3	11.7	Pancreas	10.5	9.2
Liver & Intrahepatic Bile Duct	6.8	9.4	Ovary	7.0	8.4
All Sites	194.7	194.2	All Sites	162.7*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Mariposa & Tuolumne Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Ventura County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Ventura County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Ventura County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	600	80
Prostate	435	70
Lung & Bronchus	330	260
Colon & Rectum	335	110
Bladder	150	35
All Sites	3,390	1,145

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Ventura County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	138.8	143.3	Breast	134.2*	121.6
Lung & Bronchus	56.8*	62.0	Lung & Bronchus	44.5	45.0
Colon & Rectum	51.3	50.3	Colon & Rectum	40.5	38.1
Bladder	37.8*	33.6	Uterus	22.4	22.1
Melanoma	36.1*	26.2	Melanoma	21.9*	15.4
All Sites	488.4	494.5	All Sites	416.1*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Ventura County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Ventura County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	46.1	49.7	Lung & Bronchus	31.0	33.6
Prostate	22.7	22.9	Breast	20.3	22.3
Colon & Rectum	17.9	18.1	Colon & Rectum	11.9	13.1
Pancreas	9.8	11.7	Pancreas	8.3	9.2
Liver & Intrahepatic Bile Duct	6.0*	9.4	Ovary	8.4	8.4
All Sites	180.8*	194.2	All Sites	133.9*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Ventura County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Yolo County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Yolo County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Yolo County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	125	20
Prostate	100	10
Lung & Bronchus	90	60
Colon & Rectum	75	25
Bladder	30	5
All Sites	740	250

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Yolo County, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	134.3	143.3	Breast	131.1	121.6
Lung & Bronchus	70.5	62.0	Lung & Bronchus	55.7*	45.0
Colon & Rectum	42.7	50.3	Colon & Rectum	35.8	38.1
Bladder	33.3	33.6	Uterus	25.2	22.1
Melanoma	28.1	26.2	Melanoma	17.5	15.4
All Sites	479.1	494.5	All Sites	418.5*	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Yolo County, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Yolo County, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	58.2	49.7	Lung & Bronchus	39.4	33.6
Prostate	23.7	22.9	Breast	22.2	22.3
Colon & Rectum	17.7	18.1	Colon & Rectum	14.8	13.1
Pancreas	10.4	11.7	Pancreas	9.1	9.2
Liver & Intrahepatic Bile Duct	6.1	9.4	Ovary	9.7	8.4
All Sites	189.3	194.2	All Sites	152.9	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Yolo County, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.


Selected Cancer Facts-Yuba County

October 2011

This fact sheet is provided by the California Cancer Registry (CCR) of the California Department of Public Health to show the impact of cancer on California residents. The CCR is California's population-based cancer surveillance system, and it collects information on almost all cancers diagnosed in the state. This information helps to further our understanding of cancer and is used to develop strategies and policies for its prevention, treatment, and control.

Demographic Population Projections

Yuba County Population by Race/Ethnicity, 2008



Source: National Center for Health Statistics, 2008
Prepared by the California Department of Public Health, Cancer Surveillance Section.

Yuba County Estimated Number of New Cancer Cases and Deaths, 2011 (Major Sites)

	Cases	Deaths
Breast	35	5
Prostate	35	5
Lung & Bronchus	55	50
Colon & Rectum	25	10
Bladder	10	5
All Sites	275	130

Excludes non-melanoma skin cancers and carcinoma *in situ*, except bladder. These projections are offered as a rough guide, and should not be regarded as definitive.

Incidence Rates for California's Most Common Cancers: Sierra and Yuba Counties, 2004-2008


Males	County Rate	State Rate	Females	County Rate	State Rate
Prostate	126.4	143.3	Breast	107.0	121.6
Lung & Bronchus	123.3*	62.0	Lung & Bronchus	76.8*	45.0
Colon & Rectum	61.0	50.3	Colon & Rectum	43.0	38.1
Bladder	33.1	33.6	Uterus	20.5	22.1
Melanoma	23.7	26.2	Melanoma	12.9	15.4
All Sites	550.6*	494.5	All Sites	411.0	387.4

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population.
*County rate is statistically significantly different from the Statewide rate (p<0.05).



This fact sheet was prepared by the California Cancer Registry (CCR), Cancer Surveillance Section, Cancer Surveillance and Research Branch, California Department of Public Health, 1825 Bell Street, Suite #102, Sacramento, CA 95825. For more information, visit the CCR website at www.ccrca.org or call (916) 779-0300.

Age-Adjusted Incidence Rates by Race/Ethnicity and Sex, Sierra and Yuba Counties, 2004-2008, All Sites Combined




Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.

Mortality Rates for California's Most Common Cancers: Sierra and Yuba Counties, 2004-2008

Males	County Rate	State Rate	Females	County Rate	State Rate
Lung & Bronchus	95.9*	49.7	Lung & Bronchus	60.9*	33.6
Prostate	21.9	22.9	Breast	25.0	22.3
Colon & Rectum	16.2	18.1	Colon & Rectum	19.6*	13.1
Pancreas	17.4	11.7	Pancreas	11.6	9.2
Liver & Intrahepatic Bile Duct	13.6	9.4	Ovary	9.3	8.4
All Sites	264.4*	194.2	All Sites	184.1*	142.1

Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. *County rate is statistically significantly different from the Statewide rate (p<0.05).

Age-Adjusted Mortality Rates by Race/Ethnicity and Sex, Sierra and Yuba Counties, 2004-2008, All Sites Combined



Rates are shown as the number of new cases or deaths per 100,000 persons. All rates are age-adjusted to the 2000 United States Standard Population. Rates based on fewer than 15 cases are not shown. Prepared by the California Department of Public Health, Cancer Surveillance Section.