

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2015, Colon Cancer

Year of Diagnosis or Death	Incidence						Mortality					
	New Cases			Annual Rate			Deaths			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
ALL RACES												
1988	9,313	4,489	4,824	40.8	47.2	36.4	4,376	2,122	2,254	19.3	22.6	16.9
1989	9,212	4,361	4,851	39.6	45.2	36.0	4,447	2,182	2,265	19.4	23.4	16.8
1990	9,302	4,527	4,775	39.2	46.0	34.6	4,353	2,185	2,168	18.6	22.8	15.8
1991	9,445	4,559	4,886	39.0	44.8	34.8	4,309	2,067	2,242	18.0	21.1	15.9
1992	9,382	4,589	4,793	37.9	44.3	33.4	4,333	2,114	2,219	17.8	21.1	15.5
1993	9,410	4,500	4,910	37.3	42.4	33.6	4,233	2,069	2,164	17.0	20.2	14.8
1994	9,363	4,599	4,764	36.5	42.5	32.1	4,363	2,103	2,260	17.2	19.9	15.2
1995	9,321	4,554	4,767	35.6	41.1	31.6	4,261	2,168	2,093	16.4	20.2	13.8
1996	9,724	4,617	5,107	36.6	41.2	33.3	4,263	2,113	2,150	16.1	19.3	13.9
1997	10,004	4,859	5,145	36.7	41.8	32.8	4,308	2,104	2,204	16.0	18.8	13.9
1998	10,178	4,896	5,282	36.5	41.1	33.2	4,223	2,120	2,103	15.3	18.2	13.1
1999	10,224	4,888	5,336	35.8	40.2	32.6	4,296	2,138	2,158	15.2	18.1	13.1
2000	10,184	4,873	5,311	34.9	38.9	31.8	4,374	2,113	2,261	15.1	17.5	13.4
2001	10,255	4,931	5,324	34.4	38.6	31.2	4,427	2,185	2,242	15.0	17.6	13.0
2002	10,218	4,968	5,250	33.6	37.9	30.2	4,358	2,131	2,227	14.4	16.6	12.7
2003	10,358	5,032	5,326	33.3	37.3	30.1	4,470	2,213	2,257	14.5	16.9	12.5
2004	10,050	4,860	5,190	31.6	35.0	29.0	4,290	2,094	2,196	13.6	15.7	12.1
2005	10,297	4,880	5,417	31.7	34.4	29.6	4,264	2,167	2,097	13.2	15.7	11.3
2006	10,335	4,977	5,358	31.4	34.4	28.9	4,229	2,086	2,143	12.9	14.9	11.4
2007	10,483	5,113	5,370	31.1	34.4	28.5	4,139	2,088	2,051	12.3	14.6	10.6
2008	10,733	5,205	5,528	31.1	34.0	28.7	4,191	2,040	2,151	12.1	13.8	10.9
2009	10,377	5,082	5,295	29.3	32.3	27.0	4,192	2,125	2,067	11.9	14.0	10.2
2010	10,013	4,858	5,155	27.5	30.0	25.5	4,117	2,078	2,039	11.3	13.2	9.8
2011	9,857	4,817	5,040	26.3	28.7	24.4	4,280	2,162	2,118	11.4	13.3	10.0
2012	9,669	4,711	4,958	25.2	27.3	23.5	4,122	2,077	2,045	10.8	12.4	9.4
2013	9,627	4,660	4,967	24.3	25.9	22.9	4,125	2,062	2,063	10.5	11.9	9.3
2014	10,071	5,078	4,993	24.8	27.5	22.6	4,143	2,137	2,006	10.2	12.0	8.8
2015	10,091	5,003	5,088	24.2	26.3	22.5	4,347	2,193	2,154	10.4	11.9	9.2
ASIAN/PACIFIC ISLANDER												
1988	407	213	194	30.4	35.7	26.4	177	97	80	13.8	17.0	11.5
1989	444	239	205	29.6	33.9	25.5	205	112	93	14.5	17.8	11.5
1990	460	245	215	28.5	33.0	24.9	203	113	90	13.1	15.9	11.0
1991	510	256	254	30.1	33.4	27.3	184	95	89	11.5	13.2	10.1
1992	568	297	271	29.9	34.7	26.2	236	111	125	12.9	13.6	12.3
1993	568	303	265	28.8	34.9	24.0	248	137	111	13.5	17.2	10.5
1994	616	327	289	28.6	34.0	24.4	266	137	129	13.2	15.0	11.8
1995	735	400	335	32.1	39.1	26.7	263	144	119	12.3	14.7	10.3
1996	710	333	377	29.2	30.8	27.9	312	158	154	13.3	15.2	11.8
1997	796	413	383	31.0	37.0	26.5	296	144	152	12.1	13.2	11.3
1998	837	402	435	30.1	32.8	28.1	336	179	157	12.6	15.2	10.5
1999	843	392	451	28.7	30.4	27.4	298	154	144	10.5	13.1	8.6
2000	885	436	449	28.6	32.7	25.7	328	180	148	11.0	13.9	8.8
2001	992	475	517	30.4	33.9	27.8	362	184	178	11.7	13.8	10.2
2002	1,042	524	518	29.9	34.7	26.4	372	195	177	11.1	14.0	9.2
2003	978	505	473	27.0	32.4	23.1	387	193	194	11.1	12.9	9.7
2004	1,055	491	564	27.6	29.7	26.2	424	208	216	11.7	13.5	10.4
2005	1,125	492	633	27.6	28.0	27.4	415	206	209	10.7	12.4	9.4
2006	1,145	553	592	27.3	30.5	24.9	403	193	210	10.0	11.1	9.1
2007	1,215	570	645	27.3	29.6	25.6	420	193	227	10.0	10.9	9.4
2008	1,283	586	697	27.2	28.3	26.2	440	215	225	9.9	11.4	8.8
2009	1,276	620	656	25.9	28.8	23.6	452	222	230	9.7	11.2	8.5
2010	1,220	575	645	23.9	26.2	22.2	457	221	236	9.3	10.5	8.3
2011	1,269	608	661	23.7	26.1	21.9	512	248	264	9.7	11.0	8.7
2012	1,264	599	665	22.5	24.5	21.0	529	254	275	9.6	10.8	8.7
2013	1,287	633	654	21.4	24.0	19.4	506	260	246	8.6	10.3	7.3
2014	1,379	690	689	21.7	24.7	19.4	547	277	270	8.8	10.3	7.6
2015	1,386	683	703	21.0	23.5	19.0	602	304	298	9.3	10.9	8.0

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2015, Colon Cancer (continued)

Year of Diagnosis or Death	Incidence						Mortality					
	New Cases			Annual Rate			Deaths			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC BLACK												
1988	610	270	340	51.1	56.6	48.4	301	132	169	25.8	28.3	24.5
1989	615	277	338	49.9	55.3	47.0	307	153	154	26.2	32.6	22.1
1990	611	280	331	48.0	51.7	44.9	342	161	181	27.8	31.2	25.3
1991	622	289	333	48.9	55.2	44.7	302	133	169	24.5	25.6	23.2
1992	627	287	340	46.9	50.8	44.0	340	164	176	26.6	32.0	23.1
1993	649	287	362	48.5	52.0	46.3	330	151	179	24.9	27.3	23.1
1994	659	312	347	48.0	55.9	43.2	343	162	181	25.3	28.9	23.0
1995	643	289	354	45.7	49.7	43.1	323	173	150	23.9	32.0	18.7
1996	658	286	372	45.8	47.4	44.4	333	151	182	23.7	25.8	21.9
1997	694	312	382	46.1	47.4	44.4	335	153	182	23.0	25.5	21.3
1998	750	335	415	49.8	55.7	47.0	351	164	187	23.5	26.4	21.6
1999	773	336	437	49.9	51.8	48.5	367	170	197	23.9	28.3	21.7
2000	724	310	414	45.5	46.9	44.6	355	159	196	22.8	25.7	21.5
2001	742	342	400	44.9	47.9	42.4	402	195	207	25.1	29.8	22.2
2002	708	323	385	42.4	47.2	39.7	358	182	176	22.3	27.3	18.8
2003	782	358	424	45.2	48.4	42.9	372	161	211	22.0	23.0	21.4
2004	793	380	413	44.8	50.3	40.9	397	179	218	23.1	25.2	21.8
2005	847	390	457	47.1	50.9	44.3	372	190	182	21.3	26.0	18.1
2006	853	388	465	46.3	48.0	44.6	385	181	204	21.4	24.0	19.5
2007	808	354	454	42.3	42.4	42.3	361	181	180	20.0	24.5	17.1
2008	858	396	462	44.4	46.8	42.5	372	173	199	19.8	22.2	18.2
2009	868	399	469	43.0	45.0	41.5	364	167	197	19.1	20.1	18.3
2010	788	355	433	37.8	39.3	37.4	357	178	179	17.8	20.6	15.7
2011	791	374	417	36.9	40.1	34.6	414	212	202	20.2	24.7	17.1
2012	755	363	392	34.7	38.1	32.2	396	187	209	18.6	20.7	17.2
2013	770	366	404	33.8	35.8	32.4	348	172	176	15.8	18.3	14.1
2014	755	354	401	32.5	33.7	31.4	362	188	174	16.0	18.9	13.8
2015	727	342	385	30.2	31.4	29.0	377	183	194	16.1	17.7	14.9
HISPANIC												
1988	614	325	289	23.9	28.5	20.4	274	138	136	10.9	11.8	10.1
1989	686	324	362	25.7	28.2	24.1	300	146	154	11.9	13.6	10.8
1990	673	310	363	24.6	26.5	23.4	331	171	160	12.7	15.5	10.8
1991	774	406	368	26.4	31.5	22.6	322	151	171	11.4	12.3	10.8
1992	789	380	409	26.2	29.3	24.0	346	177	169	11.8	14.0	10.3
1993	769	364	405	24.1	26.0	22.7	332	164	168	11.1	12.7	9.9
1994	814	383	431	25.1	29.1	22.6	366	186	180	11.4	13.5	9.9
1995	831	413	418	24.0	28.0	21.2	370	184	186	11.1	13.0	9.8
1996	896	437	459	26.0	29.7	23.4	406	208	198	12.1	15.4	10.0
1997	892	455	437	23.3	26.6	20.7	400	198	202	11.9	13.7	10.6
1998	1,088	543	545	28.4	32.6	25.3	443	241	202	12.4	15.8	10.0
1999	1,086	529	557	26.8	30.7	24.2	491	252	239	12.9	16.5	10.6
2000	1,152	578	574	26.6	30.5	23.7	529	259	270	13.1	15.5	11.6
2001	1,158	583	575	25.8	30.1	22.6	477	235	242	11.3	12.7	10.2
2002	1,248	645	603	25.2	29.5	21.9	541	287	254	11.8	14.2	9.9
2003	1,375	680	695	26.3	30.3	23.5	590	309	281	12.1	14.5	10.4
2004	1,394	724	670	25.6	30.3	22.1	540	276	264	10.8	13.1	9.2
2005	1,452	732	720	25.3	28.8	22.6	620	322	298	11.7	14.3	9.9
2006	1,562	798	764	26.1	30.8	22.7	671	327	344	12.1	14.1	10.8
2007	1,603	807	796	24.7	28.4	22.1	622	340	282	10.5	13.2	8.5
2008	1,716	957	759	25.8	32.8	20.6	664	353	311	10.6	13.1	8.8
2009	1,721	899	822	24.5	29.3	21.0	684	390	294	10.4	13.9	7.9
2010	1,736	853	883	23.0	25.4	21.1	693	379	314	9.9	12.5	8.0
2011	1,786	913	873	22.3	25.8	19.6	772	413	359	10.6	13.3	8.7
2012	1,845	940	905	22.1	25.2	19.7	762	402	360	9.8	11.7	8.3
2013	1,881	935	946	21.1	23.2	19.4	834	455	379	10.1	12.9	8.1
2014	2,038	1,046	992	21.7	24.7	19.5	783	431	352	9.1	11.4	7.3
2015	2,171	1,081	1,090	21.9	24.5	20.1	893	473	420	9.8	12.1	8.2

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2015, Colon Cancer (continued)

Year of Diagnosis or Death	Incidence						Mortality					
	New Cases			Annual Rate			Deaths			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC WHITE												
1988	7,639	3,662	3,977	43.2	50.2	38.2	3,615	1,752	1,863	20.5	24.4	17.8
1989	7,416	3,493	3,923	41.5	47.8	37.4	3,627	1,769	1,858	20.4	24.8	17.7
1990	7,510	3,670	3,840	41.4	49.4	36.0	3,462	1,733	1,729	19.3	23.9	16.2
1991	7,492	3,583	3,909	40.8	47.0	36.5	3,487	1,684	1,803	19.1	22.8	16.6
1992	7,350	3,604	3,746	39.6	46.9	34.4	3,406	1,658	1,748	18.5	22.2	16.0
1993	7,368	3,522	3,846	39.2	45.0	35.0	3,316	1,613	1,703	17.7	21.2	15.3
1994	7,215	3,549	3,666	38.2	44.8	33.3	3,377	1,615	1,762	17.9	20.8	15.8
1995	7,062	3,425	3,637	37.0	42.7	32.8	3,297	1,664	1,633	17.3	21.3	14.5
1996	7,412	3,543	3,869	38.6	44.0	34.7	3,203	1,589	1,614	16.6	20.0	14.2
1997	7,555	3,644	3,911	38.8	44.3	34.6	3,258	1,601	1,657	16.7	19.9	14.3
1998	7,440	3,589	3,851	37.8	42.8	34.0	3,082	1,532	1,550	15.6	18.5	13.3
1999	7,445	3,595	3,850	37.3	42.4	33.4	3,134	1,557	1,577	15.6	18.6	13.3
2000	7,364	3,522	3,842	36.6	40.9	33.0	3,142	1,504	1,638	15.4	17.8	13.6
2001	7,282	3,488	3,794	35.8	40.2	32.5	3,178	1,566	1,612	15.5	18.3	13.3
2002	7,156	3,440	3,716	34.9	39.1	31.6	3,066	1,458	1,608	14.8	16.8	13.2
2003	7,150	3,463	3,687	34.7	38.9	31.4	3,106	1,540	1,566	14.8	17.6	12.6
2004	6,735	3,225	3,510	32.6	35.7	30.0	2,900	1,419	1,481	13.8	16.0	12.1
2005	6,792	3,219	3,573	32.6	35.3	30.4	2,832	1,432	1,400	13.4	15.9	11.3
2006	6,677	3,187	3,490	32.3	35.0	30.0	2,746	1,369	1,377	12.9	15.1	11.2
2007	6,745	3,323	3,422	32.3	35.9	29.2	2,710	1,363	1,347	12.6	14.8	10.9
2008	6,767	3,199	3,568	32.1	34.2	30.3	2,682	1,283	1,399	12.2	13.7	11.1
2009	6,402	3,105	3,297	30.0	32.6	27.9	2,668	1,333	1,335	12.0	13.9	10.6
2010	6,141	3,008	3,133	28.5	31.1	26.4	2,593	1,291	1,302	11.7	13.4	10.2
2011	5,882	2,855	3,027	27.0	28.9	25.3	2,551	1,271	1,280	11.3	12.9	10.0
2012	5,685	2,743	2,942	25.9	27.5	24.3	2,412	1,217	1,195	10.7	12.3	9.3
2013	5,552	2,657	2,895	25.0	26.3	23.9	2,409	1,161	1,248	10.4	11.5	9.6
2014	5,741	2,904	2,837	25.7	28.3	23.5	2,424	1,229	1,195	10.4	12.0	9.1
2015	5,639	2,815	2,824	25.2	27.3	23.4	2,424	1,203	1,221	10.2	11.3	9.2

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2011-2015, Colon Cancer

Age at Diagnosis or Death	Incidence						Mortality					
	New Cases 2011-2015			Annual Rate			Deaths 2011-2015			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
ALL RACES												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	7	2	5	0.1	0.0	0.1	0	0	0	0.0	0.0	0.0
10 - 14	33	15	18	0.3	0.2	0.3	1	1	0	0.0	0.0	0.0
15 - 19	61	25	36	0.5	0.4	0.6	3	3	0	0.0	0.0	0.0
20 - 24	105	55	50	0.7	0.7	0.7	18	12	6	0.1	0.2	0.1
25 - 29	207	112	95	1.4	1.5	1.4	51	31	20	0.4	0.4	0.3
30 - 34	402	196	206	2.9	2.8	3.1	111	57	54	0.8	0.8	0.8
35 - 39	710	383	327	5.6	6.0	5.1	181	102	79	1.4	1.6	1.2
40 - 44	1,202	577	625	9.2	8.8	9.5	340	165	175	2.6	2.5	2.7
45 - 49	2,144	1,075	1,069	16.4	16.5	16.4	702	373	329	5.4	5.7	5.0
50 - 54	4,105	2,161	1,944	31.1	33.1	29.2	1,219	636	583	9.3	9.8	8.8
55 - 59	4,602	2,485	2,117	38.3	42.4	34.4	1,686	961	725	14.0	16.4	11.8
60 - 64	5,436	2,980	2,456	53.8	61.7	46.6	2,034	1,144	890	20.1	23.7	16.9
65 - 69	6,051	3,252	2,799	77.0	87.9	67.2	2,186	1,243	943	27.8	33.6	22.7
70 - 74	5,902	3,025	2,877	105.8	118.6	95.1	2,228	1,234	994	40.0	48.4	32.8
75 - 79	5,720	2,807	2,913	139.1	154.3	127.0	2,491	1,327	1,164	60.6	73.0	50.8
80 - 84	5,591	2,505	3,086	180.6	192.9	171.7	2,795	1,365	1,430	90.3	105.1	79.6
85 +	7,037	2,614	4,423	210.7	219.2	206.0	4,971	1,977	2,994	148.9	165.8	139.5
Total/Crude	49,315	24,269	25,046	24.9	27.1	23.1	21,017	10,631	10,386	10.9	11.1	10.7
ASIAN/PACIFIC ISLANDER												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
15 - 19	4	2	2	0.2	0.2	0.2	0	0	0	0.0	0.0	0.0
20 - 24	5	1	4	0.3	0.1	0.4	4	2	2	0.2	0.2	0.2
25 - 29	22	11	11	1.0	1.0	1.0	6	4	2	0.3	0.4	0.2
30 - 34	53	23	30	2.4	2.2	2.6	21	11	10	1.0	1.1	0.9
35 - 39	108	45	63	5.0	4.5	5.5	35	12	23	1.6	1.2	2.0
40 - 44	192	86	106	8.7	8.5	8.9	50	26	24	2.3	2.6	2.0
45 - 49	334	159	175	16.4	16.8	16.0	115	65	50	5.6	6.9	4.6
50 - 54	569	276	293	28.7	30.2	27.4	198	96	102	10.0	10.5	9.5
55 - 59	652	340	312	35.4	40.8	31.0	230	122	108	12.5	14.6	10.7
60 - 64	790	444	346	50.2	62.9	39.9	276	154	122	17.5	21.8	14.1
65 - 69	904	482	422	76.9	91.6	64.9	262	152	110	22.3	28.9	16.9
70 - 74	757	378	379	89.6	100.8	80.7	291	169	122	34.5	45.1	26.0
75 - 79	739	365	374	115.4	132.9	102.3	279	141	138	43.6	51.4	37.7
80 - 84	678	310	368	148.2	167.3	135.2	364	158	206	79.6	85.3	75.7
85 +	778	291	487	175.8	177.5	174.8	565	231	334	127.7	140.9	119.9
Total/Crude	6,585	3,213	3,372	22.0	24.5	20.1	2,696	1,343	1,353	9.6	10.1	9.2

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2011-2015, Colon Cancer (continued)

Age at Diagnosis or Death	Incidence						Mortality					
	New Cases 2011-2015			Annual Rate			Deaths 2011-2015			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC BLACK												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	2	0	2	0.2	0.0	0.5	0	0	0	0.0	0.0	0.0
15 - 19	3	1	2	0.3	0.2	0.4	1	1	0	0.1	0.2	0.0
20 - 24	4	2	2	0.4	0.4	0.4	0	0	0	0.0	0.0	0.0
25 - 29	11	6	5	1.2	1.3	1.1	4	2	2	0.4	0.4	0.5
30 - 34	30	18	12	3.7	4.3	3.0	10	5	5	1.2	1.2	1.2
35 - 39	52	29	23	7.0	7.8	6.2	13	7	6	1.8	1.9	1.6
40 - 44	90	37	53	11.4	9.4	13.4	34	13	21	4.3	3.3	5.3
45 - 49	194	101	93	22.9	23.9	21.8	90	49	41	10.6	11.6	9.6
50 - 54	395	212	183	44.4	48.3	40.7	143	77	66	16.1	17.5	14.7
55 - 59	433	216	217	55.8	57.2	54.4	195	104	91	25.1	27.6	22.8
60 - 64	516	257	259	85.0	90.5	80.2	228	111	117	37.6	39.1	36.2
65 - 69	500	251	249	114.5	127.8	103.7	242	146	96	55.4	74.3	40.0
70 - 74	494	236	258	156.7	172.4	144.7	237	119	118	75.2	86.9	66.2
75 - 79	434	191	243	186.7	192.0	182.7	247	123	124	106.3	123.7	93.2
80 - 84	303	136	167	203.4	234.8	183.4	179	87	92	120.2	150.2	101.1
85 +	337	106	231	231.4	228.2	232.9	274	98	176	188.2	211.0	177.5
Total/Crude	3,798	1,799	1,999	33.5	35.6	31.8	1,897	942	955	15.8	15.8	15.7
HISPANIC												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	7	2	5	0.1	0.1	0.2	0	0	0	0.0	0.0	0.0
10 - 14	12	6	6	0.2	0.2	0.2	1	1	0	0.0	0.0	0.0
15 - 19	26	11	15	0.4	0.3	0.5	2	2	0	0.0	0.1	0.0
20 - 24	44	29	15	0.7	0.8	0.5	10	7	3	0.2	0.2	0.1
25 - 29	83	40	43	1.4	1.3	1.5	19	13	6	0.3	0.4	0.2
30 - 34	151	82	69	2.6	2.8	2.5	44	24	20	0.8	0.8	0.7
35 - 39	256	139	117	4.7	5.1	4.4	68	40	28	1.3	1.5	1.1
40 - 44	392	192	200	7.6	7.3	7.8	127	64	63	2.5	2.5	2.5
45 - 49	610	295	315	13.2	12.5	13.8	210	108	102	4.5	4.6	4.5
50 - 54	1,062	531	531	27.0	27.1	26.9	286	154	132	7.3	7.9	6.7
55 - 59	1,091	565	526	35.1	37.4	32.9	407	232	175	13.1	15.4	11.0
60 - 64	1,186	637	549	52.4	59.5	46.0	430	243	187	19.0	22.7	15.7
65 - 69	1,185	669	516	75.1	92.8	60.2	438	253	185	27.8	35.1	21.6
70 - 74	1,040	530	510	96.1	112.6	83.5	417	226	191	38.5	48.0	31.3
75 - 79	919	477	442	118.0	145.8	97.8	451	265	186	57.9	81.0	41.2
80 - 84	833	359	474	150.7	161.4	143.5	467	244	223	84.5	109.7	67.5
85 +	824	351	473	164.2	190.8	148.8	667	298	369	132.9	162.0	116.1
Total/Crude	9,721	4,915	4,806	21.8	24.6	19.6	4,044	2,174	1,870	5.5	5.9	5.1

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2011-2015, Colon Cancer (continued)

Age at Diagnosis or Death	Incidence						Mortality					
	New Cases 2011-2015			Annual Rate			Deaths 2011-2015			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC WHITE												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	19	9	10	0.5	0.5	0.5	0	0	0	0.0	0.0	0.0
15 - 19	28	11	17	0.7	0.5	0.9	0	0	0	0.0	0.0	0.0
20 - 24	48	22	26	1.0	0.9	1.1	4	3	1	0.1	0.1	0.0
25 - 29	85	52	33	1.7	2.0	1.3	22	12	10	0.4	0.5	0.4
30 - 34	161	69	92	3.3	2.7	3.9	34	15	19	0.7	0.6	0.8
35 - 39	284	164	120	6.5	7.2	5.6	65	43	22	1.5	1.9	1.0
40 - 44	506	253	253	10.4	10.1	10.6	129	62	67	2.6	2.5	2.8
45 - 49	974	502	472	17.8	18.1	17.6	279	146	133	5.1	5.3	5.0
50 - 54	1,997	1,100	897	31.8	34.7	28.8	580	303	277	9.2	9.6	8.9
55 - 59	2,343	1,319	1,024	37.7	42.6	32.9	840	493	347	13.5	15.9	11.2
60 - 64	2,844	1,584	1,260	50.9	57.8	44.2	1,079	625	454	19.3	22.8	15.9
65 - 69	3,347	1,786	1,561	72.4	80.0	65.3	1,221	679	542	26.4	30.4	22.7
70 - 74	3,513	1,831	1,682	106.3	117.9	96.1	1,264	705	559	38.3	45.4	31.9
75 - 79	3,569	1,746	1,823	146.3	157.5	136.9	1,493	788	705	61.2	71.1	53.0
80 - 84	3,727	1,676	2,051	193.8	202.6	187.1	1,771	868	903	92.1	104.9	82.4
85 +	5,054	1,850	3,204	225.9	233.0	221.9	3,439	1,339	2,100	153.7	168.7	145.5
Total/Crude	28,499	13,974	14,525	25.7	27.6	24.0	12,220	6,081	6,139	15.8	15.8	15.9

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
BOTH SEXES COMBINED, ALL RACES										
1994	1,895	7.4	2,881	11.3	2,055	8.0	1,609	6.2	740	3.0
1995	1,928	7.3	2,744	10.5	2,113	8.0	1,640	6.3	672	2.7
1996	2,012	7.5	2,841	10.7	2,134	8.0	1,711	6.4	798	3.1
1997	2,025	7.4	2,973	10.9	2,164	7.9	1,761	6.4	862	3.2
1998	2,125	7.6	3,026	10.9	2,297	8.2	1,778	6.3	721	2.6
1999	2,144	7.5	2,987	10.5	2,258	7.9	1,798	6.2	813	2.9
2000	2,089	7.2	2,978	10.2	2,286	7.8	1,802	6.1	806	2.8
2001	2,235	7.5	2,957	10.0	2,265	7.6	1,818	6.0	743	2.5
2002	2,201	7.2	2,838	9.4	2,300	7.5	1,832	6.0	800	2.6
2003	2,229	7.2	2,873	9.3	2,355	7.5	1,869	5.9	768	2.5
2004	1,994	6.3	2,616	8.3	2,244	7.0	2,004	6.2	787	2.5
2005	2,128	6.6	2,669	8.3	2,264	7.0	1,981	6.0	819	2.5
2006	2,162	6.6	2,637	8.1	2,336	7.1	1,944	5.8	825	2.5
2007	2,216	6.6	2,634	7.9	2,394	7.1	1,911	5.6	850	2.5
2008	2,288	6.7	2,744	8.0	2,457	7.1	1,997	5.7	755	2.2
2009	2,308	6.6	2,529	7.2	2,389	6.7	1,936	5.4	783	2.2
2010	2,195	6.0	2,440	6.8	2,393	6.6	1,935	5.2	656	1.8
2011	2,164	5.8	2,417	6.5	2,369	6.3	1,997	5.3	528	1.4
2012	2,052	5.4	2,491	6.6	2,355	6.1	1,921	4.9	531	1.4
2013	2,077	5.3	2,388	6.1	2,369	6.0	1,901	4.8	600	1.5
2014	2,245	5.5	2,428	6.0	2,377	5.9	2,028	5.0	687	1.7
2015	2,237	5.4	2,432	5.9	2,345	5.6	2,056	4.9	698	1.7
BOTH SEXES COMBINED, ASIAN/PACIFIC ISLANDER										
1994	116	5.3	189	8.8	135	6.1	112	5.0	50	2.7
1995	145	6.2	216	9.3	193	8.5	112	4.7	53	2.7
1996	133	5.2	224	9.2	175	7.2	128	5.1	42	2.1
1997	174	6.8	213	8.1	189	7.0	141	5.4	65	3.1
1998	163	5.8	240	8.9	222	7.6	148	5.3	47	2.0
1999	176	6.0	230	8.1	228	7.7	149	4.8	45	1.7
2000	159	5.1	263	8.5	239	7.7	151	4.7	55	2.1
2001	216	6.6	240	7.5	286	8.7	171	5.0	54	1.8
2002	236	6.8	264	7.6	271	7.7	200	5.6	52	1.6
2003	229	6.3	238	6.6	244	6.7	186	5.0	50	1.5
2004	191	5.1	255	6.6	278	7.1	203	5.3	86	2.5
2005	218	5.4	283	7.0	290	7.0	219	5.3	74	1.9
2006	235	5.6	287	7.1	295	6.9	207	4.8	83	2.1
2007	210	4.6	295	6.7	317	7.1	228	5.0	94	2.3
2008	242	5.2	286	6.2	335	7.0	244	5.1	104	2.3
2009	300	6.0	285	5.9	314	6.3	249	4.9	74	1.6
2010	257	5.0	279	5.6	312	6.1	240	4.6	86	1.8
2011	249	4.7	277	5.2	381	7.0	235	4.4	68	1.3
2012	280	5.0	301	5.5	363	6.3	221	3.9	60	1.1
2013	265	4.4	284	4.7	344	5.7	290	4.8	64	1.1
2014	294	4.6	294	4.7	349	5.5	302	4.7	93	1.5
2015	280	4.2	298	4.6	364	5.5	278	4.2	112	1.7

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
BOTH SEXES COMBINED, NON-HISPANIC BLACK										
1994	134	10.0	168	12.1	144	10.4	134	9.4	65	5.1
1995	124	8.7	159	11.5	146	10.2	135	9.5	60	4.6
1996	130	8.9	151	11.0	140	9.4	150	10.2	66	4.9
1997	128	8.4	180	12.0	141	9.2	148	9.5	67	4.9
1998	132	8.7	192	12.9	173	11.4	162	10.4	60	4.4
1999	144	9.2	217	14.2	151	9.5	161	10.1	71	4.9
2000	136	8.5	175	11.2	149	9.2	168	10.3	74	4.9
2001	150	9.1	167	10.3	158	9.4	187	11.2	68	4.3
2002	122	7.3	176	10.7	165	9.7	167	9.6	57	3.8
2003	133	7.7	192	11.4	186	10.7	180	9.8	70	4.5
2004	140	8.0	181	10.4	167	9.2	224	12.6	51	3.0
2005	151	8.6	179	9.9	201	11.0	199	10.7	74	4.5
2006	154	8.4	197	10.9	211	11.1	171	9.0	75	4.4
2007	144	7.6	179	9.4	185	9.6	185	9.7	72	3.9
2008	162	8.5	204	10.8	189	9.5	209	10.6	54	3.1
2009	195	9.7	165	8.3	191	9.4	198	9.7	73	3.8
2010	162	7.6	155	7.5	194	9.5	186	8.6	48	2.5
2011	178	8.2	179	8.5	160	7.3	190	8.7	42	2.3
2012	140	6.4	195	9.1	167	7.6	174	7.9	52	2.5
2013	161	7.0	171	7.5	184	7.9	166	7.2	53	2.7
2014	157	6.8	147	6.4	185	7.9	181	7.8	63	2.7
2015	179	7.5	133	5.6	181	7.4	165	6.7	48	2.1
BOTH SEXES COMBINED, HISPANIC										
1994	131	4.1	263	8.8	194	5.7	151	4.1	62	2.1
1995	152	4.4	249	7.3	198	5.5	169	4.8	42	1.3
1996	169	4.9	265	7.8	214	6.0	155	4.3	71	2.3
1997	165	4.6	261	7.1	215	5.2	173	4.2	52	1.5
1998	203	5.5	338	8.9	254	6.4	200	5.1	71	2.0
1999	191	4.9	309	7.9	255	5.9	231	5.4	83	2.3
2000	231	5.3	317	7.5	251	5.7	243	5.4	86	2.3
2001	232	5.4	338	7.6	261	5.7	212	4.3	78	2.0
2002	250	5.2	337	7.0	281	5.4	242	4.5	114	2.7
2003	246	4.8	388	7.7	324	6.0	280	5.0	93	2.0
2004	278	5.2	360	6.7	317	5.8	268	4.6	118	2.4
2005	265	4.8	379	6.7	330	5.5	281	4.5	128	2.6
2006	274	4.7	417	7.2	359	5.7	330	5.3	122	2.2
2007	320	5.2	377	5.7	387	5.8	309	4.6	131	2.1
2008	353	5.5	415	6.4	431	6.3	322	4.6	116	1.8
2009	321	4.8	426	6.2	412	5.8	337	4.5	152	2.3
2010	353	4.7	428	5.6	435	5.6	325	4.2	117	1.8
2011	366	4.6	409	5.3	459	5.6	405	4.9	80	1.1
2012	332	4.0	483	6.1	453	5.2	418	4.8	92	1.3
2013	364	4.0	472	5.5	475	5.3	395	4.2	114	1.4
2014	442	4.6	501	5.5	481	5.0	416	4.3	130	1.6
2015	494	4.8	504	5.2	535	5.4	439	4.4	126	1.4

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
BOTH SEXES COMBINED, NON-HISPANIC WHITE										
1994	1,496	7.9	2,250	11.9	1,573	8.4	1,209	6.4	547	2.9
1995	1,494	7.8	2,113	11.0	1,569	8.3	1,220	6.5	503	2.6
1996	1,570	8.1	2,189	11.3	1,597	8.3	1,276	6.7	606	3.2
1997	1,534	7.9	2,309	11.8	1,602	8.3	1,296	6.7	670	3.4
1998	1,610	8.2	2,240	11.3	1,640	8.4	1,263	6.5	532	2.7
1999	1,614	8.1	2,216	11.0	1,611	8.1	1,246	6.3	597	2.9
2000	1,545	7.7	2,209	10.9	1,641	8.2	1,235	6.2	579	2.8
2001	1,609	7.9	2,195	10.7	1,542	7.6	1,242	6.2	537	2.6
2002	1,574	7.7	2,050	9.9	1,571	7.7	1,215	6.0	565	2.7
2003	1,602	7.8	2,037	9.8	1,591	7.8	1,215	6.0	541	2.6
2004	1,370	6.6	1,813	8.7	1,463	7.1	1,301	6.4	522	2.4
2005	1,472	7.1	1,815	8.7	1,434	6.9	1,266	6.2	529	2.4
2006	1,472	7.1	1,717	8.3	1,460	7.1	1,223	5.9	534	2.5
2007	1,506	7.2	1,760	8.3	1,491	7.2	1,181	5.7	538	2.5
2008	1,505	7.2	1,825	8.6	1,480	7.0	1,209	5.8	462	2.1
2009	1,453	6.9	1,633	7.6	1,455	6.8	1,141	5.4	472	2.1
2010	1,379	6.5	1,559	7.2	1,438	6.7	1,174	5.5	382	1.6
2011	1,325	6.1	1,531	7.0	1,343	6.3	1,156	5.3	323	1.4
2012	1,267	5.8	1,480	6.7	1,352	6.2	1,101	5.1	312	1.3
2013	1,250	5.7	1,437	6.4	1,333	6.1	1,034	4.8	352	1.5
2014	1,321	6.0	1,460	6.4	1,335	6.0	1,102	5.1	369	1.5
2015	1,237	5.7	1,472	6.5	1,241	5.6	1,154	5.1	379	1.6

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
MALE, ALL RACES										
1994	1,008	9.3	1,368	12.8	970	8.9	817	7.3	343	3.4
1995	991	8.8	1,293	11.7	1,008	8.9	840	7.6	295	2.9
1996	1,047	9.2	1,313	11.8	954	8.4	828	7.2	366	3.6
1997	1,037	8.9	1,428	12.5	1,000	8.4	889	7.4	387	3.6
1998	1,105	9.2	1,413	12.1	1,057	8.7	884	7.3	310	2.8
1999	1,084	8.8	1,379	11.5	1,076	8.7	860	6.9	365	3.3
2000	1,072	8.5	1,398	11.3	1,030	8.2	885	6.9	363	3.1
2001	1,139	9.0	1,361	10.9	1,089	8.4	860	6.5	330	2.7
2002	1,137	8.7	1,324	10.3	1,117	8.4	895	6.6	356	2.9
2003	1,118	8.3	1,366	10.2	1,129	8.3	914	6.6	341	2.7
2004	1,020	7.3	1,235	9.0	1,037	7.4	984	6.9	354	2.7
2005	1,025	7.2	1,228	8.9	1,062	7.3	968	6.6	341	2.5
2006	1,088	7.6	1,245	8.8	1,079	7.3	976	6.6	361	2.6
2007	1,132	7.6	1,275	8.7	1,095	7.3	945	6.2	404	2.8
2008	1,157	7.6	1,273	8.5	1,178	7.6	974	6.2	357	2.4
2009	1,136	7.3	1,236	8.0	1,109	7.0	982	6.1	384	2.5
2010	1,115	6.8	1,142	7.3	1,142	7.0	961	5.8	289	1.9
2011	1,098	6.5	1,172	7.1	1,098	6.5	995	5.8	250	1.6
2012	1,028	6.0	1,176	7.0	1,144	6.6	977	5.5	228	1.4
2013	991	5.5	1,143	6.5	1,155	6.4	953	5.2	260	1.5
2014	1,145	6.1	1,214	6.7	1,140	6.1	1,066	5.7	346	2.0
2015	1,143	5.9	1,168	6.3	1,134	5.9	1,042	5.4	339	1.8
MALE, ASIAN/PACIFIC ISLANDER										
1994	67	7.2	94	10.1	62	6.1	68	6.6	27	3.0
1995	84	7.9	110	10.6	99	9.9	64	6.3	31	3.3
1996	62	5.7	106	9.9	80	7.3	66	5.9	16	1.8
1997	84	7.4	114	10.0	103	9.0	73	6.6	33	3.7
1998	82	6.5	127	10.8	95	7.4	73	5.8	15	1.4
1999	86	6.7	108	8.7	98	7.3	69	5.1	24	2.2
2000	92	6.8	125	8.8	117	9.3	60	4.3	30	2.7
2001	109	7.7	109	8.0	132	9.4	81	5.5	28	2.1
2002	117	7.8	118	7.9	139	9.0	107	6.9	30	2.1
2003	120	7.8	127	8.1	125	7.9	87	5.4	26	1.9
2004	95	5.8	113	6.7	106	6.2	104	6.3	43	2.9
2005	93	5.3	129	7.5	129	7.2	90	4.9	31	1.9
2006	112	6.2	152	8.7	123	6.6	103	5.4	45	2.7
2007	103	5.2	145	7.5	130	6.8	112	5.9	42	2.4
2008	116	5.6	132	6.6	153	7.2	104	4.9	50	2.5
2009	145	6.8	138	6.5	146	6.6	130	5.9	34	1.7
2010	133	6.0	124	5.8	145	6.8	113	4.9	34	1.6
2011	132	5.7	142	6.3	170	7.1	108	4.6	28	1.3
2012	129	5.3	132	5.5	180	7.2	114	4.6	29	1.3
2013	134	5.1	137	5.1	160	6.1	159	5.9	24	1.1
2014	149	5.2	148	5.3	177	6.4	144	5.1	44	1.7
2015	153	5.1	144	5.1	170	5.9	136	4.7	54	1.9

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
MALE, NON-HISPANIC BLACK										
1994	52	9.6	85	14.5	66	11.6	69	12.4	32	6.3
1995	61	10.8	64	11.3	65	10.8	62	10.5	27	4.9
1996	63	9.7	72	12.6	49	8.2	57	9.0	36	6.5
1997	52	7.8	82	12.4	63	9.5	73	10.7	27	4.3
1998	58	9.3	88	14.9	76	12.6	70	10.6	29	5.7
1999	62	8.9	76	12.5	73	10.8	81	12.6	30	5.0
2000	64	9.5	77	11.5	57	8.9	76	11.7	24	3.7
2001	81	11.7	72	10.0	67	9.5	76	9.8	39	5.9
2002	55	8.3	81	12.6	81	11.5	74	9.4	21	3.7
2003	65	8.4	84	11.6	83	10.8	77	9.5	36	6.5
2004	76	10.1	89	11.7	71	8.6	101	13.4	24	3.9
2005	68	9.3	79	10.5	101	12.2	88	11.2	33	4.7
2006	75	9.8	80	10.0	98	11.3	82	9.8	29	3.8
2007	67	8.5	88	10.6	84	9.1	68	8.7	27	3.4
2008	78	9.5	103	12.7	80	9.3	97	10.6	17	2.3
2009	90	10.0	83	9.4	90	10.2	90	9.7	30	3.7
2010	87	9.5	67	7.9	80	9.2	82	8.3	20	2.4
2011	95	10.2	83	9.1	78	8.3	84	8.9	15	1.9
2012	68	7.3	92	9.8	78	7.7	90	9.5	22	2.5
2013	69	6.3	88	9.0	92	8.6	73	7.0	24	2.9
2014	66	6.4	74	7.6	85	7.6	89	8.1	29	3.1
2015	81	7.7	61	5.7	86	7.7	82	7.2	24	2.4
MALE, HISPANIC										
1994	74	5.5	121	10.3	78	5.9	74	4.8	29	2.2
1995	87	6.2	121	8.2	99	6.3	76	5.2	18	1.3
1996	81	5.7	134	8.8	103	6.7	75	4.9	33	2.9
1997	90	5.6	133	8.2	100	5.2	97	5.4	20	1.4
1998	107	6.3	164	10.0	128	7.5	100	5.6	32	2.3
1999	98	5.9	156	9.1	114	6.4	109	6.0	41	2.9
2000	129	6.8	153	8.4	117	5.8	120	6.2	46	2.8
2001	112	6.0	178	9.5	126	6.5	108	4.9	36	2.2
2002	136	6.4	178	8.1	152	6.7	109	4.7	57	3.1
2003	117	5.4	194	9.2	165	6.9	138	5.8	36	1.7
2004	147	6.5	193	8.2	167	6.7	140	5.5	50	2.5
2005	129	5.6	188	7.3	167	6.0	152	5.7	57	2.7
2006	137	5.5	226	9.2	172	6.1	173	6.3	57	2.4
2007	171	6.5	195	6.5	188	6.6	153	5.0	61	2.3
2008	199	7.0	227	7.7	237	8.0	172	5.8	70	2.5
2009	158	5.6	223	7.3	207	6.5	187	5.9	85	2.9
2010	161	4.8	226	6.8	204	5.9	165	4.9	58	2.0
2011	193	5.6	203	6.1	218	5.9	230	6.2	37	1.2
2012	171	4.7	252	7.2	213	5.2	231	6.1	42	1.4
2013	156	3.8	247	6.5	248	6.0	204	4.9	49	1.3
2014	229	5.5	267	6.3	214	4.9	227	5.3	71	1.9
2015	256	5.6	255	5.8	257	5.9	222	5.1	53	1.3

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
MALE, NON-HISPANIC WHITE										
1994	806	10.1	1,065	13.5	760	9.6	604	7.5	247	3.3
1995	750	9.2	995	12.4	742	9.1	636	8.0	211	2.8
1996	836	10.2	998	12.5	721	8.9	629	7.7	273	3.7
1997	799	9.6	1,092	13.4	726	8.7	645	7.7	302	3.9
1998	850	10.0	1,028	12.4	754	8.9	638	7.5	231	2.9
1999	827	9.6	1,030	12.3	785	9.2	599	7.0	263	3.3
2000	774	8.9	1,040	12.1	737	8.5	629	7.2	256	3.1
2001	820	9.5	995	11.6	755	8.6	592	6.7	225	2.7
2002	818	9.2	940	10.8	738	8.3	600	6.7	242	2.9
2003	809	9.1	955	10.8	752	8.4	608	6.7	239	2.8
2004	693	7.6	839	9.4	684	7.6	634	6.9	230	2.6
2005	718	7.8	827	9.2	661	7.2	629	6.8	213	2.4
2006	750	8.2	778	8.7	681	7.5	610	6.6	224	2.5
2007	771	8.3	834	9.1	686	7.4	609	6.5	267	2.9
2008	745	7.9	806	8.7	697	7.4	592	6.3	208	2.2
2009	723	7.6	783	8.4	657	6.9	568	5.9	228	2.4
2010	714	7.3	716	7.6	706	7.3	595	6.1	164	1.7
2011	656	6.6	733	7.5	619	6.3	565	5.6	163	1.7
2012	640	6.3	685	7.0	659	6.7	539	5.4	130	1.3
2013	613	6.0	658	6.6	636	6.3	511	5.1	154	1.5
2014	683	6.6	712	7.0	651	6.4	597	5.9	183	1.8
2015	635	6.2	697	6.9	614	5.9	593	5.7	183	1.8

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
FEMALE, ALL RACES										
1994	887	6.0	1,513	10.2	1,085	7.4	792	5.4	397	2.7
1995	937	6.2	1,451	9.6	1,105	7.4	800	5.4	377	2.5
1996	965	6.3	1,528	9.9	1,180	7.8	883	5.8	432	2.8
1997	988	6.3	1,545	9.8	1,164	7.5	872	5.6	475	2.9
1998	1,020	6.4	1,613	10.1	1,240	7.8	894	5.7	411	2.5
1999	1,060	6.5	1,608	9.8	1,182	7.3	938	5.8	448	2.6
2000	1,017	6.1	1,580	9.4	1,256	7.5	917	5.5	443	2.5
2001	1,096	6.5	1,596	9.3	1,176	6.9	958	5.7	413	2.3
2002	1,064	6.2	1,514	8.7	1,183	6.8	937	5.4	444	2.5
2003	1,111	6.3	1,507	8.5	1,226	7.0	955	5.4	427	2.3
2004	974	5.5	1,381	7.7	1,207	6.7	1,020	5.7	433	2.3
2005	1,103	6.0	1,441	7.8	1,202	6.6	1,013	5.6	478	2.5
2006	1,074	5.9	1,392	7.5	1,257	6.8	968	5.2	464	2.4
2007	1,084	5.8	1,359	7.2	1,299	6.9	966	5.1	446	2.2
2008	1,131	6.0	1,471	7.6	1,279	6.6	1,023	5.3	398	2.0
2009	1,172	6.0	1,293	6.6	1,280	6.5	954	4.9	399	1.9
2010	1,080	5.4	1,298	6.4	1,251	6.2	974	4.8	367	1.7
2011	1,066	5.2	1,245	6.0	1,271	6.2	1,002	4.9	278	1.3
2012	1,024	4.9	1,315	6.2	1,211	5.7	944	4.5	303	1.4
2013	1,086	5.1	1,245	5.7	1,214	5.6	948	4.4	340	1.5
2014	1,100	5.0	1,214	5.5	1,237	5.6	962	4.4	341	1.4
2015	1,094	4.9	1,264	5.6	1,211	5.4	1,014	4.5	359	1.5
FEMALE, ASIAN/PACIFIC ISLANDER										
1994	49	3.8	95	7.8	73	6.2	44	3.8	23	2.4
1995	61	4.9	106	8.3	94	7.4	48	3.5	22	2.2
1996	71	4.9	118	8.7	95	7.1	62	4.5	26	2.4
1997	90	6.4	99	6.7	86	5.6	68	4.4	32	2.7
1998	81	5.3	113	7.4	127	7.7	75	4.8	32	2.4
1999	90	5.5	122	7.6	130	8.0	80	4.6	21	1.3
2000	67	3.8	138	8.1	122	6.8	91	5.1	25	1.6
2001	107	5.8	131	7.1	154	8.2	90	4.7	26	1.6
2002	119	6.1	146	7.4	132	6.7	93	4.7	22	1.2
2003	109	5.2	111	5.5	119	5.7	99	4.7	24	1.3
2004	96	4.5	142	6.6	172	7.9	99	4.5	43	2.2
2005	125	5.5	154	6.6	161	6.9	129	5.5	43	1.9
2006	123	5.2	135	5.8	172	7.1	104	4.3	38	1.7
2007	107	4.2	150	6.1	187	7.3	116	4.5	52	2.2
2008	126	4.8	154	5.8	182	6.8	140	5.2	54	2.0
2009	155	5.5	147	5.3	168	6.1	119	4.2	40	1.5
2010	124	4.3	155	5.5	167	5.7	127	4.3	52	1.8
2011	117	3.9	135	4.5	211	6.9	127	4.2	40	1.3
2012	151	4.8	169	5.4	183	5.6	107	3.4	31	1.0
2013	131	3.9	147	4.4	184	5.4	131	3.9	40	1.2
2014	145	4.1	146	4.2	172	4.9	158	4.4	49	1.4
2015	127	3.5	154	4.1	194	5.2	142	3.9	58	1.5

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
FEMALE, NON-HISPANIC BLACK										
1994	82	10.3	83	10.4	78	9.6	65	7.8	33	4.3
1995	63	7.6	95	11.7	81	9.7	73	8.9	33	4.2
1996	67	8.1	79	9.7	91	10.6	93	10.9	30	3.7
1997	76	8.8	98	11.5	78	9.0	75	8.5	40	4.9
1998	74	8.4	104	11.9	97	10.8	92	10.4	31	3.6
1999	82	9.2	141	15.7	78	8.5	80	8.6	41	4.8
2000	72	7.8	98	10.8	92	9.8	92	9.7	50	5.4
2001	69	7.4	95	10.3	91	9.4	111	11.8	29	3.1
2002	67	6.9	95	9.8	84	8.5	93	9.6	36	3.9
2003	68	6.9	108	11.2	103	10.5	103	10.0	34	3.5
2004	64	6.5	92	9.3	96	9.4	123	12.1	27	2.7
2005	83	8.1	100	9.7	100	9.7	111	10.4	41	4.2
2006	79	7.5	117	11.4	113	10.8	89	8.4	46	4.5
2007	77	7.1	91	8.6	101	9.4	117	10.8	45	4.2
2008	84	7.8	101	9.4	109	9.8	112	10.2	37	3.6
2009	105	9.3	82	7.4	101	8.9	108	9.6	43	3.8
2010	75	6.4	88	7.5	114	10.0	104	8.9	28	2.4
2011	83	6.8	96	8.1	82	6.8	106	8.7	27	2.3
2012	72	5.7	103	8.7	89	7.3	84	6.8	30	2.5
2013	92	7.3	83	6.6	92	7.4	93	7.4	29	2.5
2014	91	7.1	73	5.5	100	8.1	92	7.3	34	2.5
2015	98	7.4	72	5.5	95	7.2	83	6.2	24	1.9
FEMALE, HISPANIC										
1994	57	3.1	142	7.9	116	5.7	77	3.6	33	2.0
1995	65	3.3	128	6.6	99	4.9	93	4.6	24	1.4
1996	88	4.5	131	6.9	111	5.4	80	3.9	38	2.0
1997	75	3.8	128	6.3	115	5.2	76	3.3	32	1.5
1998	96	4.8	174	8.0	126	5.6	100	4.6	39	1.8
1999	93	4.2	153	7.0	141	5.7	122	5.0	42	2.0
2000	102	4.2	164	6.9	134	5.5	123	4.8	40	1.9
2001	120	4.9	160	6.3	135	5.2	104	3.8	42	1.8
2002	114	4.3	159	6.0	129	4.4	133	4.4	57	2.4
2003	129	4.4	194	6.7	159	5.3	142	4.4	57	2.1
2004	131	4.4	167	5.6	150	5.0	128	3.9	68	2.4
2005	136	4.4	191	6.1	163	5.0	129	3.7	71	2.5
2006	137	4.1	191	5.9	187	5.3	157	4.5	65	2.0
2007	149	4.3	182	5.0	199	5.3	156	4.3	70	2.0
2008	154	4.3	188	5.4	194	5.1	150	3.8	46	1.3
2009	163	4.2	203	5.4	205	5.2	150	3.5	67	1.9
2010	192	4.6	202	4.8	231	5.4	160	3.8	59	1.6
2011	173	3.8	206	4.7	241	5.4	175	3.9	43	1.0
2012	161	3.4	231	5.2	240	5.2	187	3.9	50	1.2
2013	208	4.2	225	4.8	227	4.6	191	3.8	65	1.4
2014	213	4.0	234	4.8	267	5.2	189	3.5	59	1.4
2015	238	4.2	249	4.8	278	5.0	217	3.9	73	1.4

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Sex, Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Colon Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
FEMALE, NON-HISPANIC WHITE										
1994	690	6.3	1,185	10.6	813	7.5	605	5.6	300	2.6
1995	744	6.7	1,118	9.9	827	7.6	584	5.4	292	2.5
1996	734	6.6	1,191	10.4	876	8.0	647	6.0	333	2.8
1997	735	6.5	1,217	10.6	876	7.9	651	5.9	368	3.0
1998	760	6.7	1,212	10.5	886	7.9	625	5.7	301	2.5
1999	787	6.9	1,186	10.1	826	7.3	647	5.8	334	2.6
2000	771	6.7	1,169	9.9	904	7.8	606	5.4	323	2.5
2001	789	6.8	1,200	10.1	787	6.8	650	5.8	312	2.5
2002	756	6.6	1,110	9.2	833	7.2	615	5.4	323	2.5
2003	793	6.8	1,082	9.1	839	7.3	607	5.4	302	2.4
2004	677	5.8	974	8.2	779	6.7	667	5.9	292	2.3
2005	754	6.4	988	8.3	773	6.7	637	5.6	316	2.4
2006	722	6.2	939	8.0	779	6.8	613	5.4	310	2.4
2007	735	6.4	926	7.7	805	7.0	572	5.0	271	2.1
2008	760	6.6	1,019	8.5	783	6.6	617	5.4	254	2.0
2009	730	6.3	850	7.0	798	6.8	573	5.1	244	1.8
2010	665	5.8	843	7.0	732	6.3	579	5.0	218	1.6
2011	669	5.7	798	6.4	724	6.1	591	5.1	160	1.1
2012	627	5.3	795	6.4	693	5.8	562	4.8	182	1.3
2013	637	5.4	779	6.2	697	5.8	523	4.5	198	1.4
2014	638	5.4	748	6.0	684	5.7	505	4.4	186	1.3
2015	602	5.2	775	6.3	627	5.3	561	4.6	196	1.5

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity and Sex, Colon Cancer

Current Age	Males				Females			
	10+ yrs	20+ yrs	30+ yrs	eventually	10+ yrs	20+ yrs	30+ yrs	eventually
ALL RACES								
0	0.00	0.00	0.01	2.99	0.00	0.00	0.02	3.17
25	0.02	0.09	0.32	3.03	0.02	0.10	0.31	3.20
35	0.07	0.30	0.75	3.04	0.07	0.29	0.66	3.19
45	0.23	0.69	1.46	3.02	0.22	0.59	1.26	3.15
55	0.48	1.28	2.23	2.91	0.38	1.07	2.06	3.01
65	0.88	1.93	-	2.68	0.73	1.77	-	2.78
Lifetime Risk of Being Diagnosed = 2.99%				Lifetime Risk of Being Diagnosed = 3.17%				
Lifetime Risk of Dying of Cancer = 1.60%				Lifetime Risk of Dying of Cancer = 1.56%				
ASIAN/PACIFIC ISLANDER								
0	0.00	0.00	0.01	3.42	0.00	0.00	0.01	3.48
25	0.02	0.08	0.31	3.47	0.02	0.09	0.29	3.52
35	0.07	0.29	0.76	3.47	0.07	0.28	0.61	3.51
45	0.23	0.70	1.50	3.44	0.20	0.55	1.18	3.46
55	0.49	1.31	2.30	3.30	0.35	1.00	1.91	3.31
65	0.87	1.92	-	2.98	0.67	1.62	-	3.06
Lifetime Risk of Being Diagnosed = 3.42%				Lifetime Risk of Being Diagnosed = 3.48%				
Lifetime Risk of Dying of Cancer = 1.84%				Lifetime Risk of Dying of Cancer = 1.82%				
NON-HISPANIC BLACK								
0	0.00	0.00	0.01	3.06	0.00	0.00	0.01	3.51
25	0.03	0.11	0.42	3.17	0.02	0.12	0.40	3.57
35	0.09	0.40	0.99	3.21	0.10	0.39	0.95	3.59
45	0.33	0.94	1.87	3.22	0.29	0.87	1.77	3.56
55	0.65	1.65	2.56	3.10	0.60	1.55	2.56	3.44
65	1.18	2.25	-	2.89	1.05	2.18	-	3.15
Lifetime Risk of Being Diagnosed = 3.06%				Lifetime Risk of Being Diagnosed = 3.51%				
Lifetime Risk of Dying of Cancer = 1.95%				Lifetime Risk of Dying of Cancer = 1.98%				
HISPANIC								
0	0.00	0.00	0.01	3.00	0.00	0.00	0.01	2.82
25	0.02	0.08	0.26	3.05	0.02	0.08	0.27	2.84
35	0.06	0.25	0.68	3.06	0.06	0.25	0.61	2.83
45	0.19	0.63	1.41	3.05	0.19	0.56	1.16	2.80
55	0.45	1.27	2.16	2.97	0.37	0.99	1.81	2.66
65	0.89	1.87	-	2.74	0.65	1.51	-	2.41
Lifetime Risk of Being Diagnosed = 3.00%				Lifetime Risk of Being Diagnosed = 2.82%				
Lifetime Risk of Dying of Cancer = 1.81%				Lifetime Risk of Dying of Cancer = 1.47%				
NON-HISPANIC WHITE								
0	0.00	0.01	0.02	2.89	0.00	0.01	0.02	3.16
25	0.02	0.11	0.35	2.93	0.03	0.11	0.32	3.18
35	0.08	0.33	0.76	2.94	0.08	0.30	0.65	3.17
45	0.25	0.69	1.41	2.91	0.22	0.57	1.24	3.12
55	0.46	1.22	2.17	2.79	0.37	1.05	2.08	2.99
65	0.84	1.89	-	2.57	0.72	1.82	-	2.79
Lifetime Risk of Being Diagnosed = 2.89%				Lifetime Risk of Being Diagnosed = 3.16%				
Lifetime Risk of Dying of Cancer = 1.48%				Lifetime Risk of Dying of Cancer = 1.50%				

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2011-2015.
Excludes cases reported by the Department of Veterans Affairs.
Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.